GENERAL INDEX

TO THE

ANNALS *of* SURGERY

A MONTHLY REVIEW

OF SURGICAL SCIENCE AND PRACTICE

VOLUMES FIFTY-ONE TO EIGHTY

1910–1924

EDITED BY

LEWIS STEPHEN PILCHER, M.D., LL.D.

OF NEW YORK

WITH THE COLLABORATION OF

1892-1916 J. WILLIAM WHITE, M.D., L.L.D., OF PHILADELPHIA
1892-1924 SIR WILLIAM MACEWEN, M.D., L.L.D., OF GLASGOW
1903-1922 SIR W. WATSON CHEYNE, C.B., F.R.S., OF LONDON
1922-1924 W. A. CLAYTON GREENE, F.R.C.S., OF LONDON
1924- W. SAMPSON HANDLEY, M.D., F.R.C.S., OF LONDON

PHILADELPHIA

ANNALS OF SURGERY

1925

Med.
Univ
7-25-25

GENERAL INDEX

TO THE

ANNALS *of* SURGERY

1910-1924

VOLUMES 51 TO 80

NOTICE TO READERS: All matter is indexed under the most important word of the title as published in the journal and also under the subject heading, and whenever a second important guide word is contained in the title, under this also. Cross references have been made wherever this was possible. In looking up any subject, related words should be kept in mind and consulted, *e.g.*—cranium, head, skull; bowel, intestine, enteron; stomach gastric, pylorus; liver, hepatic; kidney, renal, nephro-; etc.

ABBE, ROBERT W.: Angioma of the face treated with radium, **liv,** 237; cure of enormous goitre treated with radium, **liv,** 235; excision of the rectum and vagina for cancer, **liv,** 234; hypertrophy of one-half of the tongue, treated with radium, **liv,** 238; large primary carcinoma of the liver, treated with radium, **liv,** 236; long lasting cure after excision of cancer of the rectum, **lvi,** 469; long lasting cure after removal of sarcoma of the kidney in infancy, **lxi,** 469; papillomata of the larynx cured by radium, **lvi,** 470; permanent recovery after removal of cancer of the thyroid gland, **lvi,** 470; resection of colon for cancer, **liv,** 236; sarcoma of parotid cured with radium, **liv,** 236; X-ray bismuth pictures of strictures of the œsophagus, **lvi,** 483.

Abdomen, foreign body in the, **lxxv,** 737; removed from, **lxvii,** 380.
Gunshot wound of the, **lvi,** 886; **lxii,** 369; **lxxiii,** 129; **lxxix,** 599; and injuries, mortality from hemorrhage of, **lxxix,** 382.
Hemorrhage of the, influence on mortality, in gunshot wounds and other injuries, **lxxviii,** 364.
Inflammatory tumors of the, **lxvii,** 306.
Lower and pelvis, new incision for exposure of the, **lxvii,** 180.
Neurotic or irritable, **lxxx,** 692.
Penetrating wounds of, **lvi,** 164.
Perforating gunshot and stab wounds of the, at Gouverneur Hospital, **lxxx,** 51; wounds of the, **lxi,** 694; stab wound of the, **lxv,** 516; wound of the, **lxxi,** 103.
Stab wound of, evisceration through, **liv,** 279.
Surgical conditions of the, and angina pectoris, **lxxix,** 524.
Transverse incisions in the upper, **lxiv,** 268.
Traumatic, the, **lxviii,** 275.
Travels of a wire in the, **lxxi,** 238.

Upper, adhesions of the, **lv**, 804, 910.
Reviews of Books: Surgery of the upper abdomen, by John B. Deaver and A. P. C. Ashhurst, **lx**, 135.
Surgical diseases of the abdomen, by Douglas-Barr, **li**, 443.
Abdominal adhesions, post-operative and anomalous membranes, **lxxiii**, 776.
Aorta, ligation of the, **lxviii**, 217.
Cavity, cystoscopy of the, **liii**, 764; pus in the, **li**, 423; upper, glioma of the, **lxvii**, 496.
Contusions, visceral injuries associated with, **lxxx**, 628.
Diagnosis, element of error in, **lxiv**, 39, 119.
Drainage, **lxix**, 138; posture in cases of, **lxvi**, 414.
Incision, removal of wedge of skin and fat in the course of, **liii**, 364; closure of the, **lxvii**, 578; Sprengel transverse, **lxvi**, 237; transverse, **lxii**, 573; **lxxv**, 70.
Infection, chronic, relations to the liver, **lxxix**, 55, 305.
Lipomatosis, **lxix**, 556.
Membranes, anomalous, their influence upon the digestive tract, **lxxv**, 513, 753.
Muscles, fibroma of the, **lxix**, 600, 651.
Operations, by Sir Berkeley Moynihan, review of, **lxi**, 765; significance of diarrhœa following, **lxxvii**, 524.
Organs, examination during oxygen insufflation of the peritoneum, **lxx**, 95.
Pain, surgical significance of, **lxxix**, 1.
Retractor, combination, **lv**, 419; an improved, **lxxix**, 454.
Sarcoma, cure of, by mixed toxins, **liii**, 299.
Sections, multiple, in one patient, **liii**, 728.
Skin flaps in breast operations, **lxii**, 678.
Surgery, emergency, mediastinal and pericardial infections in relation to, **lvi**, 565; in war, **lxviii**, 656; review of, **lxi**, 512.
Transplant, pedicled, for finger contracture, **lxvii**, 114.
Viscera, inverted, complicated with gall stones, **lxii**, 424.
Wall, anterior, nerve supply of, **liv**, 153; myxofibromata of the, **lxvi**, 555; typical fibromyoma of, following hysterectomy, **lxxiv**, 364.
Wound, technic, **lxvii**, 183; post-operative, bursting of sutures, **lxvi**, 243.
Abdomino-thoracic approach, combined, in operations for diaphragmatic hernia, **lxxviii**, 32.
Injuries, **lxxii**, 370.
ABELL, IRVIN: Papilloma and adenoma of gall-bladder, **lxxvii**, 276.
Abscess, actinomycotic, **lx**, 389.
Amœbic, of liver, **lxxix**, 730.
Bone, central, **lxxiv**, 568.
Brain, its surgical pathology and operative technic, **lxxvii**, 508.
Gonococcic, of arm, **lxxvi**, 802.
Hepatic, evacuating via bronchus, **lxxvi**, 591.
Liver, discharging through bronchi, **lxvii**, 631.
Lung, **lxvii**, 630; **lxx**, 539; **lxxvii**, 370.
Perinephritic, **lv**, 449.
Prostatic, **lxxi**, 172, 233.
Retroperitoneal, **lviii**, 704.
Sheath of the rectus muscle post-influenzal, **lxx**, 188.
Subdiaphragmatic, **lxxix**, 845; **lv**, 451; **lviii**, 334, 423.
Subphrenic, **lv**, 894.
Subphrenic, and accumulations of fluids, **lxxx**, 159; right. surgical aspects of, **lxviii**, 383.
Tongue, **lxxviii**, 496.
Abscesses, isolated, of long bones, **lxvii**, 460.
Tuberculous, of the chest wall, **lxxv**, 404.
Acacia, gum and glucose in the the treatment of shock, **lxix**, 389.
Acetabulum, fracture of the, central, **lxvi**, 106; floor of, **lv**, 92, 128; with central luxation of the hip, **lxxviii**, 806; with perforating femoral head, **lxx**, 296.

Traumatic separation of the pelvic bones within the, **lx,** 367.
Achillis, tendo, lengthening of, in the treatment of complicated Pott's fracture, **lxviii,** 330.
Acidosis, in surgery, **lxiii,** 385; **lxv,** 126; value and limitations of laboratory studies of, **lxviii,** 457.
Influence of, on surgical procedures, **lxv,** 135.
Phenomena of, and its dominating influence in surgery, **lxii,** 257.
ACKER, ROBERT BOOTH: Single abscess of left lobe of liver, **lxviii,** 110.
Acromioclavicular dislocation, lx, 506.
Acromion, process, injuries to, **lix,** 233, 294; of the scapula, fracture of the, **lix,** 455.
Actinomycosis, liv, 130; **lxxvi,** 277; **lxxviii,** 294.
Of intestines, **lxxi,** 793; phalanx of finger, **lxvi,** 117.
Treated with copper sulphate, **lxxvii,** 618.
Actinomycotic, subphrenic abscess, **lx,** 389.
ADAIR, FRANK: Gumma of the breast, differential diagnosis from carcinoma, **lxxix,** 44.
Traumatic fat necrosis of the female breast, **lxxii,** 188; **lxxix,** 943; its differentiation from carcinoma, **lxxx,** 670.
Adamantinoma, of the jaw, **lix,** 451.
ADAMS, DONALD S.: Embryoma of the kidney, **lxxviii,** 226.
End results of operations for carcinoma of the breast, **lxxvi,** 346.
ADAMS, J. E.: Paralytic ileus as a sequel of fractured ribs, **li,** 102.
Adenoma and papilloma of gall-bladder, lxxvii, 276.
Breast, calcified fibro, **lxi,** 127; encapsulated, **lxxix,** 172.
Colon, at hepatic flexure, **lxxvi,** 674.
Intestinal, **liii,** 416.
Malignant papillary, of the kidney, **liv,** 585.
Adenomata, lv, 468; of the thyroid, encapsulated, **lxxix,** 20.
Adenomyoma of round ligaments, complicating bilateral direct inguinal hernia, **lxv,** 775; uterus, frequency of, **lxix,** 135.
Adhesions, avoidance of, in stomach operations, **lix,** 793; peritoneal cavity, post-operative prevention of, **lxi,** 297, 365; studies on, **liv,** 758; their prevention with citrate solutions, **lxiii,** 198, 205; upper abdomen, **lv,** 804, 910.
Adhesive plaster in the treatment of wounds, lxix, 291.
Adolescent coxa vara, lxxx, 773.
Adrenal, congenital hypertrophy of, **lxxvii,** 759; gland, effect of extirpation upon epilepsy, **lxxv,** 248; **lxxvi,** 176.
ADSON, ALFRED W.: A clinical study of nerve anastomosis, **lxx,** 157.
Adventitia, excision of, of brachial artery (Leriche operation) for Raynaud's diseases, **lxxviii,** 428.
Aerocele, intracranial, following fracture of skull, **lxxiii,** 18.
After treatment of surgical patient, by Willard Bartlett and others, review of, **lxxii,** 534.
Air, and ether, experiences in thoracic surgery under anæsthesia by the intratracheal insufflation of, **liv,** 749; embolism, the treatment of, **lii,** 471; passages, foreign bodies in, **lii,** 123, 126.
Airship ambulance, lxviii, 526.
Alba's operation, lii, 720.
ALBEE, FRED H.: Bone graft, in the treatment of fractures, **lxii,** 125; peg, in the treatment of fractures of neck of femur, **lxii,** 85; surgery, review of, **lxiii,** 504.
Bone growth, studies in, **lxxi,** 32.
Fundamental laws underlying the surgical use of bone grafts, **lxxiv,** 196.
Operation for relief of spondylitis deformans, **lxiv,** 716; ankylosis of the hip, **lv,** 774; hypertrophic arthritis of the hip, **liv,** 265; spinal tuberculosis, **lx,** 524.
Synthetic transplantation of tissues to form new finger, **lxix,** 379.

Viability of bone fragments comminuted by a fracture, **lxviii,** 534.
Albuminuria, orthostatic, **lxiv,** 365.
Alcohol, and work, relation to cirrhosis of mesentery and subperitoneal lipomatosis, **lxxviii,** 751; injections, result of, for trifacial neuralgia, **lxxix,** 940.
ALEXANDER, EMORY G.: Acute perforation of gastric and duodenal ulcers, **lxvi,** 72.
Condylar fracture of the humerus, **lxxix,** 596.
Endarteritis obliterans, **lxiv,** 751.
Fracture of the metatarsal bones, **lxxiv,** 214; patella, **liii,** 508, 581; radius above the attachment of the pronator quadratus muscle, **lv,** 778, 877.
Gun-shot wound of the abdomen, **lxxix,** 599; carotid artery, **lxv,** 115.
Partial rupture of the intestine, **lxxix,** 598.
Prolapse of the rectum in children, **lxxvi,** 496.
Report of 105 cases of strangulated hernia, **lviii,** 639.
Rupture of the biceps flexor cubiti, **lxi,** 608.
Splenomegaly, **lxxviii,** 669.
Suprapubic sarcoma, **lxxiv,** 104.
Thromboangiitis obliterans, **lxxix,** 599.
Treatment for old contracted cicatrices, **lx,** 451; of Volkmann's contracture, **lvii,** 555.
Tuberculin treatment for cervical lymphadenitis, **lvii,** 551.
ALEXANDER, SAMUEL: Choice of operation for removal of prostate, **liii,** 441.
Congenital hydronephrosis relieved by nephrectomy, **li,** 129.
Technic of median perineal prostatectomy, **liii,** 390.
ALLEN, ALFRED REGINALD: Effect of the removal of the hypophysis in the dog, **lvii,** 485.
ALLEN, CARROLL W.: Reducing the calibre of the thoracic aorta by plication, **lviii,** 304.
ALLEN, DUDLEY P.: Removal of lower jaw for giant-cell sarcoma, **lii,** 122.
ALLEN, DUFF S.: Reconstruction of the œsophagus with fascia lata transplants, **lxxvi,** 157.
ALLEN, FRANCIS A.: Fracture of lumbar vertebræ without nerve symptoms, **lxiii,** 757.
ALLEN, FRANCIS OLCOTT, JR.: Chlorine antiseptics, **lxxi,** 772.
Intussusception, **lix,** 258.
Pyloric stenosis in infancy, **lxix,** 531.
ALLIS, OSCAR H.: Everted dorsal dislocation of the hip, **liv,** 371, 410.
Results of treatment of old dislocations of the shoulder, **lvii,** 292.
ALTER, NICHOLAS M.: Carcinomatous papilloma of the renal pelvis, **lxxv,** 605.
Alum cream, lxi, 124.
Aluminum potassium nitrate in osteomyelitis, lxxvii, 784; in suppurative conditions, **lxxvii,** 38.
Amberine, effect of healing after burns, **lxxii,** 633.
Paraffin mixture in the treatment of burns, **lxv,** 781.
Ambulance, airship, **lxviii,** 526; de l'ocean, La Panne, Belgium. Scientific contributions from, review of, **lxix,** 108; improved military, **lxvii,** 226.
American, expeditionary force, the hospitals of the, **lxviii,** 463.
Red Cross splints, **lxviii,** 455.
AMERICAN SURGICAL ASSOCIATION: President's Address before, **liv,** 289; **lvi,** 1; **lviii,** 1; **lix,** 805; **lxii,** 129; **lxiv,** 129; **lxvi,** 257; **lxviii,** 113; **lxix,** 565; **lxxii,** 1; **lxxiv,** 257; **lxxvi,** 293; **lxxviii,** 129; **lxxx,** 289.
Transactions of the, **lii,** 120; **liv,** 402; **lvi,** 333; **lviii,** 271; **lx,** 103.
Treatment of fractures, **lxxviii,** 126.
American urological society, tribute to the memory of Paul M. Pilcher, **lxv,** 531.
Amœbic abscess of the liver, lxiv, 335; **lxxiv,** 254.
Ampulla of Vater, tumors of the, **lvi,** 710.
Amputation, aperiosteal, through femur, **lxi,** 246.
Bunge method of, **liv,** 124.

Circular constriction, preliminary, **lxxix,** 913.
Forearm, in advanced phthisis, brachial plexus anæsthesia for, **lxxix,** 130.
Guillotine, **lxix,** 543; **lxx,** 111.
Interscapulothoracic, with complete excision of clavicle, **lix,** 116.
Leg, under anæsthesia produced by infiltration of the sciatic nerve with eucaine, **li,** 739.
Leg, **lxxi,** 698; **lxxiv,** 633; usefulness of ventral decubitus in some, **lxi,** 616.
Open, through the knee-joint, **lxx,** 287.
Syme's, modification of, **lix,** 771.
Thigh, aperiosteal, subtrochanteric, **lxxi,** 524; through the upper, **lxvi,** 250.
Amputation stump, aperiosteal, **lxvii,** 765.
End bearing, condition after forty years, **lxxii,** 526.
Healed trophic ulcer of, following periarterial decortication, **lxxviii,** 428.
Amputation stumps, lxiii, 752.
Amputations, lx, 143; analysis and study of 724 major, **lviii,** 39, 276; cinematoplastic, **lx,** 750, 785; hand, **lx,** 155; kineplastic, **lxvii,** 414; leg, **lxviii,** 235; **lx,** 160; scapulohumeral, **lxv,** 751.
Anæmia, artificial, Momburg's method of, **li,** 878; **lii,** 143.
Neuropathologic, cytology of, **li,** 753.
Pernicious, with special reference to the spleen and large intestine, **lxxiv,** 355; surgical treatment of, **lxxv,** 31.
Splenectomy for, **lxvi,** 609; **lxvii,** 233; **lxxv,** 121; **lxxviii,** 408; **lix,** 690; **lxx,** 21; **lxxx,** 155.
Splenic, **lviii,** 601; continued hæmatemesis due to thrombosis of splenic vein, **lxxx,** 155.
Anæsthesia, general: Accuracy in, **lviii,** 877.
Apparatus for, **lvi,** 328.
Chloroform, **liv,** 416.
Colonic, **lxxvii,** 116; absorption of ether, **li,** 457.
Deaths from, **lviii,** 934.
Ether vapor, warmed, **lxiii,** 305; and blood pressure, **lxiv,** 645; intravenous, **lv,** 133; **lviii,** 900; general, finger elevation of the hyoid bone in, **lviii,** 660; inhalation, influence of, on acidity of blood, **lxi,** 6; intermittent, ether fatalities caused by, **liv,** 418; intratracheal, **lviii,** 927; apparatus for, **lvii,** 276; **lix,** 628; insufflation, **liii,** 161, 302, 749; **liv,** 417, 572; **lvi,** 192, 358; **lvii,** 43; **lxi,** 103; medicolegal aspects of, **lviii,** 956; reflex action during, **lviii,** 891; thoracic surgery with intratracheal insufflation, **liv,** 749; hedonal, **lv,** 133.
Local Appendicectomy and colpoperineorrhaphy under, **lxv,** 796; brachial plexus for amputation of forearm in advanced phthisis, **lxxix,** 130; in goitre operations, **lviii,** 939; infiltration, method of facilitating, **lxiii,** 678; for major operations, **lxvii,** 753; for suture of fractured patellæ, **lv,** 638; gastrectomy under, **lxxiii,** 662; gastro-enterostomy during, **lxv,** 795; in cardiac disease, **lxxiii,** 663; in operations on the trigeminus, **lv,** 136; instrumentarium for, **lxxix,** 124; laryngectomy during, **lii,** 855; partial gastrectomy under, **lxxiii,** 662; pneumatic injector for, **lxxix,** 637; splenectomy under, **lxxi,** 110; under decompression, **lxii,** 749; minor, with major surgery, **lxiv,** 589; produced by infiltration of sciatic nerve with eucaine, amputation of leg under, **li,** 739; rectal, apparatus for, **lix,** 314; regional, **lxxiii,** 165; for laminectomy, **lxviii,** 12; in thoracoplasty, **lxvi,** 404; review of, B. Sherwood-Dunn, **lxxii,** 534; sacral, **lxxix,** 118; nerve block, **lxxx,** 739; study of, **lxvi,** 718; spinal, **lxxix,** 283; cocaine anhydrous, lxxi, 504; lithotomy under, **lv,** 422; local and regional, **lxxiv,** 673; resection of rectum under, **lii,** 855; splanchnic nerve in abdominal operations, **lxxix,** 444; stovaine spinal, **li,** 449; supplement, **lviii,** 865; terminal arterial, **li,** 453.

Anæsthetic, choice of the, **liv,** 415; in operating for abscess of the lung, **lx,** 36.
Effects of the intravenous injection of paraldehyde, **lvii,** 64.
Anæsthetics, in oral surgery, **lxvii,** 462; rebreathing, use of, in the administration of, **liv,** 416.
Anæsthetists, American Association of, **lviii,** 865.
Anæsthol poisoning, **lii,** 489.
Anal fistula, surgical treatment of, without mutilation of the sphincter, **liv,** 361, 415; **lvi,** 744.
Anal sphincter, operation to form new after operation on rectum, **lxxii,** 693.
Analgesia, splanchnic, the induction of, **lxxx,** 161.
Analgesia synergistic, clinical experience with, **lxxiv,** 185.
Anaphylaxis, fatal, following blood transfusion, **lxxviii,** 1.
Anastomoses, gastro-intestinal, the healing of, **lxv,** 202.
Anastomosis, arterial, the technic of end-to-end, **liv,** 485; hepatic, jejunal for destruction of common duct, **lxxv,** 629; hepaticoduodenal, **li,** 830; intestinal, by invagination, union of colon with rectum, **li,** 125; **lii,** 130, 116; **lxix,** 613; improved technic for, **lxxx,** 939; thumb forceps to facilitate, **lx,** 373; laryngeal nerve, for recurrent paralysis, **lxxix,** 161; lateral, of blood vessels, **lxi,** 597; vascular, **liv,** 496; mechanical aids to hollow visceral, **liv,** 500; rectosigmoidal arterial, **lii,** 529; saphenofemoral, **lv,** 170; uretero-enteric, **lxi,** 273.
Anatomic illustration, history and bibliography by Choulant, review of, as translated by Frank, **lxxiii,** 389.
Anatomical plates of Vesalius, review of, **lxxiii,** 388.
Anatomy, review of books on, Grays', **lxxii,** 767; **lxviii,** 564; Walmsley's manual of, **lxxii,** 768; Charles R. Whittaker, **lxxiv,** 671; applied, by Gwilym G. Davis, **liii,** 448; surgical, by John A. C. MacEwen, **liii,** 157.
Anderson, John: Primary sarcoma of the stomach, **lii,** 506.
Andresen, Albert F. R.: Immediate jejunal feeding after gastro-enterostomy, **lxvii,** 565.
Andrews, Edmund: A method of herniotomy utilizing only white fascia, **lxxx,** 225.
Andrews, E. Wyllys: Operations upon the chest, **lx,** 124.
Operative cure of internal hydrocephalus, **liv,** 411.
Andrus, William De Witt: Fractures of the shaft of the femur, **lxxx,** 848.
Aneurism, abdominal aorta, treatment of by partial occlusion with metallic band, **liv,** 30; ligation for, **lxxiv,** 308.
Aorta, surgical treatment of, **lx,** 116.
Aortic, with surgical treatment of, **lvi,** 675; wiring of, **lviii,** 698.
Arteriovenous, **lxxx,** 801; **lvii,** 574; **lxxvii,** 235; **lxiv,** 748; intracranial, **lxxx,** 272; of superior thyroid vessels, **lix,** 789; of the external iliac vessels, **lix,** 558; of femoral vessels, **lxi,** 367; **lxiv,** 747, **lix,** 790.
Cirsoid, of the scalp, **lxxvi,** 524; **lxxx,** 332.
Extracranial of the internal carotid artery, **lxxv,** 688.
Femoral artery, deep, traumatic, **lx,** 500; endo - aneurismorrhaphy for, **liv,** 933.
Gluteal, ligation of the internal iliac for, **lxxvi,** 520.
Ileofemoral, **lxii,** 364.
Iliac and femoral arteries, **lxxix,** 884.
Innominate artery, **liii,** 543.
Internal carotid artery, hemorrhage from, following sore throat, **lxviii,** 152; mammary artery, **lxxx,** 341; treated by Matas method, **li,** 76; iliac **lviii,** 269.
Ligation of common iliac with fascial strip for, **lxxvii,** 630.
Long pipe bones, **lii,** 122.
Matas operation for, **lxxix,** 370.
Needle, double-eyed, **lxix,** 440.
Operation for the cure of, **lxi,** 597; **lxxiv,** 309.

Palmar arches, **lxxx**, 347.
Popliteal, endo - aneurismorrhaphy for, **liii**, 861; traumatic, **lxxvii**, 108; treated by Matas' aneurismorrhaphy, **liii**, 538.
Radial artery, **lxxii**, 391.
Renal artery, **lxxviii**, 628.
Sciatic, **lx**, 463.
Subclavian, **lxxx**, 948.
Subclavian, treatment of, **lvi**, 83, 356.
Surgical treatment of, results in twenty-one cases, **lxxiv**, 513.
Temporal, **lxix**, 334.
Thigh, **lxxvii**, 383.
Thoracic, the wiring of, **lvii**, 285; **lxii**, 629; **lv**, 789, 890; **lxiv**, 682; treated with mercury and salvarsan, **lix**, 461; treatment of with potassium iodide, **lx**, 535.
Traumatic, of the femoral artery, bullet wound of thigh producing, **lxxviii**, 403; of the temporal artery, **lxv**, 316; **lxvi**, 624.
Treated by antispecific remedies alone, **lxvi**, 212.
Aneurismal varix, of the popliteal vessels, **lv**, 640; operation for, **lv**, 593; venous, **lxiv**, 525.
Aneurismorrhaphy, **lviii**, 86.
Aneurisms, arteriovenous, treatment of by the intrasaccular method of suture, with special reference to the transvenous route, **lxxi**, 403.
Large, treatment of, with gold wire and electrolysis, **lii**, 561.
Subclavian, ligature of innominate artery for, **lxi**, 641; wiring of, **lv**, 661.
Angina pectoris, and surgical conditions of the abdomen, **lxxix**, 524.
Angio-keratoma of scrotum, **lxxii**, 635.
Angioma, extensive, of the upper extremity; varicose veins simulating a femoral hernia, **lii**, 269; neck, of the, treated by radium, **lxviii**, 71; papillæ, of, the kidney, **li**, 541; spleen, of the, **lxii**, 177.
Angioneurotic œdema, intestinal, surgical significance of, **lxi**, 324; with visceral crises, **lxv**, 445.
Angiosarcoma, retroperitoneal, excision of, **lxxix**, 311.
Animal experimentation of medical progress, review of Keen on, **lxi**, 76; research, operating table for use in, **lvii**, 435.
Ankle, complete dislocation of, without fracture of leg bone, **lxix**, 650; fractures, **lxxx**, 610, 634; joint involved in fractures of the tibia, **lxxv**, 243.
Ankylosed joints, mobilization of, **lxxix**, 925.
Ankylosis, ankle, arthroplasty for, **lix**, 280.
Bony, arthroplasty for, **liv**, 860.
Elbow, arthroplasty for, **lix**, 769; **lxxix**, 457; **lxxv**, 638.
Jaw, **liii**, 551; **lvii**, 921; **lix**, 138; **lxxiii**, 314; **lxxv**, 503; **lxxvi**, 647; **lxxviii**, 539.
Osteophytic, **lxxx**, 638.
Temporo-maxillary (See Jaw).
Ankylosing operations upon the tubercular spine, **lxx**, 744.
Anoci-association, by Crile and Lower, review of, **lxi**, 123.
Anomalies of the urinary tract, **lxv**, 560.
Anthrax, and its treatment, **lxxvii**, 263; **lxxviii**, 326; septicæmia, serum treatment of, **lxxv**, 663.
Antiseptic surgery, review of Lucas Championniere's Lectures on, **li**, 440.
Antiseptics, chlorine, **lxxi**, 772, 782; **lxvii**, 385, 757.
Empyema, treated by, **lxviii**, 148.
Method for estimating the germicidal activity of, in vivo, **lxviii**, 241.
Anuria, after unilateral nephrectomy, **lxix**, 286; from stone in solitary kidney, **lxvii**, 239.
Anus, artificial, control of, **lxxii**, 383; closure of artificial of eight years duration, with some remarks on the question of intestinal anastomosis, **lxxx**, 478; imperforate, **lix**, 292; **lxxiii**, 111.
Diseases of anus, rectum and sigmoid, by Samuel T. Earle, review of, **liv**, 430.
Aorta, abdominal, calcareous plaques in, compressing pylorus, **lxv**, 376; graft of the vena cava on the, **lii**, 462; liga-

tion of the, **lxviii,** 217; partial occlusion for aneurism, **lxxiv,** 308.
Aneurism of abdominal, treatment of, by partial occlusion with metallic band, **liv,** 30.
Partial occlusion of thoracic and abdominal, by bands of fresh aorta and of fascia lata, **lviii,** 183.
Suture of the, in pregnant cats, **lv,** 215.
Thoracic, diffuse dilatation of, exploratory thoracotomy, **lvii,** 274; division and circular suture of the, **lvi,** 402; experimental surgery of the, **lii,** 83; plication of, **lviii,** 304.
Aortic, aneurism, surgical treatment of, **lx,** 116.
Aperiosteal amputation stump, **lxiii,** 674, 752.
Aponeurosis, the utilization of the external oblique, in the radical cure of inguinal hernia, **lxxvii,** 605.
Apoplexy, operative steps in dealing with, **lxiii,** 513.
Appendectomies at the Lankenau Hospital of Philadelphia, **lxxix,** 854.
Appendectomy, method of nerve block for, **lxviii,** 397; as a cure for chronic oxyuris infection, **lv,** 927; followed by intestinal obstruction, **lxxiii,** 249; by right inguinal hernia, **liv,** 673; in a young infant, **lvi,** 911; relation of ileocæcal folds to, **lvi,** 437; technic of, **lxxi,** 315.
Appendiceal fistula, recurring, **lxii,** 622.
Appendiceal stump, adherent to bladder producing retention of urine, **lv,** 773; fecal fistula, **lxxx,** 56.
Appendices epiploicæ, torsion and inflammation of, **lxvi,** 467; **lxix,** 31.
Appendicitis, acute, death after operations for, causes of, **lxxii,** 207.
Childhood, in, **lxxix,** 538.
Gibson-Mikulicz tampon in, **lxxiii,** 473.
In the infant, **lxxx,** 911.
Intestinal obstruction after, **lviii,** 404.
Leucocyte count, value of, in diagnosis and prognosis of, **lxvi,** 143.
The clinical significance of the relation of total and differential leucocyte counts in, **lxxx,** 915.
Treatment of, **liii,** 798, 875; **lx,** 650.
Typhoid fever, occurring in the course of, **lxii,** 146.
Cholecystitis, relation to, **lxi,** 511.
Chronic, **li,** 136; **lxxi,** 222; and mobile cæcum, **lv,** 161; its relation to visceroptosis, **lxiv,** 579.
Complicated, **liii,** 118; by abscess, late, **lxxix,** 617; by abscess of liver, **lxv,** 462; abscess of pelvis, management of, **lxxiv,** 480; gangrene of ileum, **lvi,** 900; pyelonephritis, **lxxv,** 758; pylephlebitis, **lxi,** 589.
Congestion of the lower lobe of the right lung an early symptom in, **li,** 846.
110 consecutive cases of, without mortality, **lx,** 610.
Diagnosis of, in early stages of typhoid fever, **lxii,** 534.
Drainage in, **lxx,** 724.
Error of overlooking ureteral or renal stone under the diagnosis of, **lv,** 264.
Fecal fistula, prevention of, **lxiii,** 452.
Followed by spreading peritonitis, treatment of, **liii,** 146.
Foreign body, **lvi,** 427.
Gangrenous, **liv,** 271; followed by ileus, **lviii,** 413; in young infant, **lx,** 756; with resection of portion of ileum, **lvi,** 461.
Intestinal adhesions, following, **lix,** 458; obstruction, following operation for, **li,** 115.
Kelly's treatise on, review of, **li,** 441.
Left-sided, complicating transposition of the viscera, **lxiii,** 124.
No surgical, without organic strictures, **lxxi,** 114.

Notes on four kinds of, **lxvi**, 560.
Origin of, **lii**, 512.
Relation between and disturbance in the gastro-duodeno-hepatico-pancreatic physiologic system, **lii**, 801.
Simulated by contracture of psoas muscle, **lviii**, 483, 864; foreign body perforating ileum, **lviii**, 706; subperitoneal hemorrhage, **lxv**, 240.
Subhepatic abscess after, **lix**, 457.
Subphrenic abscess following, **li**, 426, 590.
Technic of the operative treatment of, **liii**, 525, 575.
Transverse incision and dependent drainage in, **lxvii**, 115; **lxxix**, 740.
Treatment of, **lx**, 650.
Two hundred sixty-two consecutive cases, **lxxix**, 862.
With deceptive symptoms, **lxiv**, 510; diffuse pylephlebitis, **lvi**, 938; pyloric adhesions, **lviii**, 695; transposed viscera, **lvi**, 940.

Appendicostomy, for chronic colitis, **lxxvi**, 792; **lii**, 407; in Lane's operation for intestinal stasis, **liii**, 686; the technic of, **lii**, 808.

Appendicular obliteration, lxi, 438, 511.

Appendix, inflamed retrocæcal, the additional posterior incision in certain cases of operation for the, **lxxx**, 511.

Appendix vermiformis, aberrant position due to non-rotation of intestine, **lvi**, 946; and cæcum in children, sliding hernias of, **lxxvii**, 438; ascending colon, cæcum and terminal ileum, congenital variations in the relations of, **lxvii**, 641.
Carcinoma of the, **li**, 939; **liv**, 277; **lix**, 675; **lxii**, 510; **lxxii**, 685.
Chamber, **lxvii**, 116.
Condition of, in 500 laparotomies having no symptoms of appendicitis, **lxx**, 535.
Congenital variations in the peritoneal relations of, **lxvii**, 641.
Cultures, **lxxiii**, 749.
Cystic dilatation of the, **lxi**, 582; **lxiii**, 334; **lxiv**, 587; **lxv**, 743.
Diagnosis, pathologic, of diseases of the, **lxiii**, 697.
Distribution of fat in the, and its relation to inflammation, **lxvii**, 202.
Fecolith, large, in the, **lxvi**, 506.
Fibrosarcoma of the, **lxxiii**, 797.
Functions of the, **lii**, 512.
Gangrene of, resulting in colic and duodenal fistulæ, **lxxix**, 601.
Giant, **liv**, 573; mucocele of the, **lvii**, 271.
Hernia, inguinal, in sac of, **lxi**, 381; **lxvii**, 376; strangulated femoral, in sac of, **lxi**, 355.
Intussusception of, **lx**, 641; **lxxvi**, 669.
Locating the, **lxv**, 742.
Lymphoid hyperplasia of, in children; its relation to recurrent appendicitis, **lxxix**, 871.
Operations upon the, at the Presbyterian Hospital, N. Y., **li**, 909, 940.
Patulous, the significance of the, **lxv**, 341.
Perforated by fish bone in sac of strangulated hernia, **lxi**, 356.
Pin perforating, **lxvii**, 381.
Pseudomucinous cyst of the, complicating rupture ectopic gestation, **lxiv**, 585.
Perforated, with carcinoma, **li**, 939.
Retrocæcal, gangrene of **lxxii**, 379; treatment of, **lxiii**, 715.
Retroperitoneal, **lxx**, 124.
Sarcoma of the, **lxiv**, 311.
Transplantation of, into female bladder to supply absent urethra, **lxix**, 435.
Tuberculosis of the, **lxxi**, 139; **lxvi**, 648.
Tumor, **lvi**, 419.
Versus the ureter in right-sided abdominal lesions, **lxxvii**, 638.

Approximation of the ends of fragments in fractures with contraction of the attached muscles, liv, 227.

Arachnitis, adhesive, laminectomy for, **lxv,** 267.
ARCHIBALD, EDWARD W.: Data concerning the experimental production of pancreatitis, **lxxiv,** 246.
Method of treating adherent perforating ulcer of the posterior wall and lesser curvature of the stomach, **lx,** 336.
Observations upon shock as seen in war surgery, **lxvi,** 280.
The surgical treatment of unilateral pulmonary tuberculosis, **lxxvii,** 652.
Arm, lymphœdema of, **lxxix,** 309.
Paralysis, laceration of the capsule of the shoulder joint in the etiology of traumatic combined, **liii,** 77, 116.
Pistol shot wound of the, **liii,** 292.
Unilateral hypertrophy of the, **lvii,** 268.
ARMITAGE, H. M.: Treatment of injuries in the vicinity of the elbow joint, **lxiii,** 596.
ARMSTRONG, GEORGE E.: Abnormal position of the duodenum, **lii,** 111.
Auricular fibrillation from bullet in the pericardium, **lix,** 852.
Epilepsy following fracture of the skull, **lii,** 140.
Formation of new sphincter after removal of rectum for cancer, **lii,** 140.
Operative treatment of fractures, **lvi,** 351.
Surgery and war, **lxii,** 129.
Ileocolic valve as a factor in chronic intestinal stasis, **lx.** 114.
Treatment of fractures, **lviii.** 274.
Army Medical Corps, French, notes on service in, **lxvi,** 1.
Arterial, anæsthesia, terminal, **li,** 453.
Anastomosis, needles for, **liv,** 720; the rectosigmoidal, **lii,** 529; technic of end-to-end, **liv,** 485; treatment of gangrene of foot by, **li,** 246.
Decortication, **lxxvii,** 15.
Ligation for exophthalmic goitre, **lxi,** 500.
Thrombosis and embolism, operative treatment of, **lxi,** 519.
Transplants, end results of, **lxxviii,** 305.
Arteries, anomalous, renal, and their relation to hydronephrosis, **lii,** 814.
Carotid, ligature of the, with excision of tumor of carotid body, **lxvi,** 252.
Iliac and femoral, aneurism of the, **lxxix,** 884.
Kidney, surgical importance of supernumerary, **lxviii,** 53.
Testing collateral circulation preliminary to occlusion of, **lii,** 126; **liii,** 1.
Arterio-mesenteric ileus of duodenum, lxviii, 582.
Arteriovenous, anastomosis, as a preventive of gangrene of the extremities, **lv,** 195; anastomosis, femoral for gangrene, **lviii,** 93, 411; gangrene of foot, **lxii,** 630; **li,** 280; leg, **liv,** 424; thromboangiitis obliterans, **lix,** 303; of the femoral vessels in impending gangrene, **lx,** 62; the value of, in gangrene of the lower limb, **lv,** 864.
Aneurism, **lxxvii,** 235; **lvii,** 574; **lxxx,** 801.
Fistula with an analysis of four hundred forty-seven cases, study of, **lxxi,** 428.
Intracranial, **lxxx,** 1.
Artery, brachial, embolism of the, **lxxvi,** 788; excision of adventitia of (Leriche Operation) for Raynaud's disease, **lxxviii,** 428.
Carotid, common, accidents and precautions in the ligation of the, **lxxi,** 707; ligation of, with strip of fascia, **lxxi,** 790.
Femoral and vein, wound of, **lxxviii,** 84.
Femoral, bullet wound of thigh producing traumatic aneurism of, **lxxviii,** 403; gunshot wounds of, **lxxvi,** 651; suture of wound of, **lxvii,** 255.
Hypogastric, and its branches composite study of, **lxvii,** 584.

Iliac, common, preliminary ligation of, in hip-joint exarticulation, **lxxiii,** 285; external, ligation of, and vein, **lxxiii,** 265.
Innominate, ligation of the, **lix,** 962; for subclavian aneurisms, **lxi,** 641.
Subclavian, ligation of first portion of left, **liv,** 503.
Thyroid, ligation of the inferior, **lxxvii,** 397.
Arthritis, and osteomyelitis, suppurative, **lxxvii,** 497.
Chronic, results obtained in the treatment of, by the removal of a distant focus of infection, **lxxi,** 648.
Deformans, intestinal foci of infection in, surgical relief of, **lxxvi,** 515; juvenilis, **lxix,** 47; of hip-joint, the reconstruction operation for, **lxxx,** 779.
Focal infection and elective localization of, **lxxix,** 29.
Infectious, **lxv,** 122.
Knee, chronic hypertrophic villous, **lxxviii,** 104; suppurative, **lxxix,** 302; joint, chronic, **lxxvi** 126.
Osteo, **lxxi,** 676.
Pneumococcic, **lix,** 71.
Suppurative of knee - joint, treated by incision and motion, **lxxx,** 622.
Arthrodesis, treatment of disease of the hip-joint by, **liv,** 862.
Arthrometer, Goodwin's, **lxxix,** 476.
Arthroplasty, lvii, 593; **lix,** 426; for ankylosis of ankle, **lix,** 280; of elbow, **lxxix,** 457; diacondylar fracture of humerus, **lxvi,** 107; of elbow, **lxii,** 302, 378; **lxxvi,** 615; knee-joint, **lix,** 437; **lxxx,** 88; limitations of, **lxxix,** 929; temporomandibular, **lx,** 127; **lxxix,** 485.
Arthrotomies for fracture of the patella, review of, **lix,** 99, 975.
Arthrotomy, for chronic arthritis of knee, **lxxvi,** 782; elbow luxation, **lv,** 777; fracture of patella after, **lxxviii,** 106.
Articular surfaces, the effect of pressure on, in pyogenic and tuberculous arthrides and its bearing on treatment, **lxxx,** 481.
Ascarides, lumbricoides, acute intestinal obstruction due to impacted, **lxxviii,** 401.
Producing intestinal obstruction, **lxxi,** 757.
Ascending colon and cæcum, congenital absence of, **lv,** 844.
ASCHNER, PAUL W.: The pathology of lung suppuration, **lxxv,** 321.
Asepsis and antisepsis, an evaluation of, **lxvi,** 583; of skin in surgery, **lxvii,** 510.
ASHHURST, ASTLEY PASTON COOPER: Actinomycosis, **liv,** 133.
After treatment in cases of fracture of the patella, **liii,** 584.
Amputation of the leg by the method of Bunge, **liv,** 124; under anæsthesia produced by infiltration of the sciatic nerve with eucaine, **li,** 739.
Ankylosed joints, mobilization of, **lxxix,** 928.
Ankylosis of the shoulder, operations for, **lxiv,** 369.
Appendicitis, complicated cases of, **liii,** 118.
Arthroplasty, **lix,** 438; of the elbow, **lxii,** 302; for ankylosis of ankle, **lix,** 280.
Arthrotomy of the knee, **lvi,** 645.
Astragalus, excision of, in fracture-dislocation, **lv,** 120.
Biliary peritonitis without perforation of the bile ducts, **lviii,** 431.
Birth injuries of the shoulder, **lxvii,** 25.
Bone cysts, **lxv,** 514; transplant for ununited fractures of the neck of the femur, **lx,** 779.
Brachial paralysis, traumatic, **lxvi,** 610; plexus anæsthesia for amputation of forearm in advanced phthisis, **lxxix,** 130.
Branchial fistula, excision of a, **lxxx,** 144.
Breast, advanced carcinoma of, no recurrence seven years after operation, **lxxi,** 94.
Bridging defects in peripheral nerves, **lxxii,** 408.
Broncho - subphrenic - cutaneous fistulæ, **lxxviii,** 99.

Bullet wound of the thigh producing traumatic aneurism of femoral artery, **lxxviii,** 404.
Calcaneum, fracture of the, **lxxiv,** 108, 109.
Carcinoma of the floor of the mouth, **lxi,** 637; mastitoides, **lvii,** 736.
Cervical lymphadenitis simulating a tumor, **lxxix,** 133.
Cervical rib, excision of, **lxxix,** 131.
Cinematoplastic amputations, **lx,** 750.
Clavicle, spontaneous fracture of, **lxxix,** 132.
Congenital absence of patella, **lxxvi,** 280; deformity of auricle, **lix,** 285; elevation of left scapula, **liv,** 126; malformation of the extremities, **lxiii,** 378.
Cystic diseases of bone tumors, **lxxv,** 506.
Double fracture involving ankle-joint, **lxxv,** 243.
Dupuytren's contracture, **lxxv,** 505.
Empyema thoracis, **lxxvii,** 249; **lxxii,** 12.
Extrauterine embryo, three weeks old, **lxxi,** 512.
Femur, fractures of the neck of the, **lxiv,** 125; **lxxiii,** 767; extension in fractures of the, **lv,** 780; fractures of lower extremities, end results in, **lxii,** 632; fracture of pelvis, **lxxi,** 398; fractures through the trochanters of the femur, **lviii,** 494.
Gas bacillus infection, **lxiv,** 750.
Gunshot wound of knee-joint, **li,** 736; skull, with rupture of longitudinal sinus, **li,** 738; vascular system, **lxxi,** 98.
Hæmatoma of rectus muscle, **lxiii,** 245.
Hæmatomyelia, with crossed paralysis, **lxii,** 406.
Hernia, inguinal, with double sac, **lviii,** 711; sac obliterated at one point, **lxxi,** 512.
Hernioplasty, inguinal, **lxxviii,** 412.
Hip-joint, disarticulation of the, **lxxvi,** 115.
Hysterectomy for chorio-epithelioma; no recurrence six years after operation, **lxxi,** 97.
Ileocæcal infantile stenosis, **lxv,** 514.
Immediate plastic operations in injuries involving tendons or joints, **lxxiii,** 100.
Imperforate anus, **lxxiii,** 111; rectum, **lix,** 286.
Iodoform wax bone filling of Mosetig-Moorhof, **lxv,** 227, 245.
Intraperitoneal hernia of ileum through rent in mesentery, adherent Meckel's diverticulum, **li,** 134.
Jacksonian epilepsy caused by brain tumor, **lxxii,** 402.
Jaw, snapping, treatment of, **lxxiii,** 712.
Joints, internal derangement of, **lxxiii,** 761.
Keloid of both ears, recurrent, **lxxix,** 135.
Lymphadenitis, cervical, simulating tumor, **lxxix,** 923.
Mandible, ununited fracture of the, **lxxi,** 397.
Meckel's diverticulum, **lviii,** 711.
Multiple cartilaginous exostoses (hereditary deforming chondrodysplasia), **lxiii,** 167.
Musculospiral nerve primary suture of, **li,** 740; repair of, **lxxviii,** 406.
Obstetrical palsy of upper extremity, **lix,** 142.
Osteotomy of radius, **liv,** 130.
Ovary, fibroma of the, **lxxiii,** 772.
Patella, after treatment of fracture of the, **liii,** 584.
Perforated duodenal and gastric ulcer, **lvii,** 746.
Perthes' disease, **lxiii,** 372.
Receiving and operating pavilions for a modern base hospital, **lxviii,** 333.
Recording surgical operations at the front, **lxx,** 241.
Result in the treatment of fractures of forearm without operation, **lv,** 778.
Rupture of tendon of extensor longus pollicis, **lxxviii,** 87; **lxxviii,** 398.
Sacro-iliac subluxation, **lvii,** 756.

Shoulder, dislocation of the, **lvii,** 293.
Spinal anæsthesia, **lv,** 423.
Splenic anæmia, **lviii,** 713.
Spondylitis, traumatic, **lxiv,** 383.
Sprain fracture, **lv,** 123.
Sub-phrenic abscess a sequel to appendicitis, **liii,** 118; **lviii,** 424.
Surgery, review of treatise on, **lxxiii,** 519.
Starvation as a cause of acidosis, **lxv,** 127.
Thyroid gland, surgical anatomy of the upper and lower poles of the, **lxi,** 365.
Tongue, excision of carcinoma of, **lix,** 280; **lxii,** 238.
Tuberculous cervical lymphadenitis, **lviii,** 550.
Urethra, excision of, **liv,** 128.
Vertebral column, fractures of the, **lxxiii,** 770.
Volvulus of small intestine complicating appendicitis, **liii,** 120.
Wrist, tuberculosis, result of excision of, **lix,** 283.

Asphyxia, some surgical aspects of, **lxxiii,** 170; traumatic, **lii,** 408; **liv,** 267.

Aspiration in abdominal operations by suction tip, lviii, 537; of peritoneal fluids, apparatus for, **liii,** 575; repeated in traumatic synovitis, **lxxvii,** 120.

Aspirating cup used as a tractor, liv, 271.

Asthenia, pancreatic, **lxxviii,** 177.

Asthma, lack of operative indications in, **lxxix,** 917.

Astragalectomy after Chopart's amputation, lxxiii, 252; in paralytic deformities of foot, **lxxx,** 861.

Astragalus, compound dislocation of, without fracture of leg bones, **lxix,** 650; excision of the, for fracture-dislocation, **lv,** 120; fracture-dislocation of the, **lxiii,** 606; fracture through the neck of the, **lxv,** 495; of the, with posterior dislocations, **lix,** 800; forward dislocation of the, **lxxii,** 494.

ATHANASSIO-BENISTY: The treatment and restoration of the nerves, review of, **lxvii,** 126.

Atlas and axis, traumatic lesions of the, **li,** 193; fracture dislocation of the, **liv,** 677; subluxation of the, **liv,** 20.

Atlo-axoid fracture-dislocation, li, 208.

Atony of the bladder without obstruction or signs of organic nervous disease, lii, 577.

AUCHINCLOSS, HUGH: Abscess of the lung, **lxxvii,** 374.
Anastomosis of the colon, **lxxiv,** 510.
Carcinoma of the rectum, **lxxiv,** 646.
Compound comminuted fracture of skull with laceration of brain in child, following coasting, **lxxx,** 620.
Intussusception of appendix, **lxxvi,** 670.
Perforating gastric ulcer, **lxxix,** 144.
Pyoarthritis of the knee, **lxxvii,** 232.
Rupture of liver in child following coasting, **lxxx,** 629.
Suppurative arthritis and osteomyelitis, **lxxvii,** 497.
Transplantation of tendon, **lxxvii,** 499.
Traumatic fat necrosis of female breast, **lxxix,** 944.
Tuberculous abscesses of chest wall, **lxxvii,** 404.
Tuberculosis of chest wall, **lxxvii,** 496.

Auditory nerve, craniotomy for fibrosarcoma of the, **lv,** 323; fibrosarcoma of the, extirpation of, **lxi,** 100.

Auricle, congenital deformity of the, **lix,** 285.

Auricular fibrillation from bullet in the pericardium, lix, 852.

AUSTIN, J. HAROLD: Acidosis in surgical conditions, **lxv,** 126.

Autochrom flashlight photography of pathological subjects, lx, 493.

Autogenous bone bolts and keys, instruments for procuring, **lxx,** 101; grafts, the use of, **lxx,** 105.

Autograft, clinical status of the, **lxii,** 602.

Autotransfusion, lxxiv, 253.
Avulsion of palm, lxxv, 744; scapula, traumatic, **lxxix,** 959.
Axilla, and neck, hygroma of, **lix,** 753; contracture of burn cicatrix of, **lxxix,** 942.
Axillary artery and vein, rupture of the, **lx,** 516; embolus of, **lxxviii,** 549; incomplete rupture of the, **lxxiv,** 620; breast tissue, carcinoma of the, **lvii,** 280; lymphosarcoma, primary, in a child, **lxxv,** 509.
AXTELL, W. H.: Chylous cysts of the mesentery, **liii,** 692.
Venous aneurismal varix, **lxiv,** 525.
AYERS, CHARLES E.: The use of fascia lata to repair defect of heel, **lxxv,** 252.

B

Babe, new born, operation upon, **lvii,** 144.
BABLER, EDMUND A.: Primary tuberculosis of the glans penis, **lvii,** 894.
Pylephlebitis complicating appendicitis, **lxi,** 589.
Bacillus coli and allied organisms, infections of the urinary tract due to, **li,** 355.
Back-ache, post-operative, **lxii,** 382.
Back-fire, automobile injury of the limbs due to, **lxxvi,** 83.
Bacteria, persistence of, within sequestra, **lxvi,** 522; in the blood stream, the surgical significance of, **lxxvi,** 421.
Bacterial infections, the chemotherapy of experimental, **lxv,** 142.
Bacterins and tuberculins in mixed suppurative bone and joint disease, lii, 136; **li,** 761.
Bacteriology of infected wounds, lxxiii, 4.
BAER, W. S.: Mobilization of ankylosed joints, **lxxix,** 925.
BAETJER and WATERS: On the differential diagnosis by means of the röntgen rays of injuries and diseases of the bones and joints, **lxxiv,** 256.
BAILEY, FRED W.: Preliminary ligation of common iliac artery in hip-joint exarticulation, **lxxiii,** 285.
BAILEY, PERCIVAL: Note concerning keratin and keratohyalin in tumors of the hypophysial duct, **lxxiv,** 501.
BAINBRIDGE, WILLIAM SEAMAN: Anæsthesia in goitre operations, **lviii,** 939.
On the cancer problem, review of, **lxi,** 378.
Special number of the United States Naval Medical Bulletin, review of, **lxix,** 562.
BAIRD, BEN D.: Intraparenchymatous hemorrhage of the spleen, **lxiv,** 537.
BAKER, JAMES NORMENT: Hernia of the bladder, **lxxv,** 615.
Study of fifty cases of ureteral stricture and pyelitis, **lxxiii,** 348.
Ureter versus the appendix, in right-sided abdominal lesions, **lxxvii,** 638.
BALBONI, GERARDO M.: Bronchiectasis, **lx,** 122.
BALDAUF, LEON: The results of ligation of one ureter, **lvi,** 411.
BALDWIN, J. F.: Sarcoma of the chest wall, **lviii,** 853.
BALDWIN, JAMES H.: Biliary tract surgery, **lxxx,** 616.
Foreign body in the rectum, **lxxv,** 741.
Hydrops of gall-bladder, **lxxv,** 741.
Imperforate anus, **lxxiii,** 111.
Sarcoma of plantar surface of foot, **lxxiii,** 111.
Stab wound of diaphragm and stomach, **lxxi,** 106.
Studies in biliary tract surgery, survey of 130 consecutive cases, **lxxx,** 697.
BALFOUR, DONALD C.: Advantages of the double resection in certain types of goitre, **lix,** 671.

Anterior gastro - enterostomy, **lvii**, 909.
Cautery excision of gastric ulcer, **lxvii**, 725.
Combination abdominal retractor, **lv**, 419.
Factors influencing the life expectancy of patients operated on for gastric ulcer, **lxxvi**, 405.
Gastroduodenostomy, **lxvii**, 80.
Intussusception of the sigmoid from polypus, **lxviii**, 588.
Life expectancy following operations for gastric and duodenal ulcer, **lxx**, 522.
Method of anastomosis between sigmoid and rectum, **li**, 239.
Non-strangulated diaphragmatic hernia due to indirect injury, **lxiii**, 78.
Operating room mirror, **lvi**, 454.
Partial gastrectomy for gastrojejunal ulcer, **lxxix**, 386.
Splenectomy for repeated gastro-intestinal hemorrhage, **lxv**, 89.
Surgical management of gastric ulcers, **lxxiv**, 449.
Technic of hepaticoduodenostomy, **lxxiii**, 343.
Tonsillectomy in children, **lxi**, 257.
Use of the cautery in peptic ulcer, **lxxviii**, 206.
Balkan frame, used in military surgery, **lxxi**, 760.
BALLANGER, WILLIAM L.: Diseases of the nose, throat and ear, review of, **lxii**, 766.
BALLENGER, EDGAR G.: Drainage in bladder cancer, **lxxvi**, 801.
Salvarsan and neo-salvarsan; their intravenous injection, **lvi**, 753.
BALLEUIL, L. C.: Use of fascial transplants in war surgery, **lxviii**, 1.
BANCROFT, FREDERICK W.: Acute hematogenous osteomyelitis, **lxxiii**, 681.
Bone graft for wide separation of symphysis pubis, **lxxx**, 152.
Chronic cholecystitis without stone, **lxxviii**, 608.
Lacerated flexor tendons, median and ulnar nerves, **lxxx**, 153.
Large ureteral stone in infant, **lxxv**, 763.
Syphilitic osteomyelitis of the femur, bone graft, **lxxiv**, 663, 661.
Use of small bone transplants in bridging a bone defect, **lxvii**, 457.
Banti's disease, **lvii**, 127; **lix**, 690; **lx**, 380, 769; **lxxi**, 216; splenectomy for, **lviii**, 420, 541; **lxvii**, 369; symptom complex with relation to splenectomy, **lxii**, 315.
BARBER, W. HOWARD: Annular segmental gastrectomy, **lxvi**, 672.
Choledochoenterostomy and post-operative dilation of bile ducts, **lxx**, 530.
Dilatation of the duodenum, **lxii**, 433.
Hydronephrosis, **lx**, 723.
Gas and motility of the surgical stomach, **lxix**, 271.
Intestinal obstruction produced by invagination of ileum into urinary bladder, **lxviii**, 429.
Uretero-enteric anastomosis, **lxi**, 273.
BARBOUR, WILLIAM HOWARD: Acute perforated ulcer of the stomach or duodenum, **lxxv**, 349.
Segmental resection for gastric ulcer, **lxiv**, 527.
BARNES, ALLAN F.: Subcutaneous traumatic rupture of the normal spleen, **lix**, 597.
BARNETT, CHARLES E.: Genital canal block following Neisser coccus infection, **li**, 416.
BARNEY, J. DELLINGER: Influence of the venous collateral circulation of the kidney on hydronephrosis, **lxv**, 597.
Intraperitoneal division of one ureter, **li**, 362.
Barrel stave splint in fracture of the clavicle, **lxx**, 474.
BARRIE, GEORGE: Cancellous bone lesions, **lxi**, 129.
Chronic (non-suppurative) hemorrhage osteomyelitis, **lvii**, 244.
Fibrocystic and cystic lesions in bone, **lxvii**, 354.
Multiple hemorrhagic foci in bone, **lxxi**, 581.

4

Regressive changes in the breast, **lxiv**, 707.
Significance of giant cells in bone lesions, **lxv**, 151.
BARRINGER, BENJAMIN S.: Cystoscopic examination in renal tuberculosis, **lii**, 239.
Radium treatment of carcinoma of the bladder, **lxxiv**, 751.
Radium in treatment of prostatic carcinoma, **lxxx**, 881.
BARTLETT, EDWIN I.: Diagnosis and treatment of clinically doubtful breast tumors, **lxxiii**, 740.
BARTLETT, WILLARD: After treatment of surgical patients, review of, **lxxii**, 534.
Anatomic substitute for the female breast, **lxvi**, 208.
Clamp for lining up fractured long bones, **lv**, 98.
Development of the author's gastro-enterostomy clamp, **lviii**, 659.
Factors of safety in thyroid surgery, **lxxvii**, 685.
Ligature of common carotid for secondary hemorrhage, **lxv**, 715.
Method of facilitating infiltration anæsthesia, **lxiii**, 678; focusing several electric lights on the field of operation, **lvii**, 124; suturing all hollow viscera, **lii**, 520.
Painless hypodermoclysis, **lxxiii**, 161.
Simplified gastro-enterostomy clamp, **liv**, 174.
Use of Murphy button to effect duodenojejunostomy after gastrojejunostomy, **lvii**, 81.
Base hospital, modern, receiving and operating pavilions for, **lxviii**, 333.
Basedow's disease, **lv**, 142; experimental research in, **lv**, 143; the thyrogenic origin of, **lvii**, 341.
BASSET, ANTOINE: Fractures of the neck of the femur, review of, **lxxiii**, 256.
BASTEDO, WALTER A.: Relative rôle of medicine and surgery in treatment of gastric and duodenal ulcer, **lxxix**, 957.
BATEMAN, ELVIN J.: Congenital tumors of the coccygeal region, **lxxx**, 834.
BATES, WILLIAM: Hæmolytic jaundice, treated by blood transfusion, **lxxvii**, 247.
BAUER, E. L.: Diagnosis of pyloric stenosis in infancy **lxix**, 599.
BAUMAN, GEORGE I.: Osteomyelitis of the spine, **lxxviii**, 119.
BEAL, HOWARD W.: Fibrinous calculi in the kidney, **li**, 111.
BEATTIE, J. MARTIN: A system of surgery, review of, **lxxix**, 802.
BECK, EMIL G.: Adhesive plaster method for the rapid regeneration of skin over granulating wounds, **lxix**, 291.
Bismuth paste in war surgery, **lxvii**, 392.
Bismuth paste treatment of suppurative sinuses and empyema, **lix**, 145.
BECK, JOSEPH C.: Applied pathology in diseases of nose, throat and ear, review of, **lxxx**, 959.
BECK-JIANU: Osteophagoplasty, **lxi**, 480.
BECKMAN, E. H.: Complications following surgical operations in the Mayo Clinic, **lvii**, 718.
Observations on the diagnosis and treatment of trifacial neuralgia, **lxiv**, 242.
Repair of herniæ from the peritoneal side of the abdominal wall, **lv**, 570.
Visceral pleurectomy for chronic empyema, **lix**, 884.
Bed designed for military hospitals, **lxvii**, 435.
Bedstead, four post fracture, **lxiv**, 613.
BEEKMAN, FENWICK: Acute appendicitis in childhood, **lxxix**, 538; the infant, **lxxx**, 911.
Giant-cell tumors of tendon sheaths, **lxii**, 738.
Occlusion of pylorus, **lxi**, 423.
BEER, EDWIN: Aseptic amputation of the rectum and posterior vaginal wall for carcinoma, **lxvi**, 251.
Banti's disease, **lxxi**, 216.
Bilateral nephrolithiasis, **lxiv**, 722.
Bile duct obstruction, **lxxi**, 206.
Bone pegged fractures of neck of femur, **lxxix**, 470.

Carcinoma of the bladder and prostate, **lxiv**, 94.
Chronic appendicitis, **lxxi**, 224.
Chronic retention of urine in young boys, due to obstruction at the neck of the bladder, **lxxix**, 264.
Closure of mucocutaneous fecal fistulæ, **lxii**, 576.
Congenital cystic kidney, **lxxvi**, 790; deformity of large bowel, **lxi**, 116.
Cysts of the kidney, **lxxvi**, 658.
Distinction between colon and coccic infections of the kidneys, **lxxv**, 760.
Effect of radium on cancer of the bladder, **lxxiii**, 239.
End result of high frequency cauterization of vesical papilloma, **lxi**, 750.
Excision of thyroglossal duct sinus, **lxxi**, 218.
Exfoliation of the interior of the bladder after use of mercurochrome, **lxxv**, 757.
Fecal fistula, new method of closure, **lxi**, 110.
Fistula following nephrectomy for tuberculosis, **lxxvii**, 629.
Hepatotomy for liver abscess, **lxii**, 495.
Hematogenous infections of kidneys, **lxvi**, 249.
Hypernephroma, **lxiii**, 630, 631.
Immediate reduction of fractures, **lxiii**, 635.
Intestinal obstruction, chronic peritonitis and multiple serositis, **lxxvii**, 635.
Interpretation of functional renal tests, **lxiv**, 434.
Multiple bilateral kidney abscesses, **lxxvii**, 762.
Nephrectomy for tuberculous kidney in a child, **lxii**, 494.
Nephrolithiasis with perinephric abscess, **lxi**, 111.
Nephro-ureterectomy for papilloma of the ureter, **lxxiv**, 247.
Papillomatosis of the bladder, **lxi**, 109; **lxii**, 496.
Periosteal sarcoma of the femur, **lxxviii**, 418.
Pyelolithotomy for stone in fused kidney, **lxxi**, 217.
Pyoarthrosis of the knee, **lxxvii**, 233.
Removal of foreign body from bronchus by bronchoscopy, **lxiv**, 92.
Removal through stomach of dental plate, obstructing the œsophagus, **lxxiv**, 120.
Significance of diarrhœa following abdominal operations, **lxxvii**, 524.
Splenectomy, **lxxiv**, 249; for hæmolytic jaundice, **lxxvii**, 764.
Sub-total gastrectomy for tuberculosis of the stomach, **lxxiv**, 245.
Surgery of tuberculosis of the kidney, **lxii**, 509.
Technic of operative treatment of neoplasms of the urinary bladder, **lxxiii**, 72.
Transperitoneal nephrectomy for tumor of the kidney, **lxiii**, 630; resection of bladder for carcinoma, **lxi**, 752; diverticulum of the bladder, **lviii**, 634.
Treatment of benign papillomata of urinary bladder with high frequency current, **lxi**, 735; tumors in the urinary bladder with the Oudin high frequency current, **liv**, 208.
Tuberculosis of prostate and kidney, **lxiv**, 720.
Valvular cæcostomy for colonic ileus, **lxvi**, 251.
X-ray pictures of diverticulum of the œsophagus, **lxi**, 363.

BEHAN, RICHARD J.: Bone inlays and platings, **lxxi**, 377.
Loose cartilage in the temporomaxillary joint, **lxvii**, 536.
Method of correcting stomach dilatation in gastroptosis, **lxiii**, 541.
Treatment of an open infected wound, **lxxiii**, 701.

BEHREND, MOSES: Bone saws, **lxix**, 176.
Dichloramine-T as a local antiseptic, **lxx**, 120.
Obliteration of the common bile duct following operation, **lxviii**, 32.
Post-operative infections of the parotid gland, **lxix**, 172.

Variability of the pathology and symptoms of chronic intestinal obstruction, **lxix**, 21.
BELL, WILLIAM LISLE: Fracture fixatures of metal; instruments for procuring autogenous bone bolts and keys, **lxx**, 101.
Treatment of fractured clavicles, **lxxvi**, 595.
BENDELL, J. L.: Isolated sprain fracture of the trapezium, **lxv**, 364.
Plating fracture of clavicle, **lvi**, 867.
BENHAM, FRANCIS ROE: Indications for cholecystectomy and cholecystotomy, **lxvi**, 464.
Benign tumors of the stomach, **lxxvii**, 580.
BENJAMIN, ARTHUR E.: Accessory pancreas with intussusception, **lxvii**, 293.
BENNER, H. O.: Red stippling sign of gastric and duodenal ulcer, **lxi**, 380.
BERG, ALBERT A.: Regeneration of bone, **lxvii**, 331.
BERNHARD, ADOLPH: Estimation of the bile pigmentation of the blood serum, **lxxvi**, 662.
BERNHEIM, BERTRAM M.: Arteriovenous anastomosis as a preventive of gangrene of the extremities, **lv**, 195.
Arteriovenous aneurism of the external iliac vessels, **lix**, 558.
Blood vessel clamps, **lxi**, 96.
Experimental study of intestinal obstruction, **lix**, 714.
Lateral vascular anastomosis, **liv**, 296.
Organoscopy, **liii**, 764.
On blood transfusion, hemorrhage and the anæmias, review of, **lxviii**, 450.
BETTMAN, RALPH BOERNE: X-ray in war surgery, **lxvi**, 13.
BEVAN, ARTHUR DEAN: Effects on sarcoma of the Coley toxins, **lx**, 108.
Open treatment of fractures, **liv**, 408.
Resections of the rectum for cancer, **lii**, 139.
Systemic blastomycosis, **lx**, 110.
Bevan's operation for undescended testicle, **lii**, 821, 860; **lvi**, 501.
BEYE, HOWARD L.: Deep palmar hand infections, **lxvi**, 24; **lxvii**, 152.
Errors in X-ray diagnosis of osteogenic sarcoma, **lxxx**, 730.
Biceps flexor cubiti tendon, rupture of the, **lxi**, 608, 638; **lxii**, 122, 381; **lxxvii**, 358.
BICKHAM, WARREN STONE: Operative surgery, review of, **lxxix**, 628.
BIDGOOD, CHARLES Y.: Study of methods of procedure in resection of the œsophagus, **lxxiv**, 546.
Traction apparatus for open reduction of fractures, **lxxvii**, 506.
BIGELOW, LESLIE LAWSON: Lymphosarcoma of the mesentery, **lxxi**, 11.
BIGGS, MONTGOMERY: Pseudomyxoma peritonei, **lxxi**, 619.
Bile, pigmentation of blood serum, surgical value of the estimation of, **lxxvi**, 191, 662; white, in the common duct, **lxxvii**, 281.
Bile-duct, autogenous fascial reconstruction of the, **lxv**, 79; **lxiv**, 753; cholecystogastrostomy for, obstruction, **lxxi**, 205.
Common, duodenal leakage through the, **lxvii**, 236; drainage of the, **lxxviii**, 620; **lxxiii**, 458; impacted stone in, **lvii**, 441; injury to the, **lxvii**, 619; obliteration of, following operation, **lxviii**, 32; obstruction of by angulation of ducts after cholecystotomy, **lvii**, 182; post-operative stricture of the, **lxxx**, 210; reconstruction of, **lxxv**, 378; repair of the, **lxxviii**, 129; rupture of the, **lxiv**, 414; surgery of the, **lxxi**, 293.
Congenital cyst of the common, **lxxix**, 147.
Cyst of the, **lxiv**, 546.
Bile-ducts, hepaticoduodenostomy for injury of the, **lxxv**, 344; post-operative dilation of, **lxx**,

530; reconstruction of the, **lxvii,** 370; removal of stones from, combined with extirpation of gall-bladder and partial extirpation of stomach, **lvii,** 443; repair of injuries to, **lxxiii,** 629.

Bile-passages, anomalies of the, **lxiv,** 419; malignant obstruction of, **lxvii,** 273.

Biliary, calculi of large size removed from common duct, **lvi,** 504; calculus, obstruction by, factors bearing upon the mortality in operations for, **lxvi,** 169, 224; drainage outside the body, effects of, **lxix,** 58; duct, common, resection of, for cancer, **lv,** 610; ducts, malignant neoplasms of the extrahepatic, lxxvi, 205; fistula, chronic, **lxxvii,** 765; external, **lxxv,** 506; from stone in common duct, **lv,** 766; of very long duration, **lxxx,** 795; history analysis applied to surgical diseases of the, **lxviii,** 471; obstruction, non-calculous, intermittent, following cholecystectomy, **lxxix,** 533; passages, clonorchis sinensis infection of the, **lxviii,** 34; intestinal communications with, **lv,** 166; system, acute spontaneous perforation of the, into the free peritoneal cavity, **lv,** 235; tract, and pancreas, diseases of the, **lxviii,** 107; infections of the, outcome of, **lxix,** 477; recurrence of symptoms following operations on the, **lxvii,** 473; studies in survey of 130 consecutive cases, **lxxx,** 697; surgery of the, **lx,** 665, 765; **lxxv,** 196; **lxxvi,** 201; **lxxx,** 616; use of duodenal tube in pre-operative study of infections of the, **lxxiii,** 556.

Billings, Arthur E.: Bilateral renal calculi with enterovesical fistula, **lxviii,** 541.

Diphtherial and pseudodiphtherial primary cutaneous infection, **lxii,** 343.

Fecal fistula with mutiple joint infections, **lxxi,** 778.

Pyonephrosis with late secondary hemorrhage, **lxxiii,** 645.

Surgical significance of abdominal pain, **lxxix,** 1.

Suture of the heart, **lviii,** 712.

Binnie, John Fairbairn: Amputation of the leg, **lx,** 160.

Bilateral dislocation of sixth cervical vertebra, **lxvii,** 383.

Congenital elevation of the scapula, **lxvi,** 488.

Manual of operative surgery, review of, **lxxiv,** 670.

Review of treatise on regional surgery, **lxviii,** 452; **lxvii,** 127.

Snapping hip, **lviii,** 59.

Bipolar theory of the nature of cancer, lxxx, 289.

Birdsall, Jos. Cooper: Unusual case of renal tuberculosis, **lxv,** 602.

Birth injuries of the shoulder, lxvii, 25; palsy, **lxxiii,** 773.

Bismuth, paste injection; poisoning by bismuth, **lvi,** 362; in chronic suppurations, review of, by Emil G. Beck, **liv,** 429; treatment of suppurative sinuses, present status of, **lix,** 145; vaseline paste injections, treatment of chronic tuberculous sinuses by Beck's, **li,** 715, 751.

Bizarro, A. H.: Comparative analysis of 213 forearm and leg fractures, **lxxv,** 221.

Injury of the limbs due to back-fire, **lxxvi,** 83.

The traumatology of the sesamoid structures, **lxxiv,** 783.

Black, C. E.: Displacements of the colon, **lvi,** 888.

Black, H. R.: Pulmonary teratoma, **lxvii,** 73.

Black, Samuel O.: Pulmonary teratoma, **lxvii,** 73.

Blackman, R. H.: The frequency of adenomyoma of the uterus, **lxix,** 135.

Blackwell, Hugh B.: The complete mastoid operation, **lxvi,** 640.

Bladder, urinary, atony of, and prostatic obstruction, **lxi,** 276; without obstruction or signs of organic nervous disease, **lii,** 577.

Bowel fistula, **lxviii,** 541; bullet in the, **lxxviii,** 667.
Calculus in the, **lv,** 445; **liii,** 542.
Cancer, effect of radium on, **lxxiii,** 239; end results of operations for, **lxxvi,** 352; drainage in, **lxxvi,** 801; carcinoma, **lxxviii,** 254; extensive, intraperitoneal, operation for, **liv,** 593; gelatinous, of the, **lxii,** 501; and uterus, **li,** 126; of the, and prostate, **lxiv,** 94; of the fundus, removal of, note on, **lii,** 654; radium treatment for, **lxxiv,** 751; in suprapubic scar, **lxi,** 109; transperitoneal resection for, **lxi,** 752.
Coccus infection of the bacillus bulgaricus in treatment of, **lxv,** 621.
Contracture of the, due to spinal injury, **lxvii,** 533.
Cyst, echinococcus, **lix,** 396.
Cystitis, distention in the treatment of, **lii,** 664.
Diverticula of the, **lxviii,** 298; diverticula, surgical treatment of, **lv,** 285; diverticulum of the, **lxxviii,** 677; transperitoneal resection of, **lviii,** 634.
Dumb-bell stone in, **lxvii,** 94; eversion of the, **lix,** 565.
Exfoliation of the interior, following the use of mercurochrome, **lxxv,** 757.
Exclusion of the, **lviii,** 133, 286.
Exstrophy of the, **liii,** 135; **lvii,** 781; **lxxiii,** 100; **lxxiii,** 354; exstrophy of the, with potential malignancy in, **lxxv,** 365.
Fistula, partial excision of the, **lxv,** 261.
Hairpin in male, removed by aid of a cystoscope, **li,** 115.
Hernia of the, **lxii,** 582; **lxxv,** 615.
Hour-glass, resection of the base of bladder for transverse septa, **lxxi,** 22.
Hypertonic, in the enuresis of adults, **lxx,** 482.
Invagination of ileum into, producing intestinal obstruction, **lxviii,** 429.
Lesions of the male, recognition of certain, **lxvii,** 96.
Neck of the, obstruction of, causing chronic retention of urine in young boys, **lxxix,** 264.
Neoplasms of the, operative treatment of, **lxxiii,** 72.
Normal, and its sphincters, changes following suprapubic prostatectomy, **lix,** 544.
Operations upon, intraperitoneal, **lii,** 657.
Papilloma, high frequency treatment of, **lx,** 319, 404; papillomata, benign of urinary, treatment of, with high frequency current, **lxi,** 735, 750; papillomatosis of, **lxii,** 496.
Pathology, gross, of median bar formation of the, **lxv,** 471, 517.
Polyp of, in an infant, **liv,** 589.
Purpura of the, **lviii,** 388.
Retention, non-prostatic of the senile, **liii,** 57.
Rupture of the, **lvi,** 807; **lviii,** 244; **lxxvi,** 64; **lx,** 717; **lxv,** 222; **lxxvii,** 206.
Sarcoma of the, in a child, **lxv,** 628.
Stone, large, in the, **lxxii,** 520; stones, recurrent in the, **lix,** 747.
Tumors of the, urinary, **lxvi,** 682; operative treatment of, **lxii,** 456; treatment of, with Oudin high frequency current, **liv,** 208.
Tuberculosis of ureter and kidney, **lvi,** 125, 338.
Ulcer, Hunner's, **lxxi,** 479–515; transperitoneal resection, **lxi,** 752.
BLAIR, VILRAY PAPIN: A suggestion for the treatment of air embolism, **lii,** 471.
Ranula, **lxxvii,** 681.
The treatment of secondary hemorrhage from the branches of the common carotid artery, **lxxiv,** 313.
The full thickness skin graft, **lxxx,** 298.
BLAKE, JOHN BABST: Banti's symptom complex with relation to splenectomy, **lxii,** 315.
Diagnosis and treatment of fractures involving the knee-joint, **lviii,** 27.
Function of the gastro-enterostomy opening in cases of permeable pylorus, **lx,** 132.

Recurrent dislocation of the lower jaw, **lxviii,** 141.
BLAKE, JOSEPH A.: Carcinoma of the rectum, unusual method of anastomosis, **li,** 261.
Drainage, **lxxv,** 385.
Fibromatosis of the stomach, **lviii,** 271.
Megacolon, **lv,** 455.
Overhead suspension frame, **lxxii,** 385.
Operation upon mobile cæcum, method for, **lv,** 767.
Partial removal of phalanx for sarcoma, **lii,** 122.
Resection of the rectum for cancer-combined operation for, **lii,** 139.
Splenectomy for Banti's disease, **lviii,** 420.
The influence of the war upon the development of surgery, **lxix,** 453.
The treatment of suppurative peritonitis, **lxxix,** 622, 710.
BLAND-SUTTON, SIR JOHN: Selected lectures and essays, review of, **lxxiv,** 667.
Blastomycosis, systemic, **lix,** 815; **lx,** 110; **lxi,** 513; **lxxx,** 124.
Bleeding in operation for brain tumors, the control of, **liv,** 1.
Blepharoplasty by a pre-grafted flap, lix, 958.
Blindness caused by corneal ulcers from exophthalmic goitre, lxxix, 495.
BLOCK, FRANK B.: Mesenteric embolism in an hæmophiliac, **lxxiii,** 229.
Ultimate results following nephropexy in nephroptosis, **lxvi,** 479.
Blood, acidity of, influence of inhalation anæsthesia on, **lxi,** 6.
Coagulation, effects of sodium citrate on, **lxxvi,** 547.
Constituents, non-protein nitrogenous, surgical significance of the estimation of, **lxv,** 648.
Counts, in non-infective surgical conditions, **lxvii,** 129.
Ferments, protective, for transplantation of organs, Abderhalden method, **lxi,** 149; for cure of ununited fracture, **lviii,** 564.
Hæmolytic jaundice, **lxxvii,** 247.
Injection, local, for ununited fracture, **lv,** 314.
Transfusion, **lxxvii,** 364, 503; **lv,** 892; fatal anaphylaxis following, **lxxviii,** 1; **lxxvii,** 761; in hæmophilia, **lii,** 457; hemorrhage and the anæmias, by Berttram M. Bernheim, review of, **lxviii,** 450; in the treatment of staphylococcus septicæmia, **lxvi,** 513; importance of proper dosage of sodium citrate in, **lxiv,** 618; in an adult, **liii,** 131; in war surgery, **lxvii,** 1; **lxviii,** 118.
Transfusions, three consecutive, for profound secondary anæmia, **lii,** 710.
Uncontaminated, method of obtaining, from animals, **lxiii,** 108.
Blood pressure, and prostatectomy, **lxiv,** 659; during ether anæsthesia, **lxiv,** 645; in medicine and surgery, review of, by Edward H. Goodman, **lx,** 664; observations in head traumas, **lxvii,** 51; value of, in acute cerebral compression, **lxxv,** 732; with reference to shock, **lviii,** 721.
Blood stream, the toxicity and rate of excretion of calcium chlorid from the, **lxxx,** 545; surgical significance of bacteria in the, **lxxvi,** 421; in surgery, the, **li,** 1.
Blood-vessels, clamps for, **lxi,** 96.
Deep seated, surgical exposure of the, by J. Fiolle and J. Delmas, translated by Charles G. Cumston, review of, **lxxv,** 127.
Lateral anastomosis of, **lxi,** 597.
Notes on the technic of suturing, **lv,** 208.
Suture of the, **lxv,** 693.
Suturing, the use of olive oil in, **lxvii,** 468.
BLOODGOOD, JOSEPH COLT: Benign bone cysts, osteitis fibrosa, giant-cell sarcoma, and bone aneurism of the long pipe bones, **lii,** 145.
Benign tumors of the breast, encapsulated adenoma, **lxxix,** 172.

Blood pressure, studies in, with reference to shock, **lviii**, 721.
Bone tumors, metastasis to lungs from a pure myxoma, **lxxvii**, 106; myxoma, central and periosteal, **lxxx**, 817; **lxxii**, 712; non - malignant character of giant-celled, **lxix**, 345.
Cause of epilepsy after fracture of the skull, **lii**, 141.
Conservative treatment of giant-cell sarcoma, with the study of bone transplantation, **lvi**, 210.
Development of malignancy in hygromata, **lviii**, 281.
Diagnosis and treatment of border-line pathological lesions, **lviii**, 282.
Estimation of vital resistance of patient with reference to possibility of recovery, **lv**, 641.
Fibromatosis of the stomach, **lviii**, 271.
Intraperitoneal hemorrhage of ovarian origin, **lvi**, 338.
Resection of the rectum for cancer, **lii**, 139.
Sarcoma of femur, **lviii**, 280.
Study of cancer of the tongue, **lx**, 129.
Transplantation of the rectus muscle or its sheath for the cure of inguinal hernia, **lxx**, 81.
Bloodless operations, prevention of post-operative bleeding after, **lxxx**, 798.
Blunt force, intestinal lesions from, **lii**, 358.
Blutegefasse, review of book, Blutegefasse und Herzens Chirurgie, by Ernest Jeger, **lvii**, 958.
Bodkin, Martin L.: Review of Mummery's treatise on diseases of the rectum and colon, **lxxix**, 157.
Bogart, Arthur H.: Surgical significance of intestinal angioneurotic œdema, **lxi**, 324.
Bohmansson, Gusta: Diagnosis and therapy of bone typhoid, **lxix**, 245; **lxxii**, 486.
Boiling water, intrathyroidal injection in hyperthroidism, **lxv**, 279.
Boils, an original method of treating, **lxxi**, 216.
Boland, Frank K.: Spontaneous hæmatoma in sarcoma of kidney, **lxxvii**, 311.
Bolling, Richard W.: Acute intussusception in infants, **lxxviii**, 349, 681.
Congenital cyst of the common bile duct, **lxxix**, 147.
Fractures of the neck of the scapula, **lxiii**, 215.
Partial colectomy for megacolon, **lxxviii**, 680.
Bond splint, danger in use of, in case of carpal fractures of the radius, **lxviii**, 538.
Bone or bones, abscess, central, **lxxiv**, 568; treated with Moorhof's bone wax, **liii**, 67; and cartilage, comparison of the permanence of free transplants, **lxv**, 170; and cartilage transplants, the value of, in rhinological surgery, **lxvi**, 162; and cartilage tumors, multiple congenital, **lxi**, 142; and joints, normal, röntgenologically considered, by Isidore Cohn, M.D., review of, **lxxx**, 959; and tendon sheath, giant-cell growth of, **lxviii**, 426; aneurism of the long pipe, **lii**, 122, 145; atrophy, an X-ray study of, **li**, 289; bolts and keys, autogenous instruments for procuring, **lxx**, 101; buried, experimental study of, **lxx**, 747; cancellous tissue in healing, rôle of, **lxxii**, 452; cavities, treatment of, **lxxi**, 47; cement for filling cavities in, **lii**, 122; cicatrices, formation in operative wound, **lxxvi**, 539; cysts, **lxvii**, 354; and giant-cell sarcoma, **lxvii**, 312; benign, **lii**, 122, 145; dead, recognition of, **lxxii**, 456; decompression for epilepsy, **lvi**, 372; development of, studies in, **lxix**, 360; disease, and joint, mixed suppurative bacterins and tuberculins in, **li**, 761; extremities, of the, anatomical methods of

approach in operations on the long, **lxviii**, 309; filling of Mosetig-Moorhof, indications for, **lxv**, 227, 245; fixation, operative, of infected fractures of the long, **lvi**, 185; flap, cutting, in cranial surgery, **lxxii**, 511; formation of, **lxix**, 225; foot, of the, supernumerary, **lxv**, 499; fracture, projectile, of, **lxxi**, 493; fractures, certain problems concerning, **lxxiv**, 280; fractures of the long, **liv**, 289; **lvi**, 769; **lviii**, 490, 656; **lxv**, 170; **lxxiv**, 304; **lxxi**, 40; fragilitas of the, **lxxiv**, 629; frontal, fracture of, transplantation of costal cartilages for, **lxxvii**, 115.

Graft, for defects in lower jaw, **lxxiv**, 664; for wide separation of symphysis pubis, **lxxx**, 152; fundamental laws underlying, **lxxiv**, 196; in spastic paralysis, stabilization of wrist-joint by, **lxxvii**, 246; of humerus for non-union, **lxxiii**, 244; tibia for non-union, **lxxiii**, 245; peg for fracture of neck of femur, **lxii**, 85; in the treatment of fractures, **lxii**, 123; surgery, review of Albee on, **lxiii**, 504; grafts, **lxix**, 336, 337; autogenous, in the treatment of fracture of the greater tuberosity of the humerus, **lxvi**, 95; the use of, **lxx**, 105; versus Lane plates, **lxi**, 717; into skull defects, **lxiv**, 516; self retaining, **lxx**, 750; with madderized bone, **lxvii**, 454; grafting, autogenous, for fracture of patella, **lix**, 483; in fractures of the long, **lxx**, 305; for saddle nose, **lxxiv**, 665; for Pott's disease, **lix**, 136; in United States Army Hospitals, **lxxiii**, 1; various methods of, **lxxiii**, 253; **lxxiv**, 286.

Growth, studies in, **lxxi**, 32.

Hæmangioma cavernosa of, **lxv**, 476; hemorrhage, arrest of, by plugging with soft tissues, **lvii**, 434; hemorrhagic foci, multiple, in, **lxxi**, 581; hypernephroma, metastases of, **lii**, 533; injuries and diseases of bones and joints, differential diagnosis by means of the röntgen rays, by Baetjer and Waters, review of, **lxxiv**, 256; injuries, new mechanics, in, **lxxvi**, 110; inlays and platings, **lxxi**, 377; 754; lesions, cancellous, **lxi**, 129; significance of giant-cells in, **lxv**, 151; syphilitic, surgical aspects of, **lxxii**, 488; long, isolated abscesses of, **lxvii**, 460; chronic medullary abscess of the, **lxv**, 483; giant-cell sarcoma of the, conservative treatment of, **lxxix**, 318, 321, 561; **lxx**, 633; **lxix**, 550; **lx**, 103; 537; **lxxiv**, 655; inflammation acute, of the, **lvi**, 150; metal plates in fractures of the, **lxxviii**, 75; osteomyelitis of, **lx**, 375; surgery of the, **lv**, 155; neoplasms and other tumors involving the maxillary, **lii**, 186; new, the evolution of, and its relation to the reproduction of joints after ankylosis, **lvi**, 344; parietal, congenital perforations of the, **lx**, 807; plastic, for skull defects, **li**, 516; plug, Moorhof, results of the use of, at the University of Minnesota, **liii**, 699; regeneration and growth of, **lxvii**, 331; **lxv**, 704; after osteomyelitis, **lix**, 789; following chronic suppurative osteitis of the distal phalanx, **lxxx**, 728; studies in, **lxvi**, 625; sarcoma, **lxxiv**, 655; giant-cell, of, **lii**, 122, 145; conservative treatment of, **lvi**, 210, 354; **lxv**, 375; sequestra, persistence of bacteria within, **lxvi**, 522; suppurations, therapy by bacterins and tuberculins, **lii**, 136; surgery, autoplastic, review of Davidson and Smith on, **lxiii**, 506.

Transplant for defect in humerus, **lix**, 763; from crest of ileum to mandible, **lxxiii**, 375; in fracture of patella, **lix**, 765; transplantation, **lxiii**, 242; **lxi**, 672; **lxiv**, 519; and the use of a rib as a graft, **lvi**, 377,

468; autoplastic, **lii,** 217; after removal of sarcoma of radius, **lvi,** 375; for cyst of tibia, **lxxv,** 736; **lxxvi,** 115; for old ununited fracture, **lxxi,** 228; sarcoma of humerus, **lxiv,** 106; spinal tuberculosis, **lx,** 524; **lviii,** 570; ununited fracture of neck of femur, **lx,** 779; from scapula for defect in skull, **lxvi,** 160; in the surgical treatment of paralytic feet, **lxvii,** 163; transplantation, methods suggested for, **lix,** 465, 766; study of, **lvi,** 210; **lxix,** 113; transplantations of entire, with their joint surfaces, **lxv,** 658, 757; transplants from tibia to lower jaw, **lxx,** 476; use of small, in bridging a bone defect, **lxvii,** 457.

Tuberculosis of, and joints, heliotherapy for, **lxxvii,** 620; the shaft of long, **lvii,** 133; tuberculous foci in, and their treatment, **lix,** 930.

Tubular, rational treatment of fractures of, **lxxiii,** 385.

Tumors, **lxix,** 345; **lxxii,** 712; cystic diseases of, **lxxv,** 506; giant-cell medullary, observations on, **lxiii,** 454; metastasis of myxoma to lungs, **lxxvii,** 106; myxoma, **lxxx,** 817.

Typhoid, diagnosis and therapy of, **lxix,** 245; **lxxii,** 486.

Variations of the bones of the hands and feet, by Thomas Dwight, review of, **liii,** 160.

Bone-saw equipment, Masland's, **lxix,** 175.

Bone-work, lead protector for use in, **lxi,** 768.

Bony areas, dry skin grafting of, **lx,** 371.

BOOKMAN, MILTON R.: Occult strangulated inguinal hernia, spontaneous reduction "en masse," **lxi,** 730.

BOORSTEIN, SAMUEL W.: Orthopædic treatment of burns, **lxxii,** 618.

Symmetrical congenital malformation of the extremities, **lxiii,** 192.

BOOTHBY, WALTER M.: Intratracheal insufflation anæsthesia, **lvii,** 43.

Importance in surgery of the thyroid gland of correct differential diagnosis of thyroid diseases, **lxxviii,** 572.

Note on intra-thoracic surgery; division and circular suture of the thoracic aorta, **lvi,** 402.

Note on the transplantation of fresh venous segments, **lvi,** 409.

Suture of the aorta in pregnant cats, **lv,** 215.

Technic of end-to-end arterial anastomosis, **liv,** 485.

Borchgrevink's extension splint in fractures of the humerus, lxiv, 353.

BORCHGREVINK, O.: Amputation of the leg, **lxxi,** 697.

BORDEN, DANIEL L.: Diaphragmatic hernia, **lxxv,** 337.

Border-line pathological lesions, diagnosis and treatment of, **lviii,** 282.

BOSTON CITY HOSPITAL: Statistics of gall-stones treated at, **lxi,** 535.

BOTTOMLEY, JOHN T.: Congenital strictures of the ureter, **lii,** 597.

Bowel, large, chronic partial intestinal obstruction in an adult due to an arrested development of the, **lxxx,** 217; diverticulitis of the, **lxi,** 343; resection of, at the recto-sigmoidal junction, **lxvii,** 189; obstruction of the, relieved by enterostomy and ileocolostomy, **lxiv,** 112; small, resection of the, following gunshot injury, **lxxvi,** 117 (See also intestine).

BOWEN, DAVID R.: Bullet localizer, **lxi,** 376.

BOWER, JOHN O.: Management of injuries to the cranium and its contents, **lxxviii,** 433.

BOWLER, JOHN P.: The toxicity and rate of excretion of calcium chlorid from the blood stream, **lxxx,** 545.

BOWLBY and ANDREWS: Surgical pathology and morbid anatomy, review of, **lxxiii,** 518.

BOYER, EDWIN H.: Hemorrhagic cysts of the spleen, **lxxiii,** 58.

BOYER, EDWARD E. H.: Fibroma of the testicle, **lxx,** 210.

BOYKIN, IRVINE M.: Amputation of both thighs for senile gangrene, **lxxiv**, 252.
Subperitoneal hemorrhage simulating appendicitis, **lxv**, 240.
Rupture of uterus during attempts at version, **lxxiv**, 251.
Boys, young, chronic retention of urine due to obstruction at the neck of the bladder, **lxxix**, 264.
BRAASCH, WILLIAM F.: Clinical diagnosis of congenital anomaly in the kidney and ureter, **lvi**, 726.
Deformities of the renal pelvis, **li**, 534.
Developments in pyelography, recent, **lii**, 645.
Observations in cystoscopic technic, **lxv**, 615.
Tumors of the urethra, primary, **lxxvi**, 246.
Brachial artery, direct suture of the, **lviii**, 534; embolism of the, **lxxvi**, 788; excision of adventitia for Raynaud's disease, **lxxviii**, 428; rupture of the, without fracture of humerus, **lvi**, 945; paralysis, traumatic, **lxvi**, 610; with flail shoulder-joint, **lxvi**, 532, 616; rupture of, compound dislocation of elbow with, **lxxvi**, 279.
Plexus, anæsthesia for amputation of forearm in advanced phthisis, **lxxix**, 130; injury of, **lx**, 516; neurofibroma of the, **liii**, 274; rupture of, traumatic, **lxv**, 252; rupture of, without bone fracture, **lvi**, 945; suture of, late, **lxxvi**, 782.
BRACKETT, ELLIOTT GRAY: Operative treatment of fracture of spine uncomplicated by cord injury, **lxvii**, 513.
BRAHDY, LEOPOLD: Enuresis of adults, **lxx**, 482.
Brain, abscess of, **lxiv**, 117; its surgical pathology and operative technic by Wells P. Eagleton, **lxxvii**, 508; bullet retained in, **lxxiii**, 111, 114; compound comminuted fracture of skull with laceration of, in a child following coasting, **lxxx**, 620; concussion of the, **lxx**, 143; decompression operation, a new, for the, **lv**, 744; endothelioma, frontal lobe, **lxiii**, 380; of the, condition three years after operation, **lxi**, 106; gunshot wound of the, **li**, 581; finger exploration, **lxxi**, 531; injury by contrecoup, **liii**, 428; injuries, with and without fracture of the skull, diagnosis and treatment of, by William Sharpe, M.D., review of, **lxxiii**, 137; large, removed from child, **lxxii**, 416; metastasis in, from sarcoma of leg, **lxvi**, 506; operations, appliance to secure position and steadiness of the head during, **lxxii**, 591; röntgenography of the, after injection of air into the spinal canal, **lxx**, 397; surgery, **lxi**, 17, 101, 107; tumor, **lv**, 317; **lx**, 761; **lxxv**, 376; **lxxx**, 618; and clots, consecutive displacement of the cerebral hemisphere in the treatment of, **lvii**, 492; bleeding in operation for, control of, **liv**, 1; causing Jacksonian epilepsy, **lxxii**, 402; decompression for, **lvi**, 481; **liv**, 268; **lxviii**, 85; end results of operations for, **lvi**, 55; sarcoma, removal of, **lxv**, 270; surgical aspects of, **lxxiv**, 321; tumors, cerebellar, the localization of, **lxiii**, 129; operative removal of, **lxxvii**, 769; wounds of, treatment and results of, **lxxii**, 538; of secondary and late complications of, **lxix**, 184.
BRAMANN, DR. VON: Further experiences in puncture of corpus callosum, **lv**, 141.
Branchial cyst, **lxx**, 758; fistula, **lxiv**, 105; **lxxv**, 119; **lxxvi**, 648; **lxxx**, 144.
Branchiogenetic cyst with sinus leading into pharynx, **lxvii**, 240; cysts, ranular, and relationship between, **lxxii**, 164.
Branchiogenic carcinoma, **lxiv**, 1; fistula, **lxiii**, 519.
BRANCH, J. R. BROMWELL: Note on penetrating wounds of the abdomen, **liv**, 164.

BRANSFIELD, J. W.: Bullet wound of pregnant uterus, **lxxviii,** 93.
Immediate plastic operations in injuries involving tendons or joints, **lxxviii,** 100.
Pericardiotomy for suppurative pericarditis, **lxxix,** 293.
Treatment of webbed fingers, **lxxviii,** 532, 543.
BRAUN, H.: Local anæsthesia in operations on trigeminus, **lv,** 136.
The induction of a splanchnic analgesia, **lxxx,** 166.
BREAKSTONE, BENJAMIN: Diaphragmatic hernia, **lxxiii,** 417.
Breast or breasts, adenofibromata diffuse of both, **lviii,** 398; **lxv,** 381; of beginning carcinoma, **lxi,** 351; amputation followed by paralysis agitans, **lv,** 898; removal of the, by transverse incision, **lxii,** 250; anomalies and diseases of, and their treatment, by John B. Deaver and Joseph McFarland, review of, **lxv,** 527.
Cancer, disappearance of, after removal of the ovaries, **lx,** 476; end results of operations for, **lxxvi,** 341, 346; gelatiniform, in the, **lxxiii,** 108; hypophysial disorder in, **lxiii,** 297; life expectancy following radical amputation for, **lxxv,** 61; of, bilateral recurrence in neck, **lxxix,** 941; of both, **lxxii,** 417; of, excised in a woman eighty-four years of age, **lxii,** 98; of, no recurrence seven years after operation, **lxxi,** 94; of the, late results of radical operation for, **lxxii,** 177; of the male, **lvi,** 471; radical cautery operation for, **lxvi,** 397; results of operations for, at the New York Hospital, **lxxx,** 400; results of treatment by radiation of, **lxxvi,** 359; removal of both pectoral muscles in the radical operation for, **lxviii,** 17, 99; technic in operations for, **lxxii,** 181; well twenty-one years after first operation, **lv,** 618; unusual result of X-ray radiation upon, **lxxv,** 117; carcinoma, **lxv,** 66; effect of radium upon, **lxix,** 555; in young women, **liii,** 726; late recurrence after radical operation for, **lxxx,** 932; multiple diffused metastases following, **liv,** 134; radical operation for, **lxiv,** 629; significance of skeletal metastases in, **lxv,** 326; with late metastases in opposite axilla, **lxiv,** 737.
Cyst, lacteal of, **lviii,** 428; method of treating, **lxiv,** 254; cystadenoma, papillary of the, **lxxiii,** 384; male, **lvii,** 759; **lxxv,** 652; cystic disease of the, **lii,** 253, 283; results of conservative treatment of, **lx,** 42; cysts, conservative operations of, **lxii,** 246; degeneration, bilateral cystic of the, **lviii,** 397; malignant, of benign diseases of the, **li,** 212, 281.
Female anatomic substitute for, **lxvi,** 208; traumatic fat necrosis of the, and its differentiation from carcinoma, **lxxx,** 670; fibroadenoma of calcified, **lxi,** 127; gangrene of the, complicating diabetes, **lxxix,** 634; gumma of the, differential diagnosis from carcinoma, **lxxix,** 44; hypertrophy of, massive, **lxxvi,** 290; involution of the, abnormal, **lxiv,** 699; lymphosarcoma, bilateral of the, **lv,** 439; multiple of both, **lx,** 767; myxoma of the, **lxi,** 126; necrosis, traumatic fat, of the female, **lxxix,** 943; **lxxii,** 188; operations requiring skin flap closure, **lxii,** 678; Paget's disease of the nipple, **lxii,** 212; regressive changes in the, **lxiv,** 767; sarcoma of the, **lxii,** 11; **lxxii,** 387; Stewart incision for removal of, **lxiv,** 736; tuberculosis of the, **lvii,** 171; **lvii,** 396; **lxiii,** 668; **lxxvii,** 661; **lxxix,** 459.
Tumors, analysis of, **lxxiv,** 341; tumors, clinically doubtful, diagnosis and treatment of, **lxxiii,** 740; **lxi,** 353; benign and malignant, result of oper-

ation for, **lxv**, 654; benign, encapsulated adenoma, **lxxix**, 172; benign, removed through marginal incision, **lxiv**, 736; male, **lv**, 530, 636, 637; **lxii**, 376; chronic inflammatory cystic of, **lx**, 595, 658; fibro-epithelial of, **liv**, 517; innocent and malignant, **lxxvii**, 668; **lxxv**, 631, 641; operative results in, **lxxi**, 200, 270; technic of operations for, **lxv**, 654; teratoid mixed of the, **lxxvii**, 354; uterus and kidney, removed from the same patient, **lxvii**, 762.

BRENIZER, ADDISON G.: Branchial cyst, **lxx**, 758.
Keloid formation in the negro, **lxi**, 83.
Total bone grafts into skull defects, **lxiv**, 516.
Use of veins as a reinforcement and support of nerve sutures, **lxx**, 509.

BRENNER, EDWARD C.: Sacral anæsthesia, **lxxix**, 118.

BREWER, GEORGE E.: Abdominal contusions associated with visceral injury, **lxxx**, 628.
Aberrant position of appendix due to non-rotation of intestine, **lvi**, 947.
Decompression for epilepsy, **lvi**, 372.
Duodenal ulcer, **lvii**, 778; and gastric ulcer in the same patient, **lvii**, 777.
Duties and responsibilities of the Civil Surgeon when called to active service, **lxxii**, 1.
Empyema with ostectomy, **lvii**, 775.
Exstrophy of the bladder, **lvii**, 781.
Hepaticoduodenal anastomosis, **li**, 830.
Musculospiral paralysis, **lvi**, 371.
Observations upon the surgery of the ureter, **liii**, 827.
Occlusion of the pylorus, **lxi**, 489.
Operation for removal of cancer of stomach, **lxxix**, 932.
Operative cure in internal hydrocephalus, **liv**, 412.
Perforating duodenal ulcer, **lvii**, 776.
Röntgenologic diagnosis of surgical lesions of the stomach and duodenum, **lxi**, 55; **lx**, 111.
suppuration in one-half of a horse-shoe kidney, **liv**, 413.
Surgical treatment of œsophageal diverticula, **lii**, 125.
Transplantation of bone for sarcoma of radius, **lvi**, 375.
Treatment of tuberculous ureter, **lxi**, 473.
Typical fibromyoma of the abdominal wall following hysterectomy, **lxxiv**, 364.
Ulcer of the stomach, **lvii**, 782.

BREWSTER, G. W. W.: Operative treatment of wounds of the heart, **liii**, 324.
Right colectomy, **lxviii**, 203.

BRICKLEY, W. J.: Luxation of the ulna forward at the wrist, without fracture, **lv**, 368.

BRICKNER, WALTER M.: Chronic medullary abscess of the long bones, **lxv**, 483.

Bridging defects of organs lined with mucous membrane, lv, 139.

BRINSMADE, W. B.: Duodenal ulcer, **lix**, 125.
Recurrent gastric ulcer, **lix**, 125.
Ulcer of stomach with malignant degeneration, **lix**, 124.
One hundred and ten consecutive cases of appendicitis without mortality, **lx**, 610.

BRISTOW, ALGERNON T.: Open treatment of fractures, **liv**, 407.
Operative treatment of fractures, **lvi**, 351.
Study of the infections, **liv**, 433.

BRODERS, ALBERT COMPTON: Squamous cell epithelioma of the skin, **lxxiii**, 141.
Benign Xanthic extraperiosteal tumor of the extremities, **lxx**, 574.
Epithelioma of the genito-urinary organs, **lxxv**, 574.

BROMER, RALPH S.: Cystic diseases of bone and bone tumors, **lxxv**, 506.
Impressions of the surgery of the European war, **lxiii**, 252.

Bronchial fistula, lxxvi, 793; prevention of permanent, after lung resection, **lxvii**, 538, 626; the treatment of, **lxxii**, 345.

Bronchiectasis, lx, 7, 29, 122; and lung abscess, X-ray studies after direct injection of bismuth mixture, **lxxiii,** 362; and pulmonary abscess, **lix,** 855; extirpation of right lower lobe, of lung for, **lxi,** 103; from foreign body in lung, **lxi,** 254; ligation of branch of pulmonary artery for, **lxvi,** 602; lobectomy for, **lxxi,** 785; resection of lung for, **lxi,** 114; therapeutics of chronic nontuberculosis suppurative, **lxiv,** 8; treated by pneumotomy, **lxvi,** 603.

Bronchiectatic suppuration, bronchostomy for, **lxxx,** 945.

Broncho-pulmonary fistula, lxxiii, 30.

Broncho-subphrenic-cutaneous fistula, lxxviii, 99.

Bronchoscopic extraction of foreign bodies from the lungs and œsophagus, lxxv, 1.

Bronchoscopy in cases of bronchiectasis, lxi, 104; indications for **lxx,** 136; removal of foreign body in the lung by, **lxii,** 497; **lxiv,** 92.

Bronchostomy for bronchiectatic suppuration, lxxx, 945.

Bronchus, foreign bodies in, of dental origin, **lxxi,** 568; body in, removed by bronchoscopy, **lxiv,** 92; hepatic abscess evacuating via, **lxxvi,** 591; metallic foreign bodies in, **lii,** 767; removal of a tack from, **lii,** 123.

Brookhart, Leslie S.: Pocketing operations and other skin and fat transfers, **lxx,** 469.

Brooks, Barney: Administration of sodium chloride in intestinal obstruction, **lxxviii,** 755.
Intestinal obstruction, an experimental study, **lxvii,** 210.
Regeneration and growth of bone, **lxv,** 704.
Studies in bone regeneration, **lxvi,** 625; transplantation, **lxix,** 113.
Umbilical teratoma, **lxix,** 603.

Brooks, Macy: The treatment of syphilis by hypodermic injection of salicylate of mercury, **li,** 552, 595.

Brophy, Truman W.: Treatise on cleft lip and palate, review of, **lxxix,** 154.
Oral surgery, review of, **lxiii,** 639.

Brown, Alfred J.: Cephalic tetanus, **lv,** 473.
Localization of foreign bodies within the tissues, **lix,** 65.
Operation to form new anal sphincter, **lxxii,** 693.

Brown, Arthur E.: Post-operative tetany with implantation of human parathyroids, **lxxv,** 418.

Brown, Henry P.: Broken neck, **lxxiii,** 761.
Congenital stenosis of the colon, **lxxiii,** 125.
Hernia of female reproductive organs into the inguinal canal, **lxxv,** 742.
Empyema thoracis, **lxxvii,** 249, 401.
Fractures of the skull, **lxxix,** 298–198.
Intraperitoneal hernia of the ileum, **lxxii,** 516.
Malignant degeneration of benign tumors of the thyroid gland, **lxxiv,** 684.
Sympathectomy, autogenous control of, **lxxix,** 922.

Brown on the surgery of oral diseases and malformations, review of, **lxviii,** 447.

Brown-Sequard syndrome after fracture of the cervical spine, lxvii, 636.

Brown, W. H.: Parathyroid implantation in the treatment of tetania parathyreopriva, **liii,** 305.

Browning, William: Review of Tilney on the form and functions of the central nervous system, **lxxviii,** 124.

Bruce, Herbert A.: Acute diverticulitis, **liii,** 682.
Actinomycosis, **lxxviii,** 294.
Chloroma of the jaws, **li,** 52.

Bruce, Sir David: Discussion on tetanus, **lxix,** 564.

BRUGGEMAN, HENRY OTTO: Isolated abscess of the liver complicating appendicitis, **lxv**, 462.
BRYAN, ROBERT C.: Aneurism of the sciatic artery, **lx**, 463.
Sigmoidovesical fistula, **lxiii**, 353.
BUBIS, J. L.: Gas cysts of the intestines, **lxxv**, 620.
BUCHANAN, JOHN J.: A modification of Bartlett's gastroenterostomy clamp, **lvi**, 783.
Infection after implantation of ureter into intestine, **lviii**, 287.
Bucknall's operation for hypospadias, lxxi, 486; **lxxvii**, 572.
BUCKNER, H. T.: Apparatus for the treatment of compound fractures of the forearm, **lxvii**, 179.
Buerger's disease, lix, 443.
BUGBEE, HENRY G.: Traumatic injuries of the kidney and ureter, **lxiv**, 459.
Bulgaricus bacilli, the value of, in treatment of coccus infections of the bladder, **lxv**, 621.
BULKLEY, KENNETH: Chronic oxyuris infection without appendical symptoms cured by appendectomy, **lv**, 927.
Fracture of the femur, **lxix**, 466.
Pneumococcic arthritis, **lix**, 71.
The removal of needles in the hand, **lxvi**, 19.
Bullet, in the bladder, **lxxviii**, 667; localizer, **lxi**, 376; retained in brain, **lxiii**, 111; wound of brain, **lxiii**, 114; wound of chest involving the lung, **li**, 272; knee and popliteal vein, **lxiii**, 112; pregnant uterus, **lxxviii**, 93; thigh producing traumatic aneurism of femoral artery, **lxxviii**, 403.
BULLOCK, FREDERICH D.: Importance of spleen in resistance to infection, **lxx**, 513.
BUMPUS, HERMON C., JR.: Rupture of the common bile-duct associated with subphrenic abscess, **lxiv**, 414.
Bunge's method of leg amputation, liv, 124.
BUNTS, FRANK E.: Cases of gunshot wound of spinal cord, **lvi**, 355.
Conservative operations in cysts of the breast, **lxii**, 246.
Decompression operation after fracture of the base of the skull, **lii**, 140.
End results of operations for cancer of the breast, **lxxvi**, 341.
Operation for empyema in young adults, **lxxii**, 66.
The pneumatic tourniquet, **lii**, 700.
The separation of the colon from its mesentery, **li**, 837.
BURDEN, VERNE G.: Non-calculous intermittent biliary obstruction following cholecystectomy, **lxxix**, 533.
Post-operative stricture of the common bile duct, **lxxx**, 210.
BURDICK, CARL G.: Contracture of axillary burn cicatrix, **lxxix**, 942.
Fractures of the femur in children, **lxxvii**, 736; **lxxviii**, 421.
Hare-lip, **lxxix**, 943.
BURGHARD-KANAVEL: The Oxford loose-leaf surgery, review of, **lxix**, 109.
BURKE, JOSEPH: Early diagnosis of carcinoma of the colon, **liv**, 818.
Exstrophy of the bladder in the female, **lxxiii**, 100.
Surgical aspects of right subphrenic abscess, **lxviii**, 383.
Burn or burns, electric, causing necrosis of the skull, **lxvii**, 149.
Scar from, degeneration of, into epithelioma, **lxiv**, 513.
Treatment of, **lxix**, 312; with ambrine, **lxv**, 781; horse serum, **lxv**, 367; orthopædic, **lxxii**, 631; X-ray, radical, **lxxii**, 224.
BURNHAM, ATHEL CAMPBELL: Fracture about the wrist in childhood and adolescence, **lxiv**, 318.
Fracture of the pelvis, **lxi**, 703.
Post-operative thrombophlebitis, **lvii**, 151.
Vaccine and serum therapy in septicæmia, **lix**, 652.
BURRELL, N. E.: Cystic dilatation of the common bile duct, **lxxv**, 191.

Bursitis, acute palmar, with removal of rice bodies, **lvi,** 465; suppurating, of the subdeltoid bursa, **lvii,** 143; chronic bilateral fibroid, **lvii,** 283; epitrochanteric, simulating sarcoma, **lxxii,** 392; sub-acromial, **lxvi,** 112, 230; **lxiv,** 368; tuberculous, of thigh and groin, **liii,** 566.

BUTLER, WILLIAM J.: Peritonitis as a complication of prostatectomy, **lxxv,** 668.

Buttock, glioma of the, **lxx,** 582.

BUZBY, B. FRANKLIN: Submaxillary salivary calculus, **lxxvi,** 778.

C

CABOT, HUGH: Modern urology, review of, **lxviii,** 453; **lxxx,** 287.

CADWALADER, W. B.: Report of the condition of a case of complete division of the spinal cord by gunshot wound nineteen years after injury, **lxxi,** 719.

Cæcostomy for mercuric bichloride poisoning, lxiii, 127; valvular, for colonic ileus, **lxvi,** 251.

Cæco-sigmoid anastomosis, lviii, 691.

Cæcum and appendix in children, sliding hernias of, **lxxvii,** 438; and ascending colon, altered anatomy and physiology of, the result of adhesions, **lxxiv,** 458; and ascending colon, congenital absence of, **lv,** 844; resection of, **lxv,** 390; **lxix,** 25; cancer of the, with involvement of the lymph glands, **lxxvii,** 698; carcinoma of the, **liii,** 298; excision for, **lxiv,** 499; excision and lateral anastomosis, **lvi,** 795; with obstruction, **lx,** 395; congenital variations in the, peritoneal relations of, **lxvii,** 641; diverticulitis of the, acute, gangrenous, **lxvii,** 624; fibromyoma of the, **lxxii,** 771; gangrene of the, secondary to carcinoma of the colon, **lix,** 761; inflammation of, nontuberculous, **lxxiii,** 668; intussusception of head of, **lxx,** 125; mobile, and chronic appendicitis, **lv,** 161; new method of operation upon, **lv,** 767; perforation of the, with carcinoma of the sigmoid, **lxxix,** 137.

CAHILL, GEORGE F.: Fractures of the os calcis, **lxvi,** 711.

Calcaneus, paralytic, operative treatment of, **liv,** 860.

Calcaneum, fracture of the, with fracture of processus posticus tali, **lxi,** 372; fractures of the, **lxvi,** 711; **lxxiv,** 108, 109.

Calcareous changes of the gall-bladder wall, lxxviii, 623; plaques in the abdominal aorta causing stenosis of the pylorus, **lxv,** 376.

Calcis, fractures of the, **lxxiv,** 294.

Calcium chlorid, the toxicity and rate of excretion of, from the blood stream, **lxxx,** 545.

Calculi and calculus, biliary, of large size, removed from common duct, **lvi,** 504; cast of prostate, **lxxvii,** 381; intestinal, formed around suture thread, **lxi,** 332; kidney, **lxix,** 173; renal, certain features of, **lxxviii,** 231; exactness in diagnosis and conservatism in treatment of, **lviii,** 616; urachal, **lxxviii,** 668; urinary, encysted, **lix,** 748; bladder, in the, recurrent, **lix,** 747; mechanism of the formation of the, **lxxvii,** 210; vesical, **lxxvii,** 666, 668.

CALDWELL, JOHN A.: Spiral fracture of the tibia and fibula, **lxxv,** 717.

CALLANDER, CURLE LATIMER: Arterial decortication, **lxxvii,** 15.

Study of arteriovenous fistula with an analysis of 447 cases, **lxxi,** 428.

CALLISON, JAMES G.: Tumors of the carotid body, **lviii**, 740.

CAMAC, C. N. B.: Epoch-making contributions to medicine and surgery, review of, **lii**, 864.

CAMMIDGE: Studies of pancreatitis and the pancreatic reaction of, **li**, 89.

CAMPBELL, WILLIS A.: Arthroplasty of the elbow, **lxxvi**, 615; knee, **lxxx**, 88.

Fractures of the neck of the femur, **lxx**, 600.

CAMPICHE, PAUL: Incomplete rupture of the axillary artery, **lxxiv**, 620.

Cancellous tissue in healing bone, the rôle of, **lxxii**, 452 (see also carcinoma).

Cancer (see also carcinoma), advanced, radical operation in case of, **lxxii**, 698; bipolar theory of the nature of, **lxxx**, 289; campaign against, **lxii**, 126; cell reproduction, induced, review of Hugh C. Ross treatise on, **lix**, 713; early and doubtful cases, handling of, **lxxi**, 385; etiology of, **li**, 768; far advanced treatment of, **liv**, 297; infection, **lxxiii**, 294; injury as a causative factor in, **li**, 609; **liii**, 449, 615; multiple primary malignant foci in, **lxxx**, 456; operations for, end results of as influenced by type, reaction, location and age, **lxxvi**, 308; precancerous conditions, **lix**, 47; problem, **lxi**, 1; prophylaxis of, **lix**, 805; recurrence versus metastasis in, **lxxii**, 324; relation of massage to metastasis, **lxxx**, 129; treatise on, by William Seaman Bainbridge, review of, **lxi**, 378.

Abdomen, of ovarian origin, treatment of, **lxviii**, 338.

Appendix, frequency of, **lix**, 675; **lxii**, 510.

Bladder urinary, drainage in, **lxxvi**, 801; effect of radium on, **lxxiii**, 239; end results of operations for, **lxxxi**, 352.

Breast, **lxxv**, 641; advanced, no recurrence seven years after operation, **lxxi**, 94; disappearance of, after removal of the ovaries, **lx**, 476; end results of operations for, **lxxvi**, 341, 346; excised in woman eighty-four years of age, **lxii**, 98; gelatiniform, **lxxiii**, 108; hypophysial, disorder in, **lxiii**, 297; late results of radical operation for, **lxxii**, 177; of both breasts, **lxxii**, 417; New York Hospital cases, **lxxx**, 400; radical cautery operation for, **lxvi**, 397; removal of both pectoral muscles in the radical operation for, **lxviii**, 17, 99, 100; results of treatment by radiation of, **lxxvi**, 359; technic in operations for, **lxxii**, 181; cæcum, involvement of the lymph glands in, **lxxvii**, 698.

Bile-ducts, extrahepatic, **lxxxi**, 205; gall-bladder, **lxxiv**, 704.

Colon, **lxxviii**, 210 late results of resection, **lxxiii**, 233; splenic flexure of the, **lxvi**, 339; transverse, **lxvi**, 232; large intestine, **lxxiii**, 755; **lxxiv**, 508; papilla of vater, **lxii**, 511.

Jaws, clinical observations upon, **lxviii**, 136; treatment of, **lxxvi**, 328; superior maxilla, **lxix**, 8.

Kidneys, **lxxiii**, 301, 310.

Larynx, **lxxvii**, 1.

Lips, results of surgical treatment of, **lxxiii**, 521; longevity in, **lxxvi**, 9.

Lungs, studies by Röntgen rays, **lxxi**, 472.

Naso-pharynx, cured by mixed toxins, **lxii**, 353.

Neck, end results of treatment, **lxxvi**, 335.

Œsophagus, thoracic, gastrostomy for, **lxvi**, 333; **lxvii**, 750; extrapleural resection of, **lxxiv**, 259; successful resection of, **lxxiv**, 116.

Ovary, invading the sigmoid flexure, **lxxii**, 218; involving the abdomen, treatment of, **lviii**, 338; solid, **lxxvi**, 768.

Penis, **lxvi**, 613; **lxviii**, 74.

Prostate, **lxxvii**, 628; symphysiotomy as an aid to the removal of, **lxxiii**, 609; radium in the treatment of, **lx**, 567; results of, in the treatment of, in

Vienna, **lx**, 133; and Röntgen rays, therapeutic value of, in, **lxvii**, 422.
Rectum, **li**, 854; **lxii**, 92; **lxvii**, 504; **lxxiii**, 382; abdomino-sacral operation for, **lxvi**, 594; **lxix**, 667; and rectosigmoid, radical operation for relief of, **lxi**, 446; **lvii**, 240; and sigmoid, in childhood and adolescence, **lxxvii**, 711; end results of operations for, **lxxvi**, 386; involvement of the lymph-nodes in, **lxxvi**, 755; major procedure first in the two-stage operation for relief of, **lxi**, 446; operation for, **lxxvi**, 795; treatment of, **lxxvi**, 500; secondary manifestation of, **lxxvi**, 312; sigmoid, lower part, in a boy, **lxxiv**, 464.
Skin, **lxxiii**, 141.
Stomach, **lxii**, 22, 108, 110, 114; **lxvi**, 421; and duodenum, end results of operations for, **lxxvi**, 467; and its surgical treatment, **lxx**, 236; cardiac end of the, relative merits of gastrostomy and jejunostomy in the treatment of, **lxxv**, 746; long freedom from recurrence after removal, **lxvii**, 237; relation of gastric ulcer to, **lxvii**, 715.
Testicle, histopathology of, **lxvi**, 571; testis, **lxii**, 40; undescended, **lxvii**, 747; **lxxvi**, 260.
Thyroid gland, **lxxiv**, 129; **lxxx**, 551.
Tongue, **lx**, 129; **lxxviii**, 461, 469, 474; treatment of, by the two-stage operation, **lx**, 57.
Uterus, end results of the surgical treatment of the cervix uteri, **lxxvi**, 395; radium in the treatment of, **lxxii**, 701.
CANNADAY, JOHN E.: Long resections of the intestine, **lxix**, 425.
Pocketing operations and other skin and fat transfers, **lxx**, 469.
Capitellum and trochlea, fractures of the, **lxxvi**, 78.
Capsulorrhaphy for persistent subglenoid dislocation of shoulder, lxxv, 749.
Carbon arc lamp, the treatment of surgical tuberculosis with the, **lxxv**, 400.
Carbon dioxide snow, by J. Hall Edwards, review of book, **lix**, 318.
Carbuncle of the face, a conservative treatment of, **lxxviii**, 649; treated by X-ray, **lxvi**, 99; with sinus thrombosis, **lxvii**, 119; of the neck, skin grafting for, **lxv**, 387.
Carcinoma (see cancer), appendix, perforated, **li**, 939; bladder, **lxxviii**, 254; radium treatment of, **lxxiv**, 751; breast, **lxv**, 66; late recurrence after radical operation for, **lxxx**, 932; significance of skeletal metastases in, **lxv**, 326; cæcum, excision of, **lxiv**, 499, **lxv**, 769; chest wall, resection of segment, **lxxix**, 461; colloid, **lxxvii**, 90; colon, early diagnosis of, **liv**, 818; **lxxx**, 450; excision of, **lxiv**, 501, 505; transverse, resected, **lxxv**, 636; disappearance of, after injection of Coley's mixed toxins, **lv**, 895; duodenum, **lxxii**, 602; **lxxix**, 239; mastitoides, **lvii**, 733; a study of, **liv**, 69; melanotic, **lxiv**, 206; œsophagus, metastases of, **lxxvii**, 272; operative treatment of, **lxi**, 385; pelvic, radium in, **lxxx**, 138; penis, total extirpation of, **lxiv**, 719; prostate, transpubic removal of, **lxxviii**, 795; radium in the treatment of, **lxxx**, 881; rectum, **lxxiv**, 646; rectum and rectosigmoid, radical operation for, **lxiv**, 304; of the, and pelvic colon, choice of operative procedure in, **lxv**, 129; report of 87 primary operable breast cases, admitted to New York Hospital prior to April 1, 1919; **lxxx**, 400; sigmoid, excision of, **lxiv**, 500; Mikulicz operation for, **lxxi**, 388; sigmoid, with perforation of the cæcum, **lxxix**, 137; splenic flexure, partial colectomy for, **liii**, 297; stomach, **lxxix**, 299; etiological relationship of benign ulcer to, **lxvii**, 215; operative curability of, **lxxviii**, 332;

pylorectomy for, followed by Kocher's method of gastroduodenostomy, **lxxix,** 229; tongue, treatment of, **lxxiii,** 716; **lxxix,** 458; tubercular lymph-nodes, **lxiv,** 355; uterine, from malignant degeneration of a fibroid, **lxxi,** 98; uterus, radium treatment of, **lxiv,** 298, 602.

Carcinomatosis, skeletal, **li,** 636.

Carcinomatous degeneration of ulcer of stomach, lxvii, 106; papilloma of the renal pelvis, **lxxv,** 242, 605.

Cardiac arrest, resuscitation by direct massage of the heart in, **lxxx,** 555.

Cardiac orifice of stomach, resection of, for carcinoma, **lxii,** 693.

Cardia, cancer of the œsophagus and, **lii,** 67.

Cardiolysis, lviii, 662.

Cardioplasty, intrathoracic, for cardiospasm, **lviii,** 699; for cardiospasm, **lxxviii,** 165.

Cardiorrhaphy in acute injuries, lxxviii, 696.

Cardiospasm, lvi, 365; cardioplasty for, **lxxviii,** 165; impermeable, thoracotomy for, **lv,** 326; in the aged, **lxxvii,** 615; œsophagogastrostomy for, **lviii,** 415; operation for the relief of, **lxxviii,** 174; treatment of, by thoracotomy and œsophageal plication, **liii,** 293.

Cardiovascular system, the surgery of the, **lviii,** 278.

Carotid artery, aneurism of the internal, treated by Matas' method, **li,** 76; artery, common, accidents and precautions in the ligation of the, **lxxi,** 707; gunshot wound of the, **lxv,** 115; ligature of, for secondary hemorrhage, **lxv,** 715; for pusating exophthalmos, **lv,** 454; causation and avoidance of cerebral disturbances in ligation of the, **lxxiv,** 316; treatment of secondary hemorrhage from the branches of the, **lxxiv,** 313; internal, extracranial aneurism of the, **lxxv,** 688; hemorrhage from an aneurism of the, **lxviii,** 152; ligation of, with strip of fascia, **lxxi,** 790.

Carotid body tumors of the, **lviii,** 426, 740; **lix,** 132, 752; **lxvi,** 252; **lxix,** 648; **lx,** 789; **lxiv,** 257; perithelioma of the, **lxxx,** 789.

CARLUCCI, GASTON A.: Polypoid lipoma of the intestinal tract, **lxxiv,** 230.

Wounds of the lower extremity communicating with a fracture or joint, **lxxix,** 779.

CARMAN, R. D.: Diverticulitis of the large bowel, **lxi,** 343.

Multiple congenital osteochondromata, **lxi,** 142.

CARMANY, HARRY S.: Lithotomy under spinal anæsthesia, **lv,** 422.

Recurrent stones in the urinary bladder, **lix,** 747.

CARNETT, JOHN B.: Cervical subcutaneous cavernous hæmangioma, **li,** 65.

Calculus in Wharton's duct, **lxxiii,** 378.

Fracture of condyle of lower jaw, **lxi,** 505.

Typhoid spine, **lxi,** 456.

CARP, LOUIS: Fracture of the anterior superior spine of the ileum by muscular violence, **lxxix,** 551.

Carpal bone, results following removal of, **lxxiii,** 659; navicular, the fate of the fractured, **lxxx,** 532; semilunar bone, dislocation of the, **lxxiii,** 621.

CARR, FRANCIS J.: Dislocation of the metatarsal bones without fracture, **lxxi,** 112.

CARR, WILLIAM PHILLIPS: End results of operation for bony ankylosis of the jaw, **lxxiii,** 314.

CARREL, ALEXIS: Experimental operations on the orifices of the heart, **lx,** 1.

Experimental surgery of the thoracic aorta and heart, **lii,** 83.

Graft of the vena cava on the abdominal aorta, **lii,** 462.

Technic of intrathoracic operations, **lx,** 115.

Carrel's end-to-end suture method of transfusion, lii, 433; method of disinfection, **lxvi,** 250, 262.
CARRINGTON, GEORGE LUNDSFORD: Fatal anaphylaxis following blood transfusion, **lxxviii,** 1.
CARROLL, ALBERT H.: Activity of the pylorus following gastroenterostomy, **lxi,** 567.
CARROLL, GRAYSON L.: Papillary epithelioma of kidney pelvis, **lxxx,** 591.
CARSON, F. L.: Fracture dislocation of the atlas, **liv,** 677.
CARSON, NORMAN BRUCE: Diagnosis of acute pancreatitis, **lvi,** 337.
Interscapulothoracic amputation of the shoulder, **lvii,** 796.
Papilloma of the umbilicus, **lxv,** 199.
Sarcoma cured by Coley toxins, **lx,** 106; primary, of gall-bladder, **lxii,** 688.
Systemic blastomycosis, **lx,** 110.
CARTER, BURR N.: Traction apparatus for open reduction of fractures, **lxxvii,** 506.
CARTER, WILLIAM WESLEY: Value of bone and cartilage transplants in rhinological surgery, **lxvi,** 162.
Cartilage, loose, in the temporomaxillary joint, **lxvii,** 536; semilunar, fracture of the internal, **liv,** 274; transplant of costal in rhinoplasty, **lxxvii,** 116.
Cartilages, of the knee-joint, nonoperative treatment of displaced semilunar, **lxxvii,** 729.
CARWARDINE, T.: Surgical significance of the accessory pancreas, **lvii,** 653.
CARY, F. S.: Value and limitation of diastase, urea and phthalein in estimating renal function, **lviii,** 800.
CASAMAJOR, LOUIS: Traumatic Erb's paralysis, **lviii,** 577.
CASE, JAMES T.: Value of the Röntgen examination in the early diagnosis of post-operative ileus, **lxxix,** 715.
Value of the X-ray examination in cholelithiasis, **lxvi,** 69.
CASTLE, OTTO L.: Cystic dilation of the vermiform appendix, **lxi,** 582.
CASTLE, H. EDWARD: Obesity and its surgical treatment by lipectomy, **liv,** 706.
CATES, BENJAMIN B.: Muscle grafting for gunshot wound of shoulder, **liv,** 679.
Catgut, chromic, binding for oblique fracture of the femur, **lxxi,** 520; sterilization, note on, **liv,** 693.
Catheterization, post-operative, in Johns Hopkins Hospital, **lxxix,** 813.
CAULK, JOHN R.: Hour glass bladder, resection of the base of the bladder for transverse septa, **lxxi,** 22.
Etiology of kidney cysts, **lvii,** 840.
Preliminary renal drainage with special reference to the two-stage operation on the kidney, **lxv,** 593.
Surgery of the ectopic kidney, **lxxviii,** 65.
Cautery excision of gastric ulcer, lxvii, 725; in peptic ulcer, the use of the, **lxxviii,** 206; use of, in treatment of abscess of the lung, **lxxix,** 639.
Caval occlusion, two cases of, **lv,** 919.
CAVE, HENRY W.: Bilateral strangulated inguinal hernia in three months old baby, **lxxx,** 617.
Cavities, effacement of, in treatment of fractures, **lxix,** 367.
CAYLOR, HAROLD D.: Metaplasia in ovarian dermoids and cystadenomas, **lxxvi,** 238.
CECIL, H. L.: Median bar formation in the urinary bladder, **lxv,** 518.
Central nervous system, the form and functions of, review of Tilney on, **lxxviii,** 124.
Cephalic tetanus, lv, 473.
Cerebellar cyst, craniotomy for, **li,** 254; **lxvi,** 507; syphilis, simulating abscess, **lxi,** 97; tumors, localization of, **lxiii,** 129.
Cerebello-pontine angle, neurofibroma in, **lxvi,** 509.

Cerebellum, cyst of the, **lvii**, 264; **lxxv**, 376; effects of extracerebellar tumor upon, **lxxiii**, 799.
Cerebral compression, value of blood pressure in, **lxxv**, 732; disturbances in ligation of the common artery, the causation and avoidance of, **lxxiv**, 316; hemisphere, consecutive displacement of the, in the localization and removal of intracerebral tumors and hemorrhages, **lvii**, 492; localization, simplifying, **lxviii**, 351; surgery, **lxi**, 17, 107; ventricles, the injection of air into the, for ventriculography, **lxviii**, 5.
Cerebrospinal determinations, the diagnostic value and interpretation, **lxxx**, 641.
Cerebrospinal syphilis, intraspinal method in treatment of, **lxviii**, 74.
Cerebrum, pneumoventricle of the, **lxxviii**, 561.
Cervical erosions, **lxxi**, 178; gland metastasis from tongue cancer treated by radium, **lxxvi**, 651; lymphadenitis, simulating tumor, **lxxix**, 133, 923; tuberculous, treatment of, **lviii**, 433, 550; lymph-glands, the indications for operation in the treatment of tuberculous, **lxxx**, 885; lymph-nodes, ablation of, followed by paralysis of both trapezius muscles, **lxvi**, 619; meningocele, **lxx**, 118; nerve roots, fifth and sixth, injury of, **lx**, 516; nerves, incised wound of the fourth and fifth, **lxxviii**, 402; rib, **lviii**, 555; **lxxiii**, 778, 787; excision of, **lxxix**, 131; syndrome and posture, **lxxv**, 105; ribs, simulated by adventitious ligaments, **lxxii**, 497; spine, fracture-dislocation of, **lxxvi**, 284; subcutaneous cavernous hæmangioma, **li**, 65; vertebra, dislocation of the first, **lxiv**, 248; **lxvi**, 644; seventh and fibrous ankylosis of the right shoulder-joint, **lxxii**, 525; fracture of the transverse process of the seventh, **liii**, 284.
CHAMBERS, THOMAS R.: Epithelioma immediately following burn, **lxiv**, 513.
CHANEY, L. B.: Review of Tilney and Riley's treatise on the form and functions of the central nervous system, **lxxiii**, 390.
CHANEY, R. H.: Prevention of postoperative adhesions in the peritoneal cavity, **lxi**, 297, 365.
CHAPMAN, HERBERT S.: Results obtained in the treatment of chronic arthritis by the removal of a distant focus of infection, **lxxi**, 648.
Charcot knee complicated by fracture of leg, **lxix**, 171; joint, surgical aspects of the, **lxxii**, 488.
CHARLTON, PAUL H.: Sarcoma of the uterus, **lxxvii**, 476.
CHASE, CARROLL: Notes on service in the French army medical corps, **lxvi**, 1.
Chatelin and de Martel on wounds of the skull and brain, review of, **lxvii**, 126.
Cheek, congenital lipoma of, **lxv**, 711; defect of, repair by plastic operation, **lvii**, 361; extensive epithelioma of, **lv**, 470; plastic repair of, **lxxviii**, 87.
CHEEVER, DAVID: Operative curability of carcinoma of the stomach, **lxxviii**, 332.
Chemotherapy of experimental bacterial infections, **lxv**, 142.
Chest, abdomen injuries, **lxii**, 370; bullet wounds of the, involving the lung, **li**, 272; complications among the wounded, **lxii**, 570; gunshot wounds of the, treatment of penetrating, **lxvii**, 707; **lxx**, 30; gunshot injuries to the, **lxxii**, 522; wounds of, **lxviii**, 659; **lxxi**, 257; penetrating wounds of, complicated by septic pleural effusions, the early treatment of, **lxviii**, 661; stab wound of, **liv**, 281; wall, sarcoma of the, thoracotomy for, under differential pressure, **liii**, 304; sarcoma of the, **lviii**, 853; surgery of the, **lviii**, 206; myositis of, **lxvi**, 105; resec-

tion of, for endothelioma, **lxvi,** 604; for sarcoma, **lxvi,** 110; segment of, for carcinoma, **lxxix,** 461; tuberculous abscesses of the **lxxv,** 404; tuberculosis of the, **lxxi,** 517; **lxxvii,** 496; war wounds of the, **lxxi,** 248; **lxxii,** 352; injuries of the, possible advances in civil medicine suggested by experiences in treating, **lxxi,** 241; wounds, surgery of, **lxviii,** 554.

CHEYNE, WILLIAM WATSON: Notice of retirement from collaboratorship, **lxxiii,** 392.

CHILD, CHARLES G., JR.: Closure of the abdominal incision, **lxvii,** 578.

Childhood, Acute appendicitis in, **lxxix,** 538.

Diseases of childhood and infancy by Henry Koplik, review of, **liv,** 140.

Surgery of childhood, including orthopædic surgery by DeForrest Willard, review of, **liv,** 141.

Children, Chronic primary intussusception in young, **lxxix,** 244; fracture of the skull in, **lxxiv,** 72; late results of fractures in, **lxxix,** 945; surgical diseases of, review of Kelly on, **li,** 438; **lxi,** 118; tumors of the mediastinum in, **lxxix,** 687; with tuberculosis of the spine, handling of, while under anæsthetic, **lxiv,** 34.

China, South, tumors in, **lxxiii,** 217.

Chinosal, and salt for wound treatment, **lxix,** 181, 493; sodium chloride normal as a wound dressing, **lxxiii,** 797; in the treatment of wounds, **lxxii,** 634; treatment of erysipelas with, **lxxv,** 143; use of in first aid, **lxxiv,** 640; as a disinfectant, **lxviii,** 105.

Chlorine antiseptics, lxxi, 772, 782; in civil hospital use, **lxvii,** 385, 757.

Cholangitis, cholelithiasis and cholecystitis, **lxxvii,** 52.

Chloroform anæsthesia, liv, 416.

Chloroma of the jaws, li, 52.

Cholecystectomy, lxvi, 321; advantage of, **lxvi,** 411; after cholecystostomy, **lxxi,** 222; and cholecystotomy, **lxvi,** 464; for cholelithiasis, **li,** 266; **lxxiii,** 131; for obstruction of common duct, **lxvi,** 247; noncalculous followed by intermittent biliary obstruction, **lxxix,** 524; technic of, **lxi,** 306; **lxvii,** 620; versus cholecystostomy, **lxxvii,** 48.

Cholecystitis, lxiv, 508; **lxviii,** 188; acute, complicating typhoid fever, **lxii,** 152; calculous, **lii,** 278; cholangitis and cholelithiasis, **lxxvii,** 52; chronic catarrhal, with lipoid deposit, **lxxvi,** 736; without stones, **lxxiv,** 439; **lxxviii,** 608; complicated with typhoid perforation, **lv,** 437; following typhoid fever in childhood, **lxix,** 534; nature's cure of, **lxxx,** 800; rare pathognomonic symptom of, **lxix,** 671; some surgical relations of, **lxxix,** 726; suppurative, **liv,** 273.

Cholecystogastrostomy for bile duct obstruction, lxxi, 205.

Cholecystostomy, abnormal drainage from, **lxxi,** 513; for gallstones, **li,** 579; for mercury bichloride poisoning, **lxiii,** 127; versus cholecystectomy, **lxxvii,** 48.

Cholecystotomy, ideal, **lviii,** 694.

Choledocho-enterostomy, lxx, 530.

Choledochus cyst, lxiv, 546; idiopathic, **lxvi,** 446; ductus communis, surgery of the, **lxxi,** 293.

Choledochotomy for stone in the ampulla of Vater, lvi, 575; transduodenal, **lv,** 325.

Cholelithiasis, cholecystitis and cholangitis, **lxxvii,** 52; complicated by hæmolytic jaundice, **lx,** 400; fourteen thousand calculi removed at operation, **liii,** 590; intrahepatic, **lxiii,** 535; **lxxvi,** 283; observations on, **lxxiii,** 36, 131; simulating carcinoma, **lii,** 404; specific, produced by chemical means, **lxxiii,** 54; surgical treatment of, **lxxvi,** 201; with impaction

in the common duct, **lx,** 403; with perforated duodenum, **lx,** 402; X-ray examination in, the value of, **lxvi,** 69.
Cholesterolemia, hyper, bile drainage for, **lxxviii,** 594.
Chondrodysplasia, hereditary deforming, **lxiii,** 167.
Chondrofibroma of the fibula, lxxiv, 794.
Chondroma of anterior surface of ilium, lxvii, 247.
Chondro-osteosarcoma in a dog, transplantable, **lxiv,** 58; sarcoma of plantar, surface of foot, **lxxiii,** 111.
Chondritis, tuberculous, simulating cancer, **li,** 114.
Chopart's midtarsal joint, luxation of, **lvii,** 917.
Chordoma, sacrococcygeal, **lxxx,** 157.
Chorio-carcinoma, li, 863.
Chorio-epithelioma, hysterectomy for, **lxxi,** 97; following hydatiform degeneration, **lxxiv,** 219; of the uterus, **lxxix,** 140.
Choroid plexus, extirpation of the, in hydrocephalus, **lxviii,** 569.
CHOULANT: History and bibliography of anatomic illustration, translation of Frank, review of, **lxxiii,** 389.
CHOYCE, C. C.: System of surgery, review of, **lxxix,** 802.
CHOYCE and BEATTIE, System of surgery, review of, **lxi,** 122.
CHRISTIAN, HILARY M.: Urethral polyp as a cause of chronic urethritis, **lx,** 408.
CHRISTOPHER, FREDERICK: Gunshot fractures of the tibia and fibula, **lxxi,** 66.
Chromatophoroma of the foot, lx, 88.
Chrome sores, lxiii, 155.
Chromo - ureteroscopy in functional diagnosis, lii, 569.
CHURCHMAN, JOHN W.: Acute hepatitis simulating stone in the common duct and liver abscess, **liii,** 783.
New incision for exposure of the lower abdomen and pelvis, **lxvii,** 180.
Double internal jugular vein, **lxi,** 235.
Hypospadias, operation for, **lxxi,** 486.
Radical operation in case of advanced cancer, **lxxii,** 698.
Treatment of joint infection by lavage and direct medication, **lxii,** 409.
Chylo-ascites of traumatic origin, lviii, 553.
Chylothorax. traumatic, **lxxiv,** 691.
Chylous cysts of mesentery. liii, 692.
Cicatrices, bone formation in operative wound, **lxxvi,** 539; old contracted, treatment of, **lx,** 451, 526.
Cicatrix of axilla, contracture of, **lxxix,** 942.
Cinematoplastic amputations, lx, 750, 785.
Circulation of the lower extremity. reversal of the, **lxiii,** 277.
Cirrhosis of liver, lxxii, 384; modified Talma operation for, after three years, **li,** 256; surgical treatment of, **lxviii.** 183; **lxxx,** 419; mesentery, relation of, to alcohol and work, **lxxviii,** 751.
Cirsoid aneurism of the scalp, lxxvi, 524; **lxxx,** 332.
Citrate solutions, use of, to prevent peritoneal adhesions, **lix,** 101; **lxiii,** 198, 205; of sodium, intramuscular administration of, **lxxvi,** 1.
Civil hospital, use of chlorine antiseptics, **lxvii,** 385.
Civilian surgeon, the benefit to, from the experience of military surgeons, **lxx,** 392.
Clamp for osteoplastic craniotomy, lxx, 21.
Clamps, external, in the treatment of fractures of the tibia and other bones, **liv,** 381, 406.
CLARK, H. V.: Incidence of gallstones and other calculi among laborers in the Panama Canal zone, **lix,** 107.
CLARK, J. BAYARD: Rupture of the bladder, **lx,** 717.
Surgical treatment of acute gonorrheal epididymitis by epididymotomy, **lix,** 739.
CLARK, JOHN G.: Hunner's ulcer of bladder, **lxxi,** 515.

Radium in pelvic carcinoma, **lxxx**, 138.
Relative values of radium and surgery in the treatment of the pelvic organs, **lxxi**, 683.
Results obtained by the use of radium in the treatment of cancer of the uterus, **lxiv**, 602.
Ultimate results following nephropexy in nephroptosis, **lxvi**, 479.
Clavicle and scapula, sarcoma of, **lxii**, 634; complete excision of the, in interscapulothoracic amputation, **lix**, 116; fracture of, barrel stave splint in, **lxx**, 474; dressing for, **lv**, 88; open operation for, **lviii**, 669; simple bandage for, **lxx**, 506; treatment of, **lxxvi**, 595; treatment by plating, **lvi**, 867; (spontaneous) resulting callus mistaken for tumor, **lxxix**, 132; ununited, treated with bone graft and blood injections, **lx**, 399; giant-cell tumor of, **lxxix**, 317; myeloma of the, **lxviii**, 92; sarcoma of, **lviii**, 556; **lxxvii**, 778; and results following total excision, **lii**, 776; **lxxii**, 231.
Cleft palate, **lv**, 771; **lxxvi**, 133; and harelip deformities, **lxxvi**, 117; operative treatment of, **lxix**, 12; and lip, treatise by Truman W. Brophy, review of, **lxxix**, 154; method of closing, **lxiv**, 115; operative suggestions for wide bilateral, **lxvii**, 112; technique in operations for, **lxxiv**, 394.
Clefts of the face, congenital, **lxvii**, 110.
Congenital of the lip and palate, the incidence of, **lxxx**, 363.
CLENDENING, LOGAN: Myoma of the stomach, **lviii**, 812.
Cloaca, rectal, permanent operative, **lxix**, 606.
CLOPTON, MALVERN B.: Eventration of the diaphragm, **lxxviii**, 155.
Closure of surgical wounds, **lxxi**, 83.
Coagulation of the blood, effects of sodium citrate upon, **lxxvi**, 547.
COAKLEY, CORNELIUS G.: Diagnosis of carcinoma of the larynx, **lxii**, 373; manual of diseases of the nose and throat, review of, **lxii**, 766.
COBB, FARRAR: Cystadenoma of supernumerary kidney, **liii**, 367.
Epigastric hernia, a cause of chronic diarrhœa, **lv**, 66.
Extra-uterine pregnancy, **lvi**, 835.
Mediastinal and pericardial infections in relation to emergency abdominal surgery, **lvi**, 565.
COBB, STANLEY: Hæmangioma of spinal cord, **lxii**, 641.
Cocaine anhydrous, spinal anæsthesia, **lxxi**, 504.
Coccygeal region, congenital tumors of the, **lxxx**, 834.
CODMAN, ERNEST A.: Treatment of malignant peritonitis of ovarian origin, **lxviii**, 338.
Cœliac axis artery, a composite study of the, **lxv**, 159.
Cœliotomy incision, a paramedian, **lx**, 533.
COFFEY, ROBERT C.: Gastro-enterostomy still the treatment for chronic gastric and duodenal ulcers, **lxxi**, 303.
Permanent colostomy which may be closed by an extraperitoneal operation, **lxxi**, 299. Major procedure first in the two-stage operation for relief of cancer of the rectum, **lxi**, 446.
Treatment of cancer of the rectum, **lxxvi**, 500.
COHEN, HARRY: Scleroderma with gangrene of fingers, **lxxviii**, 814.
COHEN, IRA: Dislocation of the pisiform bone, **lxxv**, 238.
COHN, ISIDORE: Acute dilatation of the stomach complicating operations on the extremities, **lxiii**, 263.
Dislocations of the semilunar bone, **lxxiii**, 621; carpal bone, **lxxiv**, 255.
Normal bones and joints, review of, **lxxx**, 959.

COHN, L. CLARENCE: Pylorectomy followed by Kocher's method of gastro-duodenostomy in certain cases of carcinoma of the stomach, **lxxix**, 229.
COLE, ALBERT M.: Pericolitis sinistra, **lix**, 41.
COLE, HERBERT P.: Decompression under local anæsthesia, **lxii**, 749.
Laceration of the inferior vena cava repaired by suture, **lxvi**, 43.
COLE, LEWIS GREGORY: Röntgenological diagnosis of surgical lesions of the stomach and duodenum, **lx**, 111; **lxi**, 55.
COLE, WARREN H.: Röntgenological visualization of the gall-bladder by intravenous injection of tetrabromphenolphthalein, **lxxx**, 473; systemic blastomycosis, **lxxx**, 124.
COLE, WILLIAM: Hyperthyroidism with associated diabetes mellitus, **lxxvii**, 252.
Colectomy, partial, advantages of the two-stage Mikulicz operation of, **lxxi**, 155; by two-stage method, technic of, **lxxii**, 676; for Hirschsprung's disease, **lxxiii**, 782; for intestinal stasis, **lx**, 792; for megacolon, **lxxviii**, 680; for chronic intestinal obstruction, **lxxviii**, 425; right, **lxviii**, 203.
COLEMAN, C. C.: Experimental devascularization of intestine, **lvii**, 506.
COLEY, BRADLEY L.: Three Thousand consecutive herniotomies, **lxxx**, 242.
COLEY, WILLIAM B.: Adenocarcinoma rendered operable by the use of the mixed toxins, **lviii**, 559.
Bullet wound of spinal cord; laminectomy, **lvi**, 60.
Cancer of testis, **lxi**, 634; **lxii**, 11.
Case of morphoæ or scleroderma, **lxvii**, 632.
Cases illustrating conservative treatment of sarcoma of long bones, **lxix**, 550.
Chondroma of the superior maxillæ, **lx**, 377.
Conservative treatment of sarcoma of bone, **lvi**, 354.
Conservative treatment of sarcoma of long bones, **lxv**, 375; **lxx**, 633.
Contribution to the study of sarcoma of the femur, **lviii**, 97.
Cure of abdominal sarcoma by the mixed toxins, **liii**, 299; sarcoma of the scapula by mixed toxins, **liii**, 844.
Diagnosis of tumors of the pylorus, **lviii**, 273.
Disappearance of carcinoma after injection of mixed toxins, **lv**, 895.
Diverticulitis of sigmoid, **lxvi**, 730.
Enchondroma of the tibia, **lxi**, 635.
End results in malignant disease of the testis, **lxxviii**, 370.
Excision of tumor of the carotid body, **lxix**, 649.
Giant-cell sarcoma of the long bones, prognosis of, **lxxix**, 318, 321, 561; **lxxiv**, 655.
Hernia inguinal, artificial and traumatic, **lv**, 602; lumbar, **lxxiv**, 650; operative treatment of, **lxviii**, 255; sliding, of the large intestine, **lix**, 641; traumatic and industrial, **lxxv**, 467; umbilical, operative treatment of, **lxviii**, 89.
Hip-joint amputation for sarcoma of the femur, **lvi**, 785.
Inoperable melanotic sarcoma of the neck, entire disappearance under accidental streptococcic infection, **lxxviii**, 414.
Injury as a causative factor in cancer, **liii**, 449.
Injuries of the bladder during herniotomy, **lxv**, 264.
Intestinal obstruction due to strangulation by Meckel's diverticulum, **lxxiii**, 568.
Interscapulothoracic amputation for recurrent sarcoma, **lvi**, 373.
Large lipoma of the thigh, **lxviii**, 536.
Late recurrence after removal of cancer of the breast, **lxiv**, 742.

Lymphocele simulating femoral hernia, **lviii**, 682.
Lymphosarcoma treated by mixed toxins, **lxi**, 495.
Malignant tumors of the fingers or hand, **liii**, 290.
Melanotic cancer, **lxiv**, 206; sarcoma disappearing under accidental streptococcus infection, **lxix**, 652.
Mesenteric cyst in a child, **li**, 572.
Multiple herniæ, inguinal, femoral, epigastric, **lxxviii**, 421.
Myositis ossificans traumatica, **lvii**, 305.
Neoplasms, primary of the lymphatic glands, including Hodgkin's disease, **lxiii**, 35.
Periosteal sarcoma of femur, **lxxviii**, 417; fibula, **lxxviii**, 415.
Radical cure of inguinal hernia, **lxxii**, 646.
Rectus transplantation in certain cases of hernia, **lviii**, 677.
Repair of inguinal hernia, **lxix**, 659; ventral hernia, **lxix**, 658.
Results after removal of chronic mastitic tumors, **lxiv**, 740.
Sarcoma of the clavicle, **lviii**, 556; **lxviii**, 93; results following total excision, **lii**, 776; **lxxii**, 231; femur, **liii**, 288; recovery under treatment with mixed toxins, **lvi**, 787; treated by mixed toxins, **lxv**, 370; humerus, **liii**, 286; jaw, lower, treated by mixed toxins, **lii**, 397; upper, treated by mixed toxins, **lii**, 398; cured by toxins, **lxii**, 353; long bones, problems in the early diagnosis and treatment of, **lx**, 103, 537; value of conservative treatment in sarcoma of the, **lxxiv**, 655; superior maxilla, treated by mixed toxins, **lxii**, 504; tibia, disappearing under toxin and radium treatment, **lxix**, 654; treatment with toxins, **lxv**, 372; testis, **lxxviii**, 108; vertebræ, treated with mixed toxins, **lx**, 772.
Sequelæ of operations for inguinal hernia, **lxvi**, 734.
Transplantation of testis into scrotum, **liii**, 844.
Use of absorbable sutures in hernia operations, **lviii**, 679.
Vascularity of intestinal fibromas, **lxviii**, 98.
Coley's fluid, sarcoma of the psoas muscle treated by, **li**, 285.
Colic fistulæ, resulting from gangrene of appendix, **lxxix**, 605.
Colitis, appendicostomy for, ulcerative, **lii**, 407; chronic, appendicostomy for, **lxxvi**, 792.
Pericolitis and chronic, **liv**, 325; surgical treatment of, **lv**, 17; chronic ulcerative, **lxxvii**, 293.
Collargol radiographs of kidney and ureter, lvi, 366.
Collateral circulation, determination of efficiency of, before occlusion of great arteries, **lii**, 126; **liii**, 1.
Colles's fracture, deformity following, treated by partial excision of ulna, **lvii**, 764; rupture of tendon of extensor longus pollicis following a, **lxxviii**, 398.
Collins, Arthur N.: Thumb forceps to facilitate intestinal anastomosis, **lx**, 373.
Strangulated inguinal hernia in early infancy, **lvii**, 188.
Collins, Clifford U.: Surgery of the gall-bladder, **lxiv**, 48.
Collins, Foster K.: Aseptic resection of intestine, **lxxvi**, 739.
Collins, Howard D.: Acute phlegmon of the ascending colon, **lviii**, 554.
Chylo-ascites of traumatic origin, **lviii**, 553.
Dressing for fracture of the clavicle, **lv**, 88.
Extensive osteomyelitis, **lvii**, 277.
Immediate application of plaster-of-Paris dressings in fractures, **lxiii**, 634.
Obstruction of the common duct, **lxvi**, 247.
Prolapse of the rectum, **lvii**, 131.
Pyonephrolithiasis, **lv**, 108.
Substernal cysts of the thyroid, **liii**, 853.
Traction bandage for reduction of fracture of leg, **lxiv**, 65.

Upward dislocation of the tarsal scaphoid, **lxvi**, 247.
COLLINS, HOWARD N.: Circulatory and trophic disturbances of the extremities, **lx**, 742.
Colloid carcinoma, lxxvii, 90.
Colocolostomy, lxi, 176.
Colon, absorption of ether-anæsthesia by, **li**, 457; adenoma of, **lxxvi**, 674; anæsthesia by absorption of ether, **li**, 457; ascending, acute phlegmon of the, **lviii**, 554; perforating diverticulum of, **li**, 269; bacillus, cause of suppurative osteomyelitis, **lxxvi**, 695.
Cancer of the, **lxxviii**, 210; **lv**, 332, 466; partial resection of, late results, **lxxiii**, 233; early diagnosis of, **liv**, 818; **lxxx**, 450; gangrene of the cæcum, secondary to, **lix**, 761; operation for, **lxiv**, 505; splenic flexure of the, **lxvi**, 339; transverse, **lxxv**, 636; colloid carcinoma of the transverse, **lxvi**, 232; excision for, **lxiv**, 501; **lxvi**, 229; excision for, result of, after seventeen years, **liii**, 542; multiple primary malignant foci in, **lxxx**, 459; of the pelvic, annular, **lx**, 396; operative procedure in, choice of, **lxx**, 129; of transverse, **lxxv**, 636.
Congenital idiopathic dilatation of the, **lxvii**, 734; stenosis of the, **lxxiii**, 125; contribution to the surgical physiology of the, **lxii**, 441; developmental reconstruction of the, **lxi**, 166; **lxvii**, 567; diseases of, treatise on, by P. Lockhart Mummery, review of, **liii**, 446; displacements of the, **lvi**, 888; diverticulitis, acute, of the sigmoid flexure of the, **lvi**, 118; **lxxx**, 425; elimination of, for relief of intestinal stasis, **lxvi**, 443; excision of the, **lvii**, 749; exclusion of, with complications, **lxii**, 360; extirpation, complete, for papillomatous disease, late result, **lv**, 603; total experimental observations bearing upon, **lviii**, 346; fistula of the, **lxviii**, 211; giant, **lv**, 455; **lxiii**, 349; **lxvi**, 441; left-sided, **lxxii**, 114; lipoma of, causing intussusception, **liv**, 344; non-rotation of the, **lxi**, 111; **lxxvi**, 281; polyposis of the, **lxvi**, 231; resecting the, simple method of, **lxvi**, 337; portion, intussusception in a five days old infant, **lvii**, 713; separation of, from its mesentery, **li**, 837; sigmoid, transperitoneal removal of tumors in the mucous membrane of, **lxvi**, 64; stasis, clinical aspects of, **lxi**, 334; surgery of the right half of the, **lxxx**, 439; transverse, partial resection of the, **lxv**, 265; results late of operation for removal, **lxxiii**, 660; tuberculosis, hyperplastic, **lxxi**, 791; ulcer, perforating, **liv**, 277; **lvi**, 473.
Colonic anæsthesia, lxxvii, 116; stasis, experimental, **lxiii**, 729.
Colopexy for prolapse of the rectum, lxviii, 96.
Colostomy for inoperable carcinoma, giving prolonged relief, **lxxvi**, 646; partial, by the Mikulicz two-stage operation, **lxxi**, 390; permanent, **lii**, 384; which may be closed by an extraperitoneal operation, **lxxi**, 299; restoration of fecal continence after iliac, **liii**, 250; temporary, **lxv**, 105.
COLP, RALPH: External duodenal fistulæ, **lxxviii**, 725.
COLT, G. H.: Reduction of fragments preliminary to internal splintage in fractures of the long bones, **lviii**, 490.
COMBIER, V.: The early treatment of septic pleural effusions complicating penetrating wounds of the chest, **lxviii**, 661.
Compressed air for operating room and emergency use, lvii, 757.
Concato's disease, lxxvi, 432.
Concussion of the brain, lxx, 143.
CONDICT, WOODHULL L.: Bilateral congenital anterior dislocation of the head of the radius, **lxxi**, 798.

Perforated gunshot and stab wounds of abdomen at Gouverneur Hospital, New York, **lxxx**, 51.
CONDON, ALBERT PAUL: Treatment of acute gastromesenteric ileus, **lxx**, 107.
Condylar fracture of the humerus, lxxix, 596.
Congenital absence of finger, transplantation of toe for, **lxxx**, 944; clefts of the lip and palate, **lxxx**, 363; dislocation of the shoulder, **lxxiv**, 368; malformation of extremities, **lxiii**, 378; perineal testicle, **lxxx**, 716; solitary kidney, **lxxix**, 206.
Conjoined tendon, hernia through the, **lxxviii**, 300.
CONNELL, KARL: Accuracy in anæsthesia, **lviii**, 877.
Bullet wound of the knee, **lxiv**, 97.
Cases of knee-joint infection, **lxiv**, 99.
Compressed air for operating room and emergency use, **lvii**, 757.
Gunshot wounds of the peripheral nerves, **lxv**, 383.
Knee-joint perforated by rusty nail, **lxiv**, 98.
Major surgery under minor anæsthesia, **lxiv**, 632.
New container for sterilized operating supplies, **liv**, 854.
Perforated duodenal ulcer, **lvii**, 757.
Plaster-of-Paris dressings for fractures, **lxiii**, 637.
Volkmann's paralysis, treatment of, **lxv**, 271.
CONNORS, JOHN: Acute pancreatitis, **lxxvi**, 786.
Arteriovenous aneurism, **lxxvii**, 235.
Congenital diaphragmatic hernia, **lxxvii**, 725.
Diverticulitis of stomach, **lxxvii**, 233.
Embolism of the brachial artery, **lxxvi**, 788.
Hyperplastic ileocolitis, **lxxi**, 797.
Intussusception, **lxvi**, 607.
Spontaneous ruptured spleens, **lxxiv**, 1.
Strangulated inguinal hernia containing cæcum and appendix, **lxi**, 381.
Symptomless cancer of the stomach, **lxxvi**, 674.
Traumatic rupture of the spleen, **lxxvi**, 785.
Treatment of compound fractures, **lxxi**, 526; gastric ulcers, **lxxx**, 152.
CONRAD, M.: Treatment of chronic osteomyelitis of traumatic origin, **lxix**, 82.
CONROY, MICHAEL J.: Aneurism of the renal artery, **lxxviii**, 628.
Conservatism in surgery, lxvi, 257.
Constriction, preliminary circular, in certain cases of, **lxxix**, 913.
Container, new, for sterilized operating supplies, **liv**, 854.
Contraction, cicatricial, results of plastic to relieve, **lvi**, 659.
Contractures of wrist, lxxiv, 639; of hand, treatment of, **lxxvi**, 121.
Contusions, abdominal, associated with visceral injury, **lxxx**, 628.
Contusions of intestines, lii, 358.
COOK, PHILLIP H.: Jejunal diverticula, **lxxiv**, 746.
COOK on diseases of the rectum and anus, review of, **lxi**, 377.
COOMBE, RUSSELL: Congenital hypertrophic stenosis of the pylorus, **liv**, 167.
COOPERMAN, M. B.: Stave fractures of the first metatarsal bone, **lxxiii**, 215.
Von Recklinghausen's disease, **lxxv**, 171.
COPE, ZACHARY V.: Impacted fractures through and near the femoral neck, **liv**, 682.
COPHER, GLOVER H.: Administration of sodium chloride in intestinal obstruction, **lxxviii**, 755.
Deformity of scapulæ, **lxix**, 645.
Röntgenological visualization of the gall-bladder by the intravenous injection of tetrabromphenolphthalein, **lxxx**, 473.
Sarcoma of the omentum, **lxxvii**, 721.

Coplin, W. M. L.: Relation of ductless glands to surgery, **lii,** 570.
Tumors of the jaw, **lii,** 565.
Corbett, J. Frank: Damage done to the kidney by operation, **liii,** 373.
Experimental study of several methods of suturing, the kidney, **lvii,** 860.
Corkery, John R.: Chronic catarrhal cholecystitis, with lipoid deposit, **lxxvi,** 736.
Fish scale gall-bladder, **lxxi,** 723.
Corneal ulcer of complicated exophthalmic goitre, lxvi, 222.
Cornell, Nelson W.: Report of 87 primary operable cases of carcinoma of the breast admitted to New York Hospital prior to April 1, 1919, **lxxx,** 400.
Corner, Edred M.: On the function of the appendix, and the origin of appendicitis, **lii,** 512.
Statistics about fractures and refractures of the patella, **lii,** 707.
Corpus callosum, further experiences in puncture of, **lv,** 141; luteum ruptured, intra-abdominal hemorrhage from, **lxxix,** 296; **lxxi,** 777.
Corscaden, James A.: Intussusception with special reference to adults, **liii,** 169.
Corson, E. R.: Mediotarsal subluxation, **lvi,** 883; X-ray study of bone atrophy, **li,** 289.
Costal arch, section and elevation of, for access to carcinoma of stomach, **lxxix,** 932; cartilages, treatment of diseases of the, **lxviii,** 168; tuberculosis of the, **lvii,** 129; transplantation of, for depressed fracture of frontal bone, **lxxvii,** 115.
Cotton, Frederic J.: Acute hæmatogenous infection of the kidney, **liv,** 577.
Artificial impaction of hip fracture, **lxiii,** 366.
Deaths from anæsthesia, **lviii,** 934.
Further data on artificial impaction of the hip, **lxvi,** 380.
Intratracheal insufflation anæsthesia, **lvii,** 43.
Luxation of the ulna forward at the wrist (without fracture), **lv,** 368.
Os calcis fracture, **lxiv,** 480; **lxxiv,** 294.
Surgical aspects of the Charcot joint and other syphilitic bone and joint lesions, **lxxii,** 488.
Treatise on dislocations and joint fractures, review of, **lxxx,** 286.
Coues, Wm. Pearce: Separation of the epiphysis of the first metacarpal bone, **lvi,** 450.
Council, M. D.: Primary sarcoma of spleen, **lvi,** 915.
Coxa Vara, adolescent, lxxx, 773.
Coxitis, double acute non-tuberculous, **liii,** 426.
Craig, Winchell McK: Involve- of the lymph glands in cancer of the cæcum, **lxxvii,** 698.
Cramp, Walter C.: Gas bacillus infection with special reference to treatment, **lvi,** 544.
Cranial defect, lxxv, 243; fascia lata graft for, **lxix,** 338; repair of, **lxix,** 230.
Cranial injuries, plan of management of, **lxxviii,** 674; based on a new grouping of such injuries, **lxxix,** 481; surgery, cutting the bone flap in, **lxxii,** 511.
Craniectomy, osteoplastic, **liii,** 852; **lvii,** 439.
Craniocerebral surgery, lumbar puncture as applied to, **lxviii,** 549; wounds due to projectiles, **lxxi,** 560; treatment of, **lxxii,** 400, 538.
Cranioplasty, lxvii, 544; **lxix,** 61; **lxx,** 1; experimental, **lxix,** 384; for large temporal defect, **lxxv,** 113.
Craniotomy for cerebellar cyst, li, 254; craniocerebral defect, **lxxvi,** 784; osteoplastic clamp for, **lxx,** 21; technic of, **lxi,** 107.
Cranium and contents, management of injuries to, **lxxviii,** 433.

CRILE, GEORGE W.: Anoci-association, review of treatise on, **lxi,** 123.
A bipolar theory of the nature of cancer, **lxxx,** 289.
End results of operations for gastric and duodenal ulcer and cancer, **lxxvi,** 467.
Identity of cause of aseptic wound fever and post-operative hyperthyroidism, **lvii,** 648.
Influence of inhalation anæsthesia on acidity of blood, **lxi,** 6.
Laryngectomy for cancer, **lviii,** 164.
Neuropathological cytology of anemia infections, Graves's disease and surgical shock, **li,** 753.
Notes on military surgery, **lxii,** 1.
Observations upon surgery of the stomach, **lviii,** 272.
Phenomena of acidosis and its dominating influence in surgery, **lxii,** 257.
Relaxation of muscles in the reduction of dislocations, **liv,** 410.
Special points in gall-bladder surgery, **lxxviii,** 192; the technic of operations on the thyroid gland, **lxxv,** 47.
Surgeon, the good, **lxx,** 385.
Technic and management of operations on the stomach, **lxiv,** 290.
Toxic adenoma in relation to exophthalmic goitre, **lxxii,** 141.
Two-stage operations, especially in relation to the treatment of cancer, **lx,** 57.
Value and limitations of laboratory studies of acidosis in surgery, **lxviii,** 457.
Crippled joints and flat feet, lxxix, 158.
CROSSAN, EDWARD T.: Intestinal obstruction from Meckel's diverticulum, **lxxiii,** 765.
Spermatocele, **lxxii,** 500.
Crossen's text-book of operative gynæcology, review of, **lxiii,** 254.
CROTTI, ANDRE: Thyroid and thymus, review of, **lxix,** 110.
CROUSE, HUGH: The triangle of Petit in kidney surgery, **lxii,** 451.
CULVER, GEORGE D.: Prophylaxis and treatment of epithelioma of the lower lip, **lv,** 227.
CUMBERBATCH, ELKIN P.: Treatment of disease, review of, **lxxiv,** 669.
CUMSTON, CHARLES GREENE: Acute suppurating bursitis of the subdeltoid bursa, **lvii,** 143.
Excision and suture in the treatment of dense, close urethral strictures, **lvii,** 536.
Note on the pathology and surgical treatment of leukokeratosis linguæ, **lxxviii,** 469.
Note on the treatment of wounds of the genital organs in warfare, **lxviii,** 306.
Primary congenital hydronephrosis, **lii,** 626.
Technic of comparative hyperæmia, **lix,** 645.
Treatment of wounds of the knee-joint, **lxvii,** 170.
CUNNINGHAM, J. H.: Acute unilateral hæmatogenous infection of kidney, **lvi,** 818.
Problem of prostatic obstruction, **lxv,** 538.
CUNNINGHAM, ORVAL J.: Nitrous oxide and oxygen narcosis, **lviii,** 917.
Curettage, uterine, dangers of, **lxviii,** 638.
CUSHING, HARVEY: Control of bleeding in operations for brain tumors, **liv,** 1.
Operations on the hypophysis, **lii,** 120; upon the cardiac valves, **lx,** 119.
Cutaneous infection, primary diphtherial and pseudodiphtherial, **lxii,** 343.
CUTLER, ELLIOTT C.: Notes on the non-operative treatment of fractures, **lxxiii,** 91.
War surgery under front line conditions, **lxx,** 695.
Cyst, branchiogenetic, with sinus leading into pharynx, **lxvii,** 240; cerebellar, **lxxiii,** 799; congenital of the common bile duct, **lxxix,** 147; enchinococcus, of liver, **lxxvii,** 634; of the

omentum, **lxxx**, 608; kidney, solitary, **lxxvi**, 656; liver, solitary, **lxxvii**, 237; mesenteric, causing intestinal obstruction, **lxxx**, 636; of the humerus, **lxii**, 625; of the popliteal space, **lxxv**, 246; median nerve, **lxi**, 761; of spleen, further study of, **lxxx**, 58; pancreatic, **lxxix**, 455; parovarian, in young girl, **lvii**, 254; retention, removal of a, from the liver, **lxxvii**, 68.

Cystadenoma, papillary, of the breast, **lxxiii**, 384; male breast, **lxxv**, 652.

Cystadenomata, multilocular of retroperitoneal origin, **lxi**, 312.

Cystectomy, total, **lxxii**, 515; condition one and one-half years after, **lxiii**, 754.

Cystic dilatation of the common bile duct, **lxxv**, 191; disease of the breast, **lii**, 253, 283; diseases of bone and bone tumors, **lxxv**, 506; duct, high ligation of the, in cholecystectomy, **lxxv**, 241; kidney, congenital, **lxxvi**, 789; lesions in bone, **lxvii**, 354; results of high ligation of the, in cholecystectomy, **lxxv**, 203.

Cystico-choledochostomy, **lxxiii**, 458.

Cystitis, chart to aid in treatment of, by distention of the bladder, **lii**, 664; circumscribed, pan-mural ulcerative, **lxxi**, 479.

Cystoscopic examination and röntgenographic, of the kidneys and ureter, combined, **li**, 546, 592; in renal tuberculosis, **lii**, 239; technic, recent observations in, **lxv**, 615.

Cystoscopy and urethroscopy, review of Bransford Lewis's book on, **lxii**, 380; manual of, by J. Bentley Squier, review of, **lv**, 784; practical, by Paul M. Pilcher, review of, **liv**, 716.

Cystostomy, suprapubic, in badly infected cases, the technic of, **lxiii**, 686.

Cystotomy, control of urinary drainage after, **liii**, 387; intraperitoneal, **lii**, 657; of the abdominal cavity, **liii**, 764.

Cysto-urethroscope, a new operating composite, **lxx**, 212.

Cysts, connected with hernial sacs, etiology of, **lxiii**, 544; bone, benign, **lii**, 145; bone, and so-called giant-celled sarcoma, **lxvii**, 312; breast, conservative operations of, **lxii**, 246; gas, of the intestines, **lxxv**, 620; jaw, tooth germ, **lxiv**, 674; neck, a contribution to the study of, **lxxix**, 499; retroperitoneal and mesenteric, **liii**, 355; Wolffian body, **lxxix**, 762.

D

Da Costa, John Chalmers: Actinomycosis, **liv**, 130.
Causal relation of traumatism to tuberculosis, **lix**, 909.
Dentigerous cyst, **lviii**, 541;
Lacteal cyst of breast, **lviii**, 428.
Modern surgery, treatise on, review of, **lxxi**, 529, **lxii**, 379.
Operation for aneurismal varix of the popliteal vessels, **lv**, 593.
Splenectomy for Banti's disease, **lviii**, 541.
Subfascial tubercle, **lviii**, 541.
Tanner's ulcer, **lxiii**, 155.
Tumors of the carotid body, **lviii**, 426.
Vaccine therapy as an adjunct to surgery, **lii**, 135.

Daguet, M.: Late results of gunshot wounds of the chest, **lxviii**, 659.

Dakin's fluid, use of in civil hospitals, **lxvii**, 757; solution, hyclorite as a substitute for, **lxxi**, 663; value of in the treatment of osteomyelitis, **lxxv**, 708; thoracic empyema, **lxxiv**, 79.

Dandy, Walter E.: Experimental hydrocephalus, **lxx**, 129.

Extirpation of the choroid plexus in hydrocephalus, **lxviii**, 569.
Peritoneal and pleural absorption with reference to postural treatment, **lix**, 587.
Pneumoperitoneum, **lxx**, 378.
Röntgenography of the brain after the injection of air into the spinal canal, **lxx**, 397.
Ventriculography following the injection of air into the cerebral ventricles, **lxviii**, 5.
DARRACH, WILLIAM: Acute diffuse peritonitis from ruptured liver abscess, **lvi**, 803.
Acute suppurative tenosynovitis of the flexor longus pollicis, **lvi**, 799.
Albee's operation for hypertrophic arthritis of the hip, **liv**, 265.
Anterior dislocation of the head of the radius with fracture of ulna shaft, **lix**, 799.
Anterior dislocation of the head of the ulna, **lvi**, 802.
Cases of carcinoma of the appendix, **lxii**, 510.
Complicated fracture of the head of the radius, **lx**, 514.
Epithelioma of the scalp, **li**, 726.
Excision of breast for cancer in woman eighty-four years of age, **lxii**, 98.
Fracture of acromion process of the scapula, **lix**, 455.
Fracture of astragalus with posterior dislocation, **lix**, 800.
Fracture-dislocation of shoulder, **lviii**, 666.
Fracture of head of radius, **lix**, 631.
Fracture of lower articular surface of humerus, **lxiv**, 724.
Fracture of radius with dislocation at wrist, **lvi**, 801.
Habitual dislocation of the head of the ulna, **lvii**, 928.
Lane plate for fracture of the radius, **lviii**, 668.
Late changes following bone reduction of fracture-dislocation of the shoulder, **lxiii**, 746.
Open operation for fracture of clavicle, **lviii**, 669.
Partial excision of ulna for deformity following Colles's fracture, **lvii**, 764.
Perienteritis membranosa, **lxii**, 105.
Plea for the immediate reduction of fractures, **lxiii**, 593.
Post-operative bursting of sutured abdominal wounds, **lxvi**, 243.
Pulmonary thrombosis following gastrectomy for carcinoma of the stomach, **lvii**, 762.
Results after treatment of fractures by the open method, **lv**, 883.
Subacromial bursitis, **lxvi**, 114.
Transverse abdominal incision, **lxvi**, 242.
Treatment of acromioclavicular dislocation, **lx**, 507.
Ureterolithotomy, **lvii**, 761.
DAUGHERTY, LOUIS E.: Gastric atony as a cause of neurasthenia, **liv**, 306, 426.
DAVID, VERNON C.: An experimental consideration of the infection of permanent hydronephroses, **lxxx**, 519.
Gunshot injuries of the knee-joint in a base hospital, **lxx**, 290.
Papillary cystadenoma of the male breast, **lxxv**, 652.
Results of operative treatment of exophthalmic goitre, **lxiv**, 400.
Sliding hernias of cæcum and appendix in children, **lxxvii**, 438.
DAVIDSON and SMITH: autoplastic bone surgery, review of, **lxiii**, 506.
DAVIDSON, WILSON T.: Bone autogenous graft in the treatment of fracture of the greater tuberosity of the humerus, **lxvi**, 95.
DAVIES, H. MORRISTON: Value of arteriovenous anastomosis in gangrene of the lower limb, **lv**, 864.
DAVIES, MARY: Persistence of bacteria within sequestra, **lxvi**, 522.
DAVIS, BENJAMIN F.: Hemorrhagic erosions of the œsophagus, **lxi**, 261.

Use of warmed ether vapor for anæsthesia, **lxiii,** 305.
DAVIS, BYRON B.: Comparative results of pyloroplasty and of gastro-enterostomy in stomach surgery, **lxxiii,** 450.
Operative results in 200 breast tumors, **lxxi,** 270.
DAVIS, CARL B.: Rectosigmoidal arterial anastomosis, **lii,** 529.
DAVIS, GWILYM G.: Aneurismal varix of the popliteal vessels, **lv,** 640.
Arteriovenous aneurism, **lxi,** 370.
Arthroplasty, **lix,** 438.
Arthroplasty of the elbow, **lxii,** 378.
Bone cysts, **lxv,** 514.
Bone transplants in ununited fractures, **lx,** 784.
Cinematoplastic amputations, **lx,** 785.
Dislocation of the hip, **lx,** 656.
End results in fractures of the lower extremity, **lxii,** 634.
Fracture of shoulder, **lv,** 432.
Fractures of the shaft of the femur, **liii,** 587.
Incision for appendicitis, **lxvii,** 118.
Infectious arthritis, **lxv,** 125.
Introduction of catheter through ruptured urethra, **lxi,** 240.
Iodoform wax bone-filling, **lxv,** 245.
Lateral traction in the treatment of fractures, **lvi,** 352.
Malformations of the extremities, **lxiii,** 379.
Multiple cartilaginous exostoses, **lxiii,** 250.
Operations for relief of ankylosis of shoulder, **lxiv,** 369.
Operative treatment of simple fractures, **lv,** 428.
Perthes' disease, **lxiii,** 372.
Plastic reconstruction surgery of the hand, **lxviii,** 72.
Relation of orthopædic surgery to general surgery, **lxviii,** 133.
Rupture of the biceps muscle, **lxii,** 122.
Sprain fracture, **lv,** 125.
Stab wound of epigastric artery, **lxv,** 516.
Surgery of spastic paralysis, **lxvii,** 616.
Transplantation of entire bone, **lxi,** 757.
Treatment of acute appendicitis, **liii,** 879.
Treatment of dislocations of the shoulder, **lvii,** 294.
Treatment of intracapsular fractures of the hip, **lvi,** 622, 653.
Treatment of Volkmann's contracture, **lvii,** 569.
Volkmann's ischæmic paralysis, **liii,** 579.
DAVIS, JOHN STAIGE: Cheek defect and its repair by plastic operation, **lvii,** 361.
Comparison of the permanence of free transplants of bone and cartilage, **lxv,** 170.
Effect of scarlet red, in various combinations, upon the epitheliation of granulating surfaces, **li,** 40.
Excessive thickening of Thiersch grafts caused by use of scarlet red, **lviii,** 451.
Further note on the clinical use of scarlet red, **liii,** 702.
General plastic surgery, **lxxvii,** 257.
Osteogenic power of periosteum, **lxi,** 672.
Partial epiphysial transplantation for defect in fibula, **lxiv,** 519.
Plastic surgery, its principles and practice, review of, **lxxii,** 766.
Radical treatment of X-ray burns, **lxxii,** 224.
Some of the problems of plastic surgery, **lxvi,** 88.
The incidence of congenital clefts of the lip and palate, **lxxx,** 363.
Transplantation of free flaps of fascia, **liv,** 734.
Treatment of scalping accidents, **lii,** 721.
Use of pedunculated flap in reconstructive surgery, **lxviii,** 221.
DAVIS, LINCOLN: End results of the surgical treatment of carcinoma of the cervix uteri, **lxxvi,** 395.

Morelli method of aspiration drainage for acute empyema, **lxxii**, 327.
DAVIS, WARREN B.: Harelip and cleft palate deformities, **lxxvi**, 133.
DAVIS, WILLIAM G.: Luxation of the patella, **lvii**, 739.
DAVISON, CHARLES: Autoplastic repair of fractures of neck of femur, **lxii**, 284.
DAWBARN, ROBERT H. M.: Acute intestinal obstruction due to intussusception, **lv**, 115.
Alum cream, **lxi**, 124.
Biliary surgery, **lx**, 766.
Bony ankylosis of the elbow, **lix**, 769.
Excision of the elbow-joint, **lx**, 512.
Late musculospiral nerve suture, **lx**, 511.
Lung abscess from inhalation of tooth, **lxi**, 255.
Modification of Syme's amputation, **lix**, 771.
Operation for double hallux valgus, **lx**, 513.
Operation for flat foot, **lx**, 512.
Osteomyelitis treated by a new method, **lv**, 106.
Recurrences after operation for hernia, **lviii**, 678.
Subclavicular dislocation of the humerus, **lix**, 768.
Technic of amputation of thigh, **lxi**, 247.
Technic of operation for preservation of iliohypogastric nerve in operation for inguinal hernia, **lxi**, 250.
Treatment of fracture of the neck of the femur, **lx**, 509.
DEAN, S. C.: Gunshot wound of external iliac artery, **lxxv**, 253.
DEANE, R. B.: Simple fracture of the pisiform bone, **liv**, 229.
Deaths from anæsthesia, lviii, 934.
DEAVER, HARRY C.: Cholecystitis following typhoid fever in childhood, **lxix**, 534.
Control of hemorrhage after prostatectomy, **liii**, 441.
Pyloric stenosis in infancy, **lxix**, 558.
Treatment in cases of fracture of the patella, **liii**, 583.
DEAVER, JOHN B.: Acute pancreatitis, **lxviii**, 281.
Acute perforated duodenal and gastric ulcers, **lvii**, 703.
Appendectomies performed at the Lankenau Hospital, **lxxix**, 854.
Appendiceal fecal fistula, **lxxx**, 56.
Carcinoma of the bladder, **lxxviii**, 254.
Chronic pancreatitis, **lix**, 841.
Enlargement of the prostate, **lxxviii**, 126.
Fracture-dislocation of upper end of humerus, **lxxix**, 607.
Gangrene of appendix, resulting in colic and duodenal fistulæ, **lxxix**, 605.
Gastro - enterostomy in acute perforated ulcer of the stomach and duodenum, **lxxiii**, 441.
Hysterectomy in the Lankenau Hospital, **lxxiii**, 84.
Intestinal anastomosis by the invagination method, **lii**, 130.
More radical treatment of duodenal and gastric ulcer, **lxiv**, 294.
Mortality statistics of 276 cases of acute intestinal obstruction, **lxi**, 198.
Operation for removing the gall-bladder, **lxiii**, 415.
Operative treatment of peptic ulcer, **lxx**, 526.
Pancreatic and peripancreatic lymphangitis, **lviii**, 151.
Peptic ulcer, **lxxvi**, 473.
Peptic ulcer, primary and secondary, **lxxiv**, 579.
Post-operative infections of the parotid gland, **lxix**, 172.
Post-operative parotitis, **lxix**, 128.
Prostatectomy, **lxvi**, 371.
Pyloric and duodenal ulcer, **lxv**, 246.
Pus in the abdominal cavity, **li**, 423, 480.
Rational treatment of acute appendicitis, **liii**, 798.
Relation of appendicitis to cholecystitis, **lxi**, 511.
Relation of salpingitis to appendicitis, **lvi**, 340.

Report of cases of gall-stone disease, **lxii,** 197.
Some surgical relations of cholecystitis, **lxxix,** 726.
Suprapubic versus perineal prostatectomy, **lix,** 360.
Surgery of the right half of the colon, **lxxx,** 439.
Surgical treatment of exophthalmic goitre, **lxiv,** 488.
Technic of suprapubic prostatectomy, **liii,** 438.
Traumatic abdomen, **lxviii,** 275.
Treatment of fractures of the patella, **liii,** 581.
Vaccine therapy as an adjunct to surgery, **lii,** 135.
DEAVER AND MCFARLAND on the breast, its anomalies, its diseases and their treatment, review of, **lxv,** 527.
Decompression for brain tumor, **lvi,** 481; epilepsy, **lvi,** 372; meningitis in compound depressed fracture of the skull, **lvii,** 589; operation for the brain, **lv,** 744; thorax, **lv,** 152; under local anæsthesia, **lxii,** 749.
Decortication of the lung for pachypleuritis, **lxviii,** 664; arterial, **lxxvii,** 15.
DECOURCY, JOSEPH L.: Abdominal retractor, improved, **lxxix,** 454.
Cancer of the thyroid, **lxxx,** 551.
Complete torsion of great omentum, **lxix,** 451.
Diaphragmatic hernia, **lxx,** 179.
Encapsulated adenomata of the thyroid, **lxxix,** 20.
Ligation of the inferior thyroid artery, **lxxvii,** 397.
Deferentitis, acute, **lxxviii,** 785.
Deformities of the nose, suggestions for the operative correction of syphilitic and other, **li,** 173; including diseases of the bones and joints, by A. H. Tubby, review of, **lvii,** 446.
Deformity in fractures, correction of, **lxx,** 359.
DEFOREST, HENRY PELOUZE: Leucoplakia buccalis, **lxxviii,** 474.
DEHELLY, GEORGES: Effacement of cavities in the treatment of fractures, **lxix,** 367.
Surgical closure of wounds, **lxviii,** 430.
DEKRUIF, PAUL H.: Experimental research on the effect of intravenous injection of gum salt solutions, **lxix,** 297.
DELATOUR, HENRY BEEKMAN: Cancer of the rectum, **lxv,** 777.
Cases of acute pancreatitis: recovery after operations, **lvi,** 336.
Large thyroid displaced beneath sternum, **lxviii,** 146.
Late deformity from injury to lower epiphysis of the tibia, **lxxi,** 522.
Late history of operations for cystic mastitis, **lxiv,** 743.
Persistent embryonal type of large intestine, **lxi,** 73.
Relief of umbilical hernia by the Condemin-Ransohof technic, **lxvii,** 732.
Results of treatment of fractures of the patella, **lviii,** 274.
Review of ninety-nine arthrotomies for fracture of the patella, **lix,** 975.
Rupture of the liver, **lxv,** 776.
Technic of operation for cure of umbilical hernia, **lxviii,** 91.
Thrombosis of the mesenteric vessels, **lvi,** 687.
Traumatic pancreatitis, **lxxiv,** 435.
De la Villeon, Petit, the method of, for extraction of intrathoracic projectiles, **lxx,** 37.
DELMAS, J.: Surgical exposure of the deep seated blood-vessels, review of, **lxxv,** 127.
DELREZ, L.: Treatment of wounds of the foot, **lxix,** 101.
DeMartel apparatus, use of, in osteoplastic craniectomy, **lvii,** 439.
Dementia præcox syndrome and thyroid surgery, lxxvi, 438.
DENK, W.: Prophylaxis of postoperative meningitis, **lv,** 140.
DE NOYELLES, P. LAWRENCE: Lymphosarcoma of the intestine, **lxxvi,** 229.
Dental plate in the œsophagus, lxiii, 672.
Dentigerous cyst, lviii, 541.

DePage, Antoine: Letter of appreciation to American surgeons, **lxii,** 256.
Opening up of gunshot wounds, **lxix,** 95.
Surgical intervention in cases of pulmonary infections, **lx,** 121.
Treatment of war wounds, **lxix,** 575; wounds of the foot, **lxix,** 101.
War surgery, **lx,** 137.
Depressed fracture of skull over speech centre, lxvii, 632.
Derby, Richard: Gunshot injuries of spinal cord, **lxi,** 686.
Dermoid cyst in right submaxillary region, **lxx,** 121; of tongue, **lxxx,** 796.
Dermoids of the ovary, metaplasia in, **lxxvi,** 238.
Desjardins, A. U.: Left paraduodenal hernia, **lxvii,** 195.
Despard, Duncan L.: Bone pegs in treatment of ununited fractures, **lx,** 784.
Bullet wound of thigh producing traumatic aneurism of femoral artery, **lxxviii,** 403.
Empyema thoracis, **lxxvii,** 251.
Extensive cavernous angioma of the neck treated by radium, **lxviii,** 71.
Hæmolytic jaundice, **lxxvii,** 249.
Inguinal lymphoma, **lxi,** 754.
Mesenteric thrombosis, **lxxiv,** 799.
Perforated ulcer of the ileum, **lvii,** 746.
Removal of foreign body from the lung, **lxxviii,** 673.
Repair of the musculo-spiral nerve, **lxxviii,** 406.
Splenectomy for advanced splenic anæmia, **lxxviii,** 408.
Sub-diaphragmatic abscess, **lviii,** 334.
Thrombo-angiitis obliterans, **lix,** 445.
Treatment of dislocations of the shoulder, **lvii,** 292.
Use of Dakin's solution in the thoracic cavity, **lxx,** 117.
DeTakats, G.: Intravenous administration of urotropin for postoperative urine retention, **lxxx,** 954.
Devascularization of the intestine, experimental, **lvii,** 506.
DeVecchi, Paolo: Modern Italian surgery and old Universities of Italy, review of, **lxxv,** 127.
Diabetes, complication of, by gangrene of the breast, **lxxix,** 634; insipidus, relation of, to hypophysial disorder in breast cancer, **lxiii,** 297; sequel to gunshot wound of the head, **lxvi,** 529; mellitus, gangrene in, dietetic treatment of, **lix,** 176, 313; hyperthyroidism with associated, **lxxvii,** 252.
Diabetic gangrene of foot, effect of artificial arterial hyperæmia on, **lii,** 713; patients, the surgical hazards in, **lxxi,** 382.
Diagnostic and therapeutic technic, by Albert S. Morrow, review of, **liv,** 713.
Diaphragm and stomach, stab wound of, **lxxi,** 106; eventration of the, **lxxviii,** 155; rupture of the, **lxxx,** 898.
Diaphragmatic hernia, lxix, 254; **lxxii,** 665, 668; **lxxv,** 337, 620; **lxxiii,** 417; **lxx,** 179; **lvi,** 358; **lxxi,** 276; **lxxviii,** 660; combined abdomino-thoracic approach in operations for, **lxxviii,** 32; congenital, **lxvii,** 748; **lxxi,** 280; **lxxvii,** 725; diagnosis of, **lv,** 388; intercostal, **liv,** 538; nonstrangulated, due to indirect injury, **lxiii,** 78; recurring, **lxxix,** 751; thoracic operative approach, **lxxiv,** 347.
Diarrhœa, chronic, caused by epigastric hernia, **lv,** 66; following abdominal operations, **lxxvii,** 524.
Diastase, urea and phthalein, value and limitation of, in estimating renal function, **lviii,** 800.
Diathermy, Cumberbatch, Elkin P. on, review of, **lxxiv,** 669.
Dichloramine-T, use of, in a series of war wounds, **lxix,** 498; **lxx,** 118; the treatment of infections and infected wounds, **lxvii,** 14, 120, 757.
Dickinson, Arthur M.: Fragilitas ossium, **lxxiv,** 629.

DICKINSON, GORDON K.: Acute hæmatogenous infection of one kidney, in a person apparently well, **lvi**, 305.
Diet after gastro - enterostomy, lxxviii, 118.
Differential pressure in the treatment of empyema, lii, 502.
Digitalization, pre-operative, effect of, in reducing post-operative complications, **lxxviii**, 693.
Dilatation of the stomach, lxvii, 378; acute, **lxviii**, 106; **lxix**, 510; after operation for hernia, **lviii**, 702; complicating operations on the extremities, **lxiii**, 263; operative, **lxiii**, 418; post-operative, **lxiv**, 107; and rupture, **lxvii**, 378.
Dilator for ankylosed jaw, lxxvi, 647.
DINEEN, P. A.: Late results of gastro-enterostomy for gastric and duodenal ulcers, **lxxvi**, 457.
DINEGAR, ROBERT HENRY FALES: Forward dislocation of the astragalus and with it the foot, **lxxii**, 494.
Diphtherial and pseudodiphtherial Primary cutaneous infection, lxii, 343.
Diphtheroid of wounds, lxii, 377.
Diplegia, traumatic facial, **lxx**, 150.
Disability time in fractures of the long bones, influence of physical therapy in reducing, **lxxiv**, 304.
Diseases, acute surgical, value of the leucocyte count in, **liv**, 721.
Disinfection of the hands, and site of operation, **lv**, 129; with chinosal and salt, **lxix**, 493.
Dislocation and dislocations, acromioclavicular, **lx**, 506; astragalus, forward, **lxxii**, 494; elbow, compound, **lxxvi**, 279; joint, anterior, **lxxvii**, 612; old unreduced, backward, **lxxiii**, 129; foot, backward, on leg, with fracture of fibula, **lxxvi**, 279; hip, congenital, etiology of, **lvi**, 854; everted dorsal, **liv**, 371, 410; inveterate traumatic, **lv**, 176; traumatic, **lx**, 617, 655; jaw, lower, recurrent, **lxviii**, 141; metatarsal bones without fracture, **lxxi**, 112; patella, complete, outward, **lxxix**, 415; pisiform bone, **lxxv**, 238; radius, head of the, anterior bilateral congenital, **lxxi**, 798; relaxation of muscles in the reduction of, **liv**, 410; semilunar bone, **lv**, 626; **lxxviii**, 545.
Shoulder, and fracture of neck of scapula, caused by muscular action due to electric shock, **lxxii**, 625; shoulder, congenital, **lxxvi**, 70; **lv**, 622; joints, simultaneous of both, **lxxix**, 788; old irreducible, **li**, 890; old posterior, **lxii**, 631; old subcoracoid, **lv**, 626; old unreduced, reduction of, **lvii**, 217, 292; operative reduction of old, **lviii**, 542; recurrent, **lxxvii**, 118; with fracture, **lv**, 431; subclavicular, of the humerus, **lix**, 768; subglenoid, of humerus, with fracture of the anatomical neck, **lx**, 648.
Sprain-fracture as an essential to the occurrence of, **lvi**, 599, 656.
Subastragaloid, **lxxviii**, 536.
Tarsal scaphoid, **lxxi**, 187; **lxxviii**, 544.
Ulna, forward at the wrist, without fracture, **lv**, 368; head of the, anterior, **lvi**, 802; lower end of, **lv**, 623; upper end of, backward, **lii**, 215.
Vertebræ, fracture of the, **lxxviii**, 260.
Wrist, fracture of radius with, **lvi**, 801; spontaneous forward, **lii**, 229.
Dislocations and joint fractures, treatise on, by Frederick J. Cotton, review of, **lxxx**, 289.
Diverticula, bladder, **lxviii**, 298; duodenum, **lxxvi**, 43, 125; ileum, upper, **lxxiii**, 241; jejunum, **lxxiii**, 135; **lxxiv**, 96, 746; œsophagus, **li**, 300; **lxxvi**, 659.
Diverticulitis, acute, **liii**, 682; cæcum, acute, gangrenous, perforated, **lxvii**, 624; chronic, producing obstructive pelvic lesions, **lix**, 422; colectomy for, **lvii**, 765; intestinal, **lii**, 262; large bowel, **lxi**, 343; of the colon, **lxxx**, 425; rectum,

liii, 533; sigmoid, li, 584; lvi, 661; lviii, 356; lxv, 792; lxvi, 730; perforating, lii, 558.
Diverticulum, ascending colon, perforating, li, 269; bladder, lxxviii, 677; dumb-bell stone in, lxvii, 94; transperitoneal resection of, lviii, 634; urinary, surgical treatment of, lv, 285; bowel, lower, their development and relationship to carcinoma, liii, 223; cæcum, lxv, 390; Meckel's, inversion of, lv, 404; perforated, lxxvii, 622; œsophagus, lv, 632; lxxiv, 123; lxxvii, 267; complicated by abscess of the lungs, lxi, 360; diagnosis and surgical treatment of, li, 812; stomach, lxxvii, 233.
Dodge, George E.: Cystic dilatation of the vermiform appendix, lxiii, 334.
Dollinger, J.: Basedow's disease, lv, 146.
Reposition of inveterate traumatic luxation of hip-joint, lv, 176.
Dorrance, George M.: Arthroplasty upon the temporo-mandibular joint, lxxix, 485.
Avulsion of palm, lxxv, 744.
Case of prolonged life after operation for cancer of stomach, lxxix, 936.
Double lip, lxxvi, 776.
Felons, lxiv, 716.
Fractures of the jaw, lxxiii, 760.
Hæmolytic jaundice, lxxvii, 249.
Heliotherapy for tuberculosis of bones and joints, lxxvii, 622.
Immediate plastic operations in injuries involving tendons or joints, lxxviii, 100.
Plastic repair of cheek, lxxviii, 87.
Prosthetic appliance to replace one-half of lower jaw, lxxix, 924.
Result of arthroplasty for ankylosis of jaw, lxxviii, 540.
Results of treatment of intracapsular fracture of the femur by abduction and plaster fixation, lxxiii, 752.
Securing large skin grafts, lxxvi, 799.
Skin tension buttons, lxxv, 745.
Sub-diaphragmatic abscess, lxxix, 845.
Tongs extension in the treatment of fractures, lxxiii, 124.
Treatment of intracapsular fractures of the neck of the femur, lxxiii, 767.
Treatment of webbed fingers, lxxviii, 532, 543.
Tuberculosis of elbow cured by X-ray, lxxv, 744.
Use of dichloramine-T as an antiseptic, lxvii, 123.
Use of free skin grafts to replace loss of mucous membrane of mouth and nose, lxxi, 360–397.
Dott, Norman M.: New gastroenteric clamp, lxxii, 771.
Douglas, Beverly: Gravimetric method for determining the superficial area of wounds, lxxiii, 673.
Skin grafting by exact pattern, lxxvii, 223.
Douglas, Fred M.: Perforation of duodenal ulcer following gastro-enterostomy, lxxvi, 222.
Douglas, John: Acquired defect of urethra, lxvii, 241.
Actinomycotic subphrenic abscess, lx, 389.
Acute dilatation of the stomach, lxviii, 106.
Acute perforation of the stomach, lxxviii, 679.
Ankylosis of the temporo-maxillary articulation, lxxii, 636.
Benign tumors of the stomach, lxxvii, 580.
Branchiogenetic cyst with sinus leading into pharynx, lxvii, 240.
Bullet retained in brain, lxiii, 117.
Cholecystectomy for the relief of chronic pancreatitis, lxxiii, 131.
Dislocation of semilunar bone, lxi, 472.
Diverticulitis of the sigmoid, lviii, 356.
Duodenal ulcer, lxiii, 744.
Excision of tumor of the carotid body, lxix, 649.

Fascia lata graft for cranial defect, **lxix,** 338.
Fat transplant for adhesions after tenorrhaphy, **lxxi,** 791.
Fracture-dislocation of cervical vertebra, **lxxvi,** 288.
Gastric ulcer, **lxiii,** 744.
Gastrojejunal ulcer after gastroenterostomy, **lxxiii,** 658.
Hour-glass stomach, **lxvii,** 106.
Implantation of fascia into dural defect, **lxii,** 626.
Isolation of erysipelas cases, **lxvi,** 246.
Jejunal ulcer, **lxxii,** 638.
Kidney function as a factor in the mortality of operations for biliary obstruction by calculus, **lxvi,** 226.
Late results after resection of the stomach for carcinoma, **lxxiii,** 653.
Ligation of common carotid with strip of fascia, **lxxi,** 790.
Ligation of common iliac with fascial strip for aneurism, **lxxvii,** 630.
Long freedom from recurrence after removal of cancer of stomach, **lxvii,** 237.
Lymphœdema of arm, **lxxix,** 309.
Mikulicz operation for colostomy, **lxxi,** 390.
Moynihan method of resection of stomach, **lxxiv,** 121.
Mucous membrane plastic after removal of epulis, **lxiv,** 36.
Operation for fracture of patella, **lxix,** 648.
Operative relief of carcinoma of the stomach, **lxiii,** 112.
Partial resection of stomach and liver for carcinoma, **lxvi,** 228.
Perforated duodenal ulcer, **lxxvii,** 755; and bleeding jejunal ulcer, **lxxvii,** 754.
Plastic on face by tubular flap method, **lxxii,** 636.
Pneumococcus peritonitis, **lxvii,** 248.
Pylorectomy for gastric ulcer, **lxiv,** 508.
Reconstruction of common bile duct, **lxxv,** 379.
Removal of enchondroma from fibula, **lxix,** 336.
Resection of the head of the ulna after Colles's fracture, **lx,** 388.
Resection of the stomach for carcinoma, **lxii,** 114.
Resection of pelvic colon for carcinoma, **lxvi,** 229.
Resection of ulna for osteomyelitis, **lxix,** 335.
Resection of upper maxilla with preservation of hard palate, **lxix,** 334.
Results of the staphylococcus infections of the face and lips, **lxxv,** 767.
Sarcoma of the small intestine, **lv,** 400; **lxxvi,** 663.
Sarcoma of the stomach, **lxxi,** 628.
Solitary cyst of kidney, **lxxvi,** 656.
Stone in solitary kidney: Anuria, **lxvii,** 239.
Stricture of the common biliary duct, **lxxvii,** 768.
Sub-acromial bursitis, **lxvi,** 230.
Subphrenic abscess and accumulations of fluids, **lxxx,** 160.
Surgical treatment of gastrocoloptosis, **lxi,** 545.
Syphilis of the stomach, **lxiii,** 743.
Traumatic epilepsy, the result of trephining for, **lxiv,** 732.
Traumatic rupture of the duodenum, **lxxiii,** 796.
Treatment of cranio-cerebral wounds, **lxxii,** 400.
Treatment of gastric and duodenal ulcer, **lxxviii,** 548.
Treatment of traumatic hæmothorax, penetrating gunshot wounds of the chest, **lxvii,** 707.
Tuberculosis of kidney, **lxviii,** 105.
Ultimate results of operation for carcinoma of the stomach, **lxii,** 117.
Ununited fracture of leg, treated by bone graft, **lxix,** 337.
Value of homologous skin grafts, **lxxi,** 520.
Dowd, Charles N.: Acute phlegmonous inflammation of the large intestine, **lvi,** 579.
Amputation stumps, **lxiii,** 752.

Artificial leg after amputation of the thigh, **lxvi**, 250.
Branchial fistula, **lxiv**, 105.
Cancer of the rectum, **lxv**, 780.
Cardiolysis, **lviii**, 662.
Cardiospasm, **lvi**, 365.
Cavernous angioma of the spleen, **lxii**, 177.
Chromic catgut binding of oblique fracture of the femur, **lxxi**, 520.
Complete branchiogenic fistula, **lxiii**, 519.
Cyst of the mesenteriolum, **lxxiii**, 784.
Cysts of the omentum, **liv**, 617.
Diverticulitis with colectomy, **lvii**, 765.
Echinococcus cyst of liver, **lxxvii**, 634.
Enterostomy for ileus, **lxv**, 95.
Excision of duodenal ulcers, **lxiii**, 745.
Experiences with Murphy button, **lxxiii**, 650.
Extensive osteomyelitis, **lvii**, 277.
Factors bearing on mortality in operation for biliary obstruction by calculus, **lxvi**, 228.
Figure of eight silkworm gut abdominal suture, **lxvi**, 245.
Fracture-dislocation of shoulder, **lxiii**, 748.
Hygroma cysticum coli, **lviii**, 112.
Intestinal growths, **lxxiv**, 509.
Intussusception, **lxii**, 352.
Intussusception in adult due to adenoma in ileum, **lxxvii**, 633.
Isolation of erysipelas cases, **lxvi**, 245.
Late post-operative result of hygroma of neck, **lxxiii**, 781.
Late result of forearm fracture in a child, **lxii**, 350.
Lengthening of the tendo achillis in the treatment of complicated Pott's fracture, **lxviii**, 330.
Living typhoid bacilli in gallbladder thirty-seven years after fever, **liii**, 870.
Malignant tumors of the breast, **lxxv**, 631.
Management of toxic goitre, **lxxii**, 420.
Mesenteric cyst, **lxi**, 481.
Mikulicz two-stage operation for partial colostomy, **lxxi**, 155, 390, 393.
Obliterating thrombo-angiitis accompanying lead poisoning, **lxiii**, 750.
Observations upon surgery of the stomach, **lviii**, 272.
Operation for cleft palate, **lv**, 772.
Operative treatment of hyperthyroidism, **lvi**, 457.
Pancreatic calculi, **lxii**, 351.
Paralysis of the trapezius muscle, **lx**, 763.
Plastic operation for replacing the lower lip, **liii**, 867.
Post-operative development of hyperplastic lymph-nodes, **liii**, 871.
Post-operative hydrocephalus, **lxv**, 257.
Preservation of the iliohypogastric nerve in operation for cure of inguinal hernia, **lxi**, 204.
Relation of iliohypogastric nerve to the radical cure of inguinal hernia, **lxvi**, 126.
Relation of nerve distribution to inguinal hernia, **lxi**, 483.
Relationship between intestinal obstruction, chronic peritonitis and chronic multiple serositis, **lxxvii**, 423.
Remarks upon anæsthesia, **liv**, 421.
Remarks on appendicitis, **li**, 944.
Repair of fractures in children, **lxxix**, 947.
Report of the results of operation on a group of 150 cases of goitre, **lxxx**, 391.
Resection of portion of colon in a five days' old infant, **lvii**, 713.
Results of bone injuries in children, **lviii**, 275.
Septic meningitis, **lxi**, 482.
Spina bifida, **lxvi**, 511.
Splenectomy for the splenic form of Hodgkin's disease, **lxv**, 785.
Sterilizing rubber gloves, **lxix**, 340.
Surgical treatment of duodenal and gastric ulcer, **lxxix**, 954.

Surgical treatment of megacolon, **lxxiv**, 468.
Suture in gastro-enterostomy, **lxvi**, 123.
Technic of partial colectomy by two-stage method, **lxxii**, 676.
Thyroid transplantation for myxœdema, **lxxi**, 518.
Treatment of burns by paraffin mixture and by skin grafts compared, **lxv**, 781.
Treatment of intestinal obstruction, **lxxii**, 530.
Treatment of septic knees, **liii**, 867.
Tuberculous peritonitis, **lxxvii**, 632.
Villous arthritis of the knee, **lvi**, 363.
Visceral pleurectomy for chronic empyema, **lx**, 126.
Dowd, John B.: Result of Polya-Balfour operation for carcinoma of stomach, **lxix**, 548.
Downes, Charles N.: Partial colectomy for Hirschsprung's disease, **lxxiii**, 782.
Downes, William A.: Anomalous abdominal membrane, **lxxv**, 753, 758.
Arteriovenous aneurism of superior thyroid vessels, **lix**, 789.
Bone plating for fracture of forearm, **liii**, 571.
Cæcum, excision of for carcinoma, **lxiv**, 499.
Cancer of undescended testis, **lxvii**, 747.
Cases of recurrent hernia after operation, **lxi**, 252.
Cholecystogastrostomy for common duct obstruction, **lxxi**, 205.
Chronic appendicitis, **lxxi**, 224.
Congenital hernia of the diaphragm, **lxvii**, 748.
Congenital lues of the stomach, **lxii**, 349.
Congenital pyloric stenosis, **lv**, 631.
Death after use of Lane's plates in fracture of femur, **lv**, 882.
Decompression for meningitis in compound fracture of the skull, **lvii**, 589.
Diagnosis of solitary kidney, **lxvii**, 240.
Differential diagnosis between syphilis and tuberculosis of the stomach, **lxxiv**, 246.
Diverticulitis of sigmoid, **lxvi**, 730.
Duodenal diverticula, **lxxvi**, 43.
Duodenal fistula, **lxxii**, 378.
Duodenojejunostomy, **lxviii**, 94.
Drainage of pelvic abscess in acute appendicitis, **lxxiv**, 654.
Echinococcus cyst of kidney, **lxii**, 628; **lxvi**, 254.
Effect of dichloramine-T in the treatment of wounds, **lxvii**, 757.
Effect of splenectomy, **lxvii**, 235.
Embryonal adenocarcinoma of the kidney, **lv**, 634.
Fascial flap for dural defect, **lxii**, 627.
Gall-stone ileus, **lxi**, 243.
Gall-stones in the young, **lix**, 781.
Gastrocolic fistula following gastro-enterostomy, **lxviii**, 95.
Gastro-enterostomy after closing duodenal perforation, **lvii**, 945.
Gastro - enterostomy in distal pouch of hour-glass stomach, **lix**, 794.
Gastroptosis with persistent vomiting, **lxi**, 477.
Giant duodenum, **lxvi**, 436.
Growth in the large intestine, management of, **lxxiv**, 511.
Hemorrhage following gastro-enterostomy, **lxii**, 349; **lxiv**, 497.
Hour-glass contraction of the stomach, **lx**, 390; **lxv**, 765.
Hygroma of axilla and neck, **lix**, 753.
Hypernephroma, **lv**, 634.
Hypernephroma of ovary in a child, **lxxvi**, 758.
Hypernephroma, permanent recovery after operation, **lxiv**, 499.
Hyperplastic tuberculosis of colon, **lxxi**, 793.
Jejunostomy in ulcer of the lesser curvature and posterior wall of the stomach, **lxxv**, 747.

Injuries of the bladder during herniotomy, **lxv**, 264.
Injuries to the common biliary duct, **lxxvii**, 767.
Injury to the common bile duct, **lxvii**, 619.
Intracranial metastasis from sarcoma of the leg, **lxvi**, 506.
Large fecolith in the appendix, **lxvi**, 506.
Large ovarian cyst in infant, **lxxiii**, 134.
Late results of midgastric resection for hour-glass contracture of stomach, **lxxv**, 760.
Mediogastric resection of stomach for hour-glass contraction, **lx**, 499.
Mesenteric thrombosis, **lxxvi**, 669.
Nephrectomy for adenoma of the kidney, **lxi**, 750.
Non-rotation of colon, **lxi**, 111.
Œsophageal diverticulum, **lv**, 632; **lxxvi**, 661.
Open ulcer of stomach closed by adherent gall-bladder: gastro-enterostomy, **li**, 123.
Operation for cleft palate and harelip, **lv**, 772.
Operation for fractures of the surgical neck of the humerus, **lvii**, 282.
Operation for ulcer of the stomach, **lxi**, 747.
Pancreatic cyst, **lxi**, 487.
Passing of the Murphy button, **lxxiii**, 252.
Perforated duodenal ulcer in a child, **lxxvii**, 756.
Post-operative intestinal adhesions, cause of, **lix**, 460.
Preliminary ligation of external carotid in operations upon the jaws, **lxi**, 355.
Question of gastro-enterostomy in cases of perforated duodenal ulcer, **lx**, 498.
Radical cure of direct hernia, **lxxii**, 641.
Rectus transplantation in certain cases of inguinal hernia, **lviii**, 677.
Recurrences of hernia, **lxvii**, 626.
Reformation of tibia after osteomyelitis, **lix**, 787.
Recurrent peritoneal adhesions, **lxviii**, 85.
Resection of the sigmoid for gangrene, **lxi**, 747.
Separation of the upper epiphysis of the humerus in a child, **lvii**, 281.
Sleeve resection of mid-gastric ulcer, **lxxiii**, 654.
Splenectomy for Banti's disease, **lxxviii**, 557.
Splenectomy for enlarged spleen, **lvii**, 935.
Splenectomy for pernicious anæmia, **lxvii**, 233.
Splenectomy for spontaneous rupture of the spleen in typhoid fever, **lix**, 754.
Spina bifida, **lxvi**, 511.
Splitting kidney capsules for chronic nephritis in a child, **li**, 947.
Staphylococcus infections of the face and lips, **lxxv**, 768.
Strangulated femoral hernia; sac containing appendix, **lxi**, 355.
Strangulation of umbilical hernia, **lxviii**, 91.
Surgical treatment of gastrocoloptosis, **lxi**, 633.
Technic of the removal of the gall-bladder, **lxvii**, 620.
Thymectomy for tracheal obstruction, **lix**, 775.
Total laryngectomy for carcinoma of the larynx, **lvii**, 948.
Transperitoneal nephrectomy, **lxiii**, 632.
Traumatic rupture of the duodenum, **lxxiii**, 795.
Treatment of undescended testis, **lii**, 861.
Umbilical cord hernia: operation eleven hours after birth, **li**, 113.
Ununited fracture of the humerus, **lvii**, 940.
Use of suspensory for scrotum after operations for hernia, **lxvi**, 736.
Use of the rectus muscle in direct inguinal hernia, **liii**, 568.
Volvulus of the small intestine in a child, **lii**, 402.
DOWNEY, JESSE WRIGHT: Corrective otoplasty, **lxii**, 488.

DOWNS, T. MCKEAN: Chronic partial intestinal obstruction in adult due to arrested development of large bowel, **lxxx**, 217.
Resuscitation by direct massage of the heart in cardiac arrest, **lxxx**, 555.
Treatment of acute mechanical intestinal obstruction by high temporary jejunostomy, **lxxx**, 45.
Drainage, **lxxv**, 385; abdominal, **lxix**, 138; appendicitis, **lxx**, 724; in intra-abdominal infection, **lxxvii**, 558; **lxxviii**, 121; for acute empyema, Morelli method of aspiration, **lxxii**, 327; tube retained after cholecystotomy, **lxxii**, 627; Wright's solution of sodium citrate and sodium chloride for, **lii**, 541.
DRAPER, JOHN WILLIAM: Developmental reconstruction of the colon based on surgical physiology, **lxi**, 166; **lxvii**, 567.
Surgical physiology of the colon, **lxii**, 441.
DRENNEN, W. EARLE: Traumatic hydronephrosis, **lvii**, 879.
Traumatic pancreatitis, **lxxvi**, 488.
Use of the cautery in the treatment of abscess of the lung, **lxxix**, 639.
DRENNEN, JENNIE G.: Bacteriologic study of gall-bladder fluid contents, **lxxvi**, 482.
DREYER, DR.: Mobile Cæcum, **lv**, 164.
Drip, intravenous, continued, **lxxix**, 643.
DRUMMOND, HAMILTON: Inversion of Meckel's diverticulum, **lv**, 404.
Duct, common, white bile in the, **lxxvii**, 281.
Ductless glands, the relation of the, to surgery, **lii**, 545, 570.
DUDGEON, LEONARD S.: Infections of the urinary tract due to bacillus coli and allied organisms, **li**, 355.
DUFFIELD, WARREN L.: Angioneurotic œdema with visceral crises, **lxv**, 445.
DUFFY, WM. C.: Hypophyseal duct tumors, **lxxii**, 537, 725.
Dumb-bell kidney, **lvii**, 868; stone in diverticulum of urinary bladder, **lxvii**, 94.
DUNHAM, EDWARD K.: Application to empyema of the principles underlying the use of antiseptics, **lxviii**, 148.
DUNHAM, THEODORE: Device for drainage in empyema, **lxvii**, 372.
Disadvantages of impure dichloramine-T, **lxxiv**, 249.
Duodenojejunostomy, **lxviii**, 94.
Harelip technic, **lxviii**, 104.
Original method of treating boils, **lxxi**, 216.
Periosteal sarcoma of femur, **lxxviii**, 418.
Prevention of post-operative bleeding after bloodless operation, **lxxx**, 798.
Retention apparatus after harelip operations, **lxxi**, 395.
Rib-finder, **lviii**, 685.
Shock from reduction of intussusception, **lxxviii**, 683.
Duodenal diverticula, **lxxvi**, 43, 125.
Fistula, **lxxii**, 376; colic and, resulting from gangrene of appendix, **lxxix**, 605; external, **lxxviii**, 725; following nephrectomy for stone, **lii**, 259.
Fossæ, retroperitoneal hernia into the, **lxv** 456.
Hemorrhage, **lx**, 777; due to suture, **lxxi**, 681; kink, **lviii**, 572.
Ulcers and gastric, **lxxiii**, 328, 420; **lxi**, 406; chronic, surgical treatment of, **lxxx**, 31; and, acute perforated, **lvii**, 703; **lxvi**, 72, 102; in the same patient, **lvii**, 777; chronic, present status of surgical treatment, **lxxix**, 954; more radical treatment of, **lxiv**, 294; operation for, **lxi**, 481; perforated, **lxxiv**, 721; without previous pain, **lxxiv**, 223; retroperitoneal perforation of, **lxi**, 414; ulcer, **lv**, 158, 319; **lxii**, 109; **lxxiii**, 128; by G. B. A. Moynihan, review of, **lii**, 572; acute obstructive, **lxxviii**, 427; perforation of, **lxxviii**, 342; clinical features and treatment

of, **lv**, 546; Billroth I for, **lxxix**, 143; cases of, **lviii**, 664; from a surgical point of view, **lxvi**, 664; gastro-enterostomy for, **li**, 950; still the treatment for, **lxxi**, 303; ulcer in infancy, **lxxiii**, 545; non-perforating, **lvii**, 778; operation for, **lxiv**, 410; **lxx**, 526; pathogenesis of, **lxiii**, 318; perforated, **lxiv**, 507, 625; **lxxii**, 593; **lxxvii**, 754–755; **liv**, 243; **lv**, 451; **lvii**, 757, 776, 944; **lx**, 758, 759, 760; in a child, **lxxvii**, 756; perforation of, following gastro-enterostomy, **lxxvi**, 222; pyloroplasty for, **lviii**, 414; pyloric exclusion for, **lviii**, 697; sub-acute, **lxv**, 773; pyloric, resistant, after simple suture of acute perforation, **lxxii**, 597; resection of stomach for, **lxxviii**, 507; sub-hepatic abscess from, **lxvi**, 602; with fatal hemorrhage from erosion of the gastroduodenal artery, **lvii**, 695.

Tube, use of in pre-operative study, **lxxiii**, 789; of infections of liver and pancreas, **lxxiii**, 556.

Valve, **lv**, 910.

Duodenectomy, lxxv, 208.

Duodenojejunostomy, lxviii, 94.

Duodenojejunostomy for chronic duodenal obstruction, lxxiii, 578; with Murphy button after gastrojejunostomy, **lvii**, 81.

Duodenopyloric fornix, ulcer of the, **lxiii**, 328.

Duodenotomy in common duct stone, lxi, 180.

Duodenum, abnormal position of, **lii**, 111; anatomical and physiological subdivisions of the, **lxiii**, 318; arterio-mesenteric ileus of, **lxviii**, 582; carcinoma of the, **lxxii**, 602; **lxxix**, 239; constriction of lower end of the, **lv**, 114; dilatation of the, **lxii**, 433; double perforation of the, **lviii**, 555; **lx**, 497; foreign bodies arrested in, **lxx**, 479; foreign bodies in, in a child, **lxxix**, 947; giant, **lxvi**, 436; laceration of, with rupture of liver, **lxxiii**, 793; ptosis of the third portion of the, with obstruction at duodeno-jejunal junction, **lxxii**, 606; retroperitoneal rupture of the, by blunt force, **lxiv**, 550; stenosis of the pylorus and, with excision and posterior gastro-enterostomy, **li**, 573.

Ulcer of, and stomach, acute perforations of, **lxxvi**, 38; recurring perforations of, **lxxvii**, 108; with special reference to the end results, **liv**, 313, 427; ulcer of, **lv**, 444; bleeding, of the, with cholecystitis, **lxxv**, 459; chronic perforating, **lxxix**, 950; excised from the anterior wall of the, pathologic data, obtained from, **lvii**, 691; late results of gastro-enterostomy for, **lxxvi**, 457; operation for, **lxxix**, 953; stomach and, acute perforation of, **lxxix**, 91; third portion, **lxxix**, 949.

Dupuytren's contracture, end results of operation for, **lxxv**, 504; with description of operation, **lxx**, 221.

Dura, epithelioma of the, **lxxiii**, 797.

Dural defect supplied by fascia implantation, lxii, 626.

DURANTE, LUIGI: Tuberculosis of the breast, **lxiii**, 668; tongue, **lxiii**, 143.

DURMAN, DONALD C.: Two hundred sixty-two consecutive cases of appendicitis, **lxxix**, 862.

DUVAL, PIERRE: Les plaies de guerre du poumon, review of, **lxvii**, 251.

Operative results of early surgical treatment of wounds of the lung, **lxviii**, 561.

DWIGHT, KIRBY: Late results of fractures, in children, **lxxix**, 945.

Dystopia and fusion, crossed renal, **li**, 582.

EAGLETON, WELLS P.: Brain abscess, its surgical pathology and operative technic, **lxxvii**, 508.

Ear, diseases of the, review of treatise on, by Phillip D. Kerrison, **lxxiii**, 517; hereditary malformation of the,

lxvii, 379; nose and throat, treatise on the diseases of, by Wendell G. Phillips, review of, **lxxviii,** 686.
Ears, keloid of both, recurrent, **lxxix,** 135.
EASTMAN, JOSEPH RILLS: Clinical aspects of colon stasis, **lxi,** 334.
Fascia to fascia in inguinal hernia operations, **lxxix,** 250.
Gastrostomy as a curative measure *per se* in non-malignant strictures of the œsophagus, **liii,** 318.
Pericolitis sinistra, **lix,** 41.
Thyroid surgery and the dementia præcox syndrome, **lxxvi,** 438.
Toxicity of novocaine-adrenalin injected intravenously, **lxiii,** 619.
X-ray in war surgery, **lxvi,** 13.
EASTMAN, NICHOLSON: Thyroid surgery and the dementia præcox syndrome, **lxxvi,** 438.
EAVES, JAMES: Incomplete rupture of the axillary artery, **lxxiv,** 620.
EBERTS, VON, E. M.: Negative tension drainage in the treatment of empyema, **liv,** 58.
Use of differential pressure in the treatment of empyema, **lii,** 502.
Echinococcus cyst of kidney, lxii, 628; liver, **lviii,** 697; **lxi,** 241; **lxxvii,** 634; rectovesical, **lix,** 396; disease of the kidney, **lxv,** 585; **lxvi,** 254.
Eck fistula, technic of, **lx,** 601.
Ectopic gestation, double interval, **lxxi,** 239; ruptured, complicated by cyst of appendix, **lxiv,** 585; with lithopedion, **liv,** 251.
Ectopic kidney, surgery of the, **lxxviii,** 65.
Ectopy of the testis, lxviii, 420; perineal, **li,** 729.
EGGERS, CARL: Acute pancreatitis, **lxxx,** 193.
Appendicitis complicated by acute pyelonephritis, **lxxv,** 758.
Chronic empyema, **lxxvii,** 142.
Non-rotation of the large intestine, **lxxv,** 757.
Radical operation for chronic empyema, **lxxvii,** 327, 375.
Treatment of bronchial fistulæ, **lxxii,** 345.
Ulcer of third portion of duodenum, **lxxix,** 949.
Eggshell fracture of head of metatarsal bone, lxi, 371.
EHRENFRIED, ALBERT: Needles for arterial anastomosis, **liv,** 720.
Suture of the aorta in pregnant cats, **lv,** 215.
Technic of end-to-end arterial anastomosis, **liv,** 485.
EISELBERG, FREIHERR, VON: Basedow's disease, **lv,** 147.
Operations upon the hypophysis, **lii,** 1, 120.
Use of boiling water in operations for removal of malignant tumors of bone, **lii,** 123.
EISENDRATH, DANIEL N.: Acute osteomyelitis of the spine, **lxv,** 147.
Congenital malformations of the ureters, **lv,** 571.
Congenital solitary kidney, **lxxix,** 206.
Congenital strictures and spiral twists of the ureters, **lxv,** 552.
Double kidney, **lxxvii,** 450, 531.
Gall-stones in infancy and childhood, **lxvi,** 557.
Indications for operation in ureteral calculi, **lxx,** 192.
Note on double pelvis and double ureter, **lxv,** 536.
Polycystic kidneys and liver, **lxxiii,** 62.
Relation of variations in renal vessels to pyelotomy and nephrectomy, **lxxi,** 726.
Significance of the Jackson veil, **lx,** 622.
Surgical importance of the supernumerary arteries to the kidney, **lxviii,** 53.
Tribute to the memory of Paul M. Pilcher, **lxv,** 529.
Undescended testis, **lxiv,** 324.
Uretero-pyelography (a critique on its use as a diagnostic procedure), **lxxx,** 712.
EISBERG, HARRY BELLEVILLE: Experimental intestinal obstruction, **lxxiv,** 584.

Elastic ligature, use of, after gastro- and entero-enterostomy, condition after ten years, **lix,** 126.

Elbow, ankylosis of the, arthroplasty for, **lxxix,** 457; bony, ankylosis of the, **lix,** 769; arthroplasty of the, at, **lxii,** 302, 378; **lxxvi,** 615; compound fracture-dislocation of, **lxxx,** 141; dislocation, backward, **liv,** 862; of the, old unreduced dislocation, **lxxiii,** 129; compound, with ruptured brachial vessels, **lxxvi,** 279; forward, with fracture, bone plating, **lv,** 888; excision of the, **lx,** 512, **lii,** 272; for tuberculosis, end result of, **lvii,** 430; fractures of the, **lxxvi,** 78; compound, **lxviii,** 534; old, operations for, **lvi,** 647; loose cartilage in the, **lxxiii,** 761; joint, anterior dislocation at the, **lxxvii,** 612; foreign body in, **lxiii,** 628; luxation, arthrotomy for, **lv,** 777; movable, after suppuration, **lviii,** 571; osteophytic ankylosis of, **lxxv,** 638; splint, lateral angular, **lv,** 783; treatment of injuries in the vicinity of, **lxiii,** 596; tuberculosis of the, cured by X-ray, **lxxv,** 744; tuberculous arthritis of the, **liv,** 278.

Elder, Omar F.: Salvarsan and neosalvarsan; intravenous injection, **lvi,** 753.

Electric bath, relief of endarteritis obliterans by, **lviii,** 670; lighting of operating table, **lvii,** 124; shock causing fracture of surgical neck of scapula by muscular action, **lxxii,** 625.

Electro-magnet, effect of on scar tissue, **lxviii,** 92; radiator vibrator, **lxxi,** 387.

Elephantiasis and the Kondoleon operation, **lxxi,** 28; lymphangioplasty for, **lxii,** 359.

Eliason, Eldridge Lyon: Ankle fractures, **lxxx,** 610.

Rapid regeneration following facial nerve sutures, **lxxix,** 141.

Results of treatment of fracture of the shaft of the femur at the University of Pennsylvania, **lxxiv,** 206.

Septic emboli of mesenteric arterioles, **lxxviii,** 672.

Subacute massive proctitis, **lxxvii,** 625.

Eliot, Ellsworth, Jr.: Abscess of the kidney, **lix,** 779.

Acute ileus, **lxxii,** 527.

Appendicostomy for ulcerative colitis, **lii,** 407.

Appendix to the left of the umbilicus, **lxxv,** 758.

Benign exostoses, **lxxii,** 228.

Bilateral sub-diaphragmatic abscess, result of perforating duodenal ulcer, **lv,** 451.

Bile duct obstruction, **lxxi,** 208.

Certain features of renal calculus, **lxxviii,** 231.

Cholelithiasis, simulating carcinoma, **lii,** 404.

Clinical features and treatment of acute gastric and duodenal ulcer, **lv,** 546, 689.

Closure of artificial anus of eight years duration, with some remarks on the question of intestinal anastomosis, **lxxx,** 478.

Closure of gastro-enterostomy orifice, **lix,** 635.

Co-existing lesions of the gall-bladder and kidney, **lix,** 679.

Conical stump of leg, **lxxii,** 379.

Decortication of polycystic kidney, **liii,** 131.

Delayed union of the femur, **lix,** 780.

Duodenal fistula, **lxxii,** 378.

Factors bearing on the mortality in operations for biliary obstruction by calculus, **lxvi,** 227.

Hydronephrosis, unusual case of, **lxi,** 474.

Inflammatory intestinal hyperplasia, **lxxi,** 796.

Interscapulothoracic amputation for recurrent, sarcoma, **lvi,** 373.

Intraperitoneal hemorrhage from laceration of Fallopian tube, **lvi,** 340.

Intussusception in a child, **lxi,** 476.

Intussusception of the ileum, **lxvi,** 606.

Intussusception with special reference to adults, **liii**, 169.
Ligation of common carotid for pulsating exophthalmos, **lv**, 454.
Loose fragments of bone in fractures, **lix**, 633.
Management of pelvic abscess in acute appendicitis, **lxxiv**, 480, 654.
Mesenteric thrombosis, **lxii**, 513.
Modified Talma operation for cirrhosis of liver after three years, **li**, 256.
Nephrolithiasis, **lxi**, 475.
Paralysis of the trapezius muscle, **lx**, 763.
Reamputation of the foot by the method of Pirogoff, **lxv**, 770.
Recurrence versus metastasis in carcinoma, **lxxvi**, 324.
Recurrent floating cartilage in knee-joint, **lii**, 405.
Relation between intestinal damage and delayed operation in acute ileus, **lxxii**, 530.
Relaxed internal ligament of knee, **lii**, 406.
Removal of appendix in a case of tuberculosis in the peritoneum, **lxxvii**, 637.
Resection of intestine in strangulated femoral hernia, **lv**, 453.
Result of operation for hepatoptosis after five years, **li**, 258.
Retention cyst of the pancreas, **lv**, 436.
Simple fracture of vertebra with contusion of the cord, **lii**, 409.
Spontaneous rupture of the spleen, **lix**, 759.
Torsion of the omentum, **lix**, 777.
Traumatic asphyxia, **lii**, 408.
Treatment of gunshot wounds of the chest, **lxx**, 30.
Treatment of subclavian aneurism, **lvi**, 83.
Tuberculosis of kidney, **lxii**, 508.
Use of fascia for arterial ligations, **lxxi**, 790.
X-ray, legal responsibility of surgeon in use of, **lxiii**, 479.

ELKIN, DAN COLLIER: Cirsoid aneurism of the scalp, **lxxx**, 332.
Tuberculosis of the breast, **lxxvii**, 661.

ELLIOTT, GEORGE R.: Fracture of odontoid process of axis, **lvi**, 876.

ELLIS, J. W.: Cause of death in high intestinal obstruction, **lxxv**, 429.

ELMER, WALTER G.: Bone grafting for Pott's disease, **lix**, 136.
Fractures of the pelvis, **lxxi**, 401.
Handling of children with tuberculosis of the spine under anæsthetic, **lxiv**, 34.
Infection following tonsillitis, **lv**, 914.
Lumbar hernia, **lxiii**, 377.
Osteo-arthritis from focal infection, **lxvii**, 614.
Sacro-iliac arthritis following typhoid fever, **liii**, 731.
Surgical technic of orthopædic surgery, **lxviii**, 646.

ELMSLIE, R. C.: After treatment of wounds, review of, **lxix**, 677.

ELOESSER, LEO: Nature of neuropathic affections of the joints, **lxvi**, 201.

ELSBERG, CHARLES A.: Abdominal skin flaps in breast operations, **lxii**, 678.
Abscess of frontal lobe, **lxvi**, 508.
Anæsthesia by intratracheal insufflation of air and ether, **lii**, 23; **liii**, 161; **liv**, 572.
Aneurism of the innominate artery, **liii**, 545.
Aneurism of the temporal artery, **lxix**, 334.
Ankylosis of inferior maxilla, **lxii**, 102.
Bone transplantation for sarcoma of the humerus, **lxiv**, 106.
Brain tumor, **lxxv**, 376; **lxxx**, 618.
Cerebellar cyst, **lxxiii**, 799.
Cranioplasty for cranial defects, **lxxv**, 115.
Craniotomy for cerebellar cyst, **li**, 254; **lxvi**, 507.
Craniotomy, technic of, **lxi**, 107.
Cyst of the cerebellum, **lxxv**, 376.
Decompressive laminectomy for multiple sclerosis, **lxv**, 266.
Diseases of spinal cord and its membranes, review of, **lxiv**, 636.
Dorsal pachymeningitis cured by laminectomy, **lxii**, 101.

Epithelioma of the dura, **lxxiii**, 797.
Exploratory laminectomy, **liii**, 543.
Extracerebellar tumor, **lxxiii**, 799.
Extramedullary spinal cord tumor, **lxvi**, 508, 510.
Extramedullary spinal cord tumor in upper cervical region, **lxv**, 269.
Extramedullary spinal tumor, **lxi**, 245.
Fracture of the spine with cord and root symptoms, **lxvii**, 63, 108.
Further experiences with anæsthesia by intratracheal insufflation, **liii**, 749.
Habitual dislocation of the patella, **lx**, 767.
Hemithyroidectomy after ligation of the superior thyroid vessels for exophthalmic goitre; hyperthyroidism, **li**, 225.
Hemorrhage into thyroid cyst; hemorrhage into ovarian cyst, **li**, 255.
Hypophysis, tension of, **lix**, 454; **lx**, 767.
Intratracheal insufflation of air and ether for anæsthesia, **lii**, 23; **liv**, 749.
Laminectomy for adhesive arachnitis, **lxv**, 267; multiple extramedullary spinal tumors, **lxv**, 268; pachymeningitis, **lxv**, 270; and removal of tubercle from spinal cord, **lxv**, 269; for spinal tumor, **lx**, 454; for spinal tumor and other spinal diseases, **lx**, 519, 521; for tumor of spinal cord, **lv**, 608, 609; for varicose veins of the cauda equina, **lxv**, 268.
Multiple brain tumor, **lx**, 761.
Multiple lymphosarcoma of both breasts, **lx**, 767.
Multiple symmetrical lipomata, **lix**, 636.
Neurofibroma in cerebello-pontine angle, **lxvi**, 509.
Observations upon a series of forty-three laminectomies, **lv**, 217.
Operative removal of brain tumors, **lxxvii**, 769.
Osteochondroma of vertebræ, **lxxx**, 637.
Osteoplastic craniectomy, **liii**, 852.
Pituitary cyst, **lxii**, 101.
Post-operative intestinal adhesions, cause of, **lix**, 460.
Prevention of hydrocephalus after operation for spina bifida, **lxv**, 257.
Recurrent spinal cord tumor, **lxxv**, 377.
Removal of tumor of the spinal cord by laminectomy, **liii**, 848.
Resection of superior maxilla for sarcoma; well after twelve years, **lxii**, 102.
Results of bridging defects in peripheral nerves, **lxxii**, 415.
Sarcoma of spine, **lii**, 414.
Some lesions observed in operations for old injuries to the spinal cord, **lxix**, 239.
Some surgical features of injuries of the spine, **lviii**, 296.
Spastic paraplegia due to abnormality of the posterior spinal vessels, **lxi**, 244.
Spina bifida occulta, **liii**, 543.
Spinal cord, tumor, **lxxv**, 378.
Spinal symptoms relieved by laminectomy, **lxxv**, 377.
Subcortical sarcoma removed from the parietal region, **lxv**, 270.
Transfrontal operation for tumor of hypophysis, **lx**, 767.
Elting, Arthur W.: Abscess of the spleen, **lxii**, 182.
Treatment of fistula in ano, **lvi**, 744.
Ely, Leonard W.: Ankylosing operations on the tubercular spine, **lxx**, 744.
Experimental resection of the dog's knee-joint, **lxx**, 586.
Experimental study of buried bone, **lxx**, 747.
Formation of bone, **lxix**, 225.
Giant-cell growth of bone and tendon sheath, **lxviii**, 426.
Joint mouse, **lxi**, 80.
Legg's disease, **lxix**, 47.
Subluxation of the atlas, **liv**, 20.

Embolism, air, treatment of, **lii**, 471; and thrombosis, arterial, operative treatment of, **lxi**, 519; and thrombosis of the superior mesenteric artery, **lviii**, 459; brachial artery, **lxxvi**, 788; fatal post-operative, **lvi**, 809; pulmonary, fat, **lxxvi**, 581.

Embolus of axillary artery, lxxviii, 549.

Embryoma, kidney, **lxxviii**, 226; or sarcoma of the kidney in infants, **lxxvii**, 306.

Embryonal type of large intestine, persistent, **lxi**, 73, 116.

EMERSON, MARK LEWIS: Use of autogenous bone grafts, **lxx**, 105.

Empyema, pleural cavity, **lxxviii**, 711; **lxii**, 309; **lxvi**, 290; **lxix**, 509; **lxxvii**, 249, 401; acute, aspiration drainage for, **lxxii**, 327; application to, of the principles underlying the use of antiseptics, **lxviii**, 148; with bronchial fistula, **lxxvi**, 793; at Camp Bowie, Texas, **lxx**, 49, 116; chronic, **lxix**, 556; **lxxiii**, 648; **lxxvii**, 142, 241; a typical, **lxxvii**, 375; and thoracic fistula, **lxx**, 43; etiology of, **lxxii**, 70; in U. S. Army, **lxxvi**, 549; thoracoplasty for, late result after, **lxvi**, 729; radical operation for, **lxxvii**, 327, 375; treatment of, **lxx**, 545, 552; **lxxii**, 80, 266, 288; visceral pleurectomy for, **lix**, 884; **lx**, 126; Delorme-Schede operation for, **liii**, 845; differential pressure in the treatment of, **lii**, 502; double and anomalous forms of, **lx**, 125; drainage in, device for, **lxvii**, 372; the treatment of, negative tension, **liv**, 58; exploration of thorax in, **lxvi**, 109; in young adults, operation for, **lxxii**, 66; mechanical factors in the management of, **lxxii**, 393; observations on, **lxxii**, 12; osteectomy for, **lvii**, 775; prognosis and treatment of, **lxvii**, 697; recovery from, **lxi**, 637; streptococcus, hæmolyticus in, **lxix**, 664; syllabus of operative treatment for, **lxxii**, 87; surgical treatment of, **li**, 84; value of, **li**, 84; value of Dakin's solution in the treatment of, **lxxiv**, 79; chronic, Delorme-Schede operation for, **lvi**, 472; thoracotomy, **lxiv**, 509; trend of surgery in, **lxv**, 320; treatment of, **lxxvi**, 700; **lxx**, 55.

Ureter, **liii**, 378; ureteral stump, following incomplete ureterectomy, **lxxviii**, 387.

Empyemas, recent, mechanical factors in the management of, **lxxiii**, 735.

Encephalocele, frontal, **liv**, 283.

Encephalocystocele, the study of, **lxi**, 10.

Enchondroma from fibula, removal of, **lxix**, 336.

Encysted foreign bodies, lxxix, 114.

End results in cancer as influenced by type, reaction, location and age, **lxxvi**, 308; of operations for cancer of the bladder, **lxxvi**, 352; breast, **lxxvi**, 341, 346; rectum, **lxxvi**, 386; gastric and duodenal ulcer and cancer, **lxxvi**, 467; of the surgical treatment of carcinoma of the cervix uteri, **lxxvi**, 395.

Endarteritis obliterans relieved by electric bath, **lviii**, 670; syphilitic nature of, **lix**, 796.

Endo-aneurismorrhaphy, lxxx, 325. for femoral aneurism, **lvi**, 933; popliteal aneurism, **liii**, 861; treatment of arteriovenous aneurism by the intrasaccular method of suture, **lxxi**, 403.

Endocrine, death, post-operative, **lxxiii**, 112.

Endothelioma, brain, **lxi**, 106; frontal lobe of the, **lxiii**, 380; of the peritoneum, **lx**, 356.

Endothermy in the treatment of accessible neoplastic diseases, **lxxix**, 9; facial tumor removed without hemorrhage by bipolar, and the endotherm knife, **lxxx**, 954.

ENSTAD, J. E.: Device for warming ether during inhalation, **lxiv**, 601.

Enterocolectomy, partial, for carcinoma, **lv**, 466.
Entero-enterostomy to relieve vicious circle, **lxvi**, 119.
Enteroptosis, **lii**, 566.
Enterostomy and the use of the omentum in the prevention and healing of fistula, **lxvi**, 568; as a therapeutic and diagnostic measure, **lxxx**, 501; 59 cases of, **lxxx**, 148; for ileus, **lxv**, 95; for intestinal obstruction following acute appendicitis, **lviii**, 405; high, for ileus, jejunostomy, **lxxix**, 619; technic for a temporary, **li**, 142.
Enterovesical fistula, **lxviii**, 541.
Enuresis of adult hypertonic bladder, **lxx**, 482.
Epididymectomy for tuberculosis, **li**, 121.
Epididymitis, gonorrhœal, acute, by epididymotomy, surgical treatment of, **lix**, 739; operative treatment of, **lx**, 719; complicated by peri-epididymitis, treatment of, **lxvii**, 103; operative treatment of, **lxxiii**, 357; non-gonorrhœal and non-tuberculous, **lxv**, 646.
Epigastric artery, repair of the deep, **lxiii**, 244; stab wound of the, **lxv**, 450.
Hernia, **liv**, 78; cause of chronic diarrhœa, **lv**, 66; femoral, inguinal and multiple, **lxxviii**, 421; strangulated, **lxxii**, 629; without palpable swelling, **lxvi**, 300.
Epilepsy, craniotomy for, **lxxvi**, 784; cure of by extirpation of adrenal gland, **lxxvi**, 176; decompression for, **lvi**, 372; effect of extirpation of adrenal gland upon, **lxxv**, 248; Jacksonian, caused by brain tumor, **lxxii**, 402; pleural, **lxxviii**, 6; traumatic, **lxii**, **626**; **lxiv**, 731; craniotomy for, **lxvi**, 601.
Epiphyses, disjunction of metacarpal, **lxi**, 374.
Epiphysial fractures, incomplete, at the hip, **lxxvi**, 624; injury, sequelæ of the, **lxxix**, 468; line fractures, prognosis in, **lxxix**, 273; metaphyseal fractures, **lix**, 447; separation, lesser trochanter of femur, **lxv**, 241; upper end of humerus, **lxxiv**, 106; transplantation for defect in fibula, **lxiv**, 519.
Epiphysis, extra of metacarpal, **lxi**, 374; of the first metacarpal bone, separation of the, **lvi**, 450; lower, of femur, separation of, **lvi**, 869; **lxi**, 99; **lxx**, 113; radial, unreduced separation of, **lxxviii**, 550; premature ossification after separation of the lower radial, **lxxv**, 501; tibia, old deformity from injury to, **lxxi**, 522; separation of upper, **lxxvii**, 485.
Epiploicæ appendices, torsion of, **lxix**, 31; and inflammation of the, **lxvi**, 467.
Epiplopexy, present status of, **lxxv**, 449.
Episcopal Hospital of Philadelphia, surgical clinic of the, **liv**, 554.
Epispadias in the female, its surgical treatment, **liv** 402.
Epitheliation of granulating surfaces, the effect of scarlet red, in various combinations, upon the, **li**, 40.
Epithelioma, adamantine, of the lower jaw, **lxxix**, 358; cheek, extensive, **lv**, 470; eyelid, lower, **liii**, 300; face, following X-ray treatment of a keloid, **lxviii**, 75; genito-urinary organs, **lxxv**, 574; immediately following burn, **lxiv**, 513; in old osteomyelitis sinus, **lxxiii**, 247; lip, lower, prophylaxis and treatment of, **lv**, 227; nose, extensive, rhinoplasty for, **lxxix**, 466; papillary, of kidney pelvis, **lxxx**, 591; salivary gland type, aberrant adenoid cystic, **lxxv**, 331; squamous cell, of the skin, **lxxiii**, 141.
Epoch-making contributions to medicine and surgery and the allied sciences collected by C. N. B. Camac, review of, **lii**, 864.
Epulis, removal of, followed by mucous membrane plastic, **lxiv**, 363; surgical aspect of, **lii**, 489.

Erb's paralysis in the adult, traumatic, **lviii,** 577, 683.
ERDMANN, JOHN F.: Acute gastric dilatation after gastro-enterostomy, **lx,** 646.
Avulsion of the tubercle of the tibia, **liii,** 431.
Bilateral pneumococcus mastitis, **liii,** 726.
Biliary surgery, **lx,** 665.
Calcified deposit in mesentery gland, **liii,** 853.
Carcinoma involving glans penis, **lxvi,** 232.
Carcinoma of the papilla of Vater, **lviii,** 686; **lxii,** 511.
Carcinoma of the stomach, **liii,** 727.
Chronic inflammatory intestinal hyperplasia, **lxxi,** 797.
Co-existing lesions of gall-bladder and kidney, **lix,** 783.
Diverticulitis of sigmoid, **lxvi,** 730.
Duodenal diverticula, **lxxvi,** 125.
Excision of body of scapula for sarcoma, **lxxi,** 388; carcinoma of stomach, **lxii,** 108; pectoral muscles in operations for cancer of breast, **lxviii,** 99; remains of Wolffian duct, **lviii,** 689; thyroglossal duct sinus, **lxxi,** 219.
Extensive gastrectomy, **lx,** 757.
Fascial transplant for herniotomy, **lxvii,** 243.
Gall-stones in the young, **lix,** 781.
Gastrectomy with transverse colectomy, **lxii,** 109.
Gastrocolic fistula, following gastro-enterostomy, **lxviii,** 96.
Gastrojejunal ulcer, following the use of the non-absorbable suture, **lxxiii,** 659.
Gastrojejunal ulcer subsequent to gastro-enterostomy, **lxxiii,** 434.
Hæmolytic jaundice in children four and six years, **lxxx,** 159.
Hemorrhagic pancreatitis, **liii,** 435.
Horsley's operation for ulcer of the stomach, **lxxix,** 957.
Injury of the brachial plexus and axillary vessels, **lx,** 518.
Intestinal growths, **lxxiv,** 508.
Late results after resection of the stomach for carcinoma, **lxxiii,** 653.
Lymphangioplasty, **lvii,** 941.
Marginal jejunal ulcer, **lxxix,** 468.
Obstructive (malignant) jaundice, **lxvii,** 273.
Partial extirpation of stomach for carcinoma, **lvii,** 443.
Partial extirpation of stomach with extirpation of gall-bladder and removal of stones from bile-ducts, **lvii,** 443.
Partial gastrectomy, **lviii,** 687; **lx,** 756.
Partial gastrectomy for carcinoma of the pylorus, **liii,** 728.
Partial gastrectomy and cholecystectomy, **lx,** 757.
Perforated duodenal ulcer, **lx,** 758, 759, 760.
Perforated gastric ulcer, **lx,** 758.
Perforation of uterus with prolapse of intestine necessitating extensive removal, **lvii,** 443.
Pituitary tumor, **lix,** 452.
Polyposis of the colon, **lxvi,** 231.
Post-operative intestinal adhesions, cause of, **lix,** 460.
Pylorectomy and partial gastrectomy for perforating ulcer of the stomach, **li,** 574.
Pyloric stenosis from ulcer, **liii,** 727.
Reconstruction of bile ducts, **lxvii,** 370.
Reconstruction of common bile duct, **lxxv,** 380.
Recurring peptic ulcer, **lxxi,** 675.
Result of operation for carcinoma of the stomach, **lxii,** 117.
Results of Polya-Balfour operation for carcinoma of the stomach, **lxix,** 548.
Rupture of intestine in a child, **lviii,** 686.
Rupture of the liver in a child, **lviii,** 686.
Sarcoma of clavicle, **lxxvii,** 778.
Sarcoma of the intestines and stomach, **li,** 122.
Sarcoma of the stomach, **lxxi,** 677.
Six abdominal sections in one patient, **liii,** 728.

Splenectomy for Banti's disease, **lxvii**, 369.
Stab wound of the heart, **liii**, 727.
Stenosis of the pylorus and duodenum with excision and posterior gastro-enterostomy, **li**, 573.
Stewart incision for removal of carcinoma of the breast, **lxiv**, 630.
Torsion of omentum with acute appendix, **lxxiii**, 252.
Treatment of cystic mastitis, **lxiv**, 743.
Treatment of erysipelas cases, **lxvi**, 245.
Treatment of hallux valgus, **lx**, 513.
Ulcer of the duodenum, **lxii**, 109.
Use of Murphy button in intestinal surgery, **lxxiii**, 251.

ERDMAN, SEWARD: Acute mechanical intestinal obstruction treated by high temporary jejunostomy, **lxxx**, 148.
Branchial fistula, **lxxv**, 120.
High enterostomy for ileus; jejunostomy, **lxxix**, 619.
Hyperplastic tuberculosis of the intestines, **lxxi**, 637.
Inguinal hernia in the male, **lxxvii**, 171.
Laceration of the duodenum, rupture of liver, **lxxiii**, 793.
Mikulicz operation for carcinoma of the sigmoid, **lxxi**, 388.
Non-tuberculous inflammation of the cæcum, **lxxiii**, 669.
Reconstruction of the common bile duct, **lxxv**, 381.
Rectus transposition in hernia, **lxvii**, 625.
Results of operations for inguinal hernia at the N. Y. Hospital, **lxvi**, 702.
Suboccipital decompression for tumor of the brain, **lxviii**, 85.
Transplantation of tendon, **lxxvii**, 503.

ERLANGER, JOSEPH: Hypertonic gum acacia and glucose in the treatment of secondary traumatic shock, **lxix**, 389.

Erysipelas complicated by streptococcic peritonitis, lxiv, 379; method of treating, **lxvi**, 129, 245; treatment of, with chinosal, **lxxv**, 143.

Eserin, value of, in paralytic ileus, **liii**, 129.

ESSER, J. F.: Studies in plastic surgery of the face, **lxv**, 297.

ESTES, WILLIAM LAWRENCE: Analysis and study of seven hundred twenty-four major amputations, **lviii**, 39.
End results of bone fractures, **lxii**, 278.
End results of fracture of the shaft of the femur, **lvi**, 162.
Fractures of the femur, **lxiv**, 74.
Operations for cancer of rectum, **lvi**, 342.

ESTES, WILLIAM LAWRENCE, JR.: Cause of delayed union and non-union in fractures of the long bones, **lxxi**, 40.

Ether anæsthesia, fatalities caused by intermittent administration, **liv**, 418; intravenous, **lv**, 133; device for warming during inhalation, **lxiv**, 601; vapor, warmed, use of, for anæsthesia, **lxiii**, 305 (Cf. anæsthesia, general).

Ethmoid bone, sarcoma of the, **lxvii**, 621; **lxxii**, 390.

European war, remarks on the surgery of the, **lxiii**, 208; surgical lessons of, **lxiv**, 136.

EUSTACE, ARTHUR B.: Ileus due to Meckel's diverticulum, **lvii**, 83.

Evacuation apparatus for the removal of fluids from the abdomen during operation, lx, 535.
Evacuation hospital, rôle of, in care of the wounded, **lxviii**, 127; organization and operation, **lxx**, 489.

Evagination of ileum into the urinary bladder producing intestinal obstruction, lxviii, 429.

Eventration of the diaphragm, lxxviii, 155.

Eversion of the bladder, lix, 555.

EWING, EPHRAIM M.: Nature of shock, **lix**, 158.

EWING, JAMES: Neoplastic diseases, text-book on tumors, review of, **lxix**, 342.
Relation of gastric ulcer to cancer, **lxvii**, 715.

Excision of the elbow-joint, ultimate result of, **lii,** 272.
Exophthalmic goitre, lxiv, 385; **lxxvi,** 649; hemithyroidectomy after ligation of the superior thyroid vessels for, **li,** 255; partial thyroidectomy for, **lii,** 713; **liii,** 422; partial thyroidectomy after preliminary arterial ligation, **lvi,** 789, 791; resulting in blindness from corneal ulcers, **lxxix,** 495; results of operative treatment of, **lxiv,** 400; surgical treatment of, **lxiv,** 487; toxic adenoma in relation to, **lxxii,** 141; with adenoma, results of operations for, **lxxii,** 145.
Exophthalmos, pulsating, **lxiii,** 389; **lxxx,** 1, 272; ligation of common carotid for, **lv,** 454.
Exostoses, benign, **lxxii,** 228; multiple cartilaginous, **lxiii,** 167, 250, 749.
Exostosis, of scapula, **lxxiii,** 648; subscapular, **lxi,** 619.
Experience, surgical and surgical knowledge, **lxv,** 673, 760.
Exstrophy of the bladder, liii, 135; in the female, **lxxiii,** 100; potential malignancy in, **lxxv,** 365; urinary bladder with carcinoma, **lxxiii,** 354.
Extension in fractures by Steinmann's nail method, lx, 397; to overlapping fractures, application of, **lxx,** 231.
Extensor longus pollicis, rupture of tendon of, **lxxviii,** 398; extensor of digits, supernumerary, **lxiv,** 380.
Extraperitoneal intrapleural route of approach for intrathoracic surgery, lxxx, 908.
Extra-uterine gestation, specimen of very early, **lxxi,** 512.
Extremity or extremities, circulatory and trophic disturbances of the, **lx,** 742, 775; lacerated and incised wounds of, treatment of, **liv,** 696; operations on the long bones of the, anatomical methods of approach in, **lxviii,** 309; upper, rudimentary left, **lv,** 421.
Eye, surgery of the, by Torok and Grout, review of, **lix,** 636.
Eyelid, epithelioma of the, **liii,** 300; plastic operation on, **lxxvi,** 656.

F

Face and lips, staphylococcus infections of the, **lxxv,** 766; **lxxvi,** 13; clefts of the, congenital, **lxvii,** 110; deformities of, the surgery of, treatise on by John B. Roberts, review of, **lvii,** 445; defects, prothesis for, **lxvii,** 623; excision of bilateral paraffinoma of, **lxxx,** 946; epithelioma of, following X-ray treatment, **lxviii,** 75; plastic surgery of, **lxxvi,** 129; **lxxx,** 610; review of Gillies' treatise on, **lxxii,** 766; studies in, **lxv,** 297; tubular flap method, **lxxii,** 637.
Facial carbuncle with sinus thrombosis, lxvii, 119; diplegia, traumatic, **lxx,** 150; nerve sutures, rapid regeneration, **lxxix,** 141; nerve, preservation of the submaxillary branch in operations on the neck, **lii,** 487; paralysis, hypoglossal, facial anastomosis for, **lxvii,** 627; tumor, large, malignant, removed without hemorrhage by bipolar endothermy and the endotherm knife, **lxxx,** 954.
Falciform ligament of liver, hypernephroma of, **lxviii,** 395.
FALLON, LOUIS FLEMING: Spontaneous pan-hysterectomy after abdominal contusion, **lxvii,** 208.
FALK, HENRY C.: Surgical anatomy of the thyroids and parathyroid glands, **lxiii,** 71, 124.
Gibson-Mikulicz tampon in acute appendicitis, **lxxiii,** 473.
FARR, CHARLES E.: Intussusception, **lxxviii,** 681; of appendix, **lxxvi,** 669.

Ischæmic fat necrosis, **lxxvii,** 513.
Necrosis of the pancreas, **lxxvi,** 787.
Perforating gastric and duodenal ulcer, **lxxii,** 593.
Perithelioma of the carotid gland, **lxxx,** 789.
Picric acid in operative surgery, **lxxiii,** 13.
Polyserositis, **lxxix,** 301.
Preservation of the submaxillary branch of the facial nerve in operations on the neck, **lii,** 487.
Renal tuberculosis, **lxxx,** 787.
Sarcoma of, the leg, **lxxx,** 790; uterus, **lxxx,** 792.
Strangulation of the undescended testis, **lviii,** 838.
Suppurative arthritis of the knee, **lxxix,** 302.
Treatment of the appendix, **lxxiii,** 749.
FARR, ROBERT E.: Lead protector for use in bone work, **lxi,** 768.
Pneumatic injector for local anæsthesia, **lxxix,** 637.
Preliminary circular constriction in certain cases of amputation, **lxxix,** 913.
Primary sarcoma of the large intestine, **lviii,** 818.
Fascia flap to overcome tendon defect in injury to forearm, **lxvi,** 120; implantation graft into dural defect, **lxii,** 626; lata, free transplantation of, **lx,** 481; lata graft for cranial defects, **lxix,** 338; lata transplant in old fracture of patella, **lxii,** 746; lata transplants in reconstruction of the œsophagus, **lxxvi,** 157; lata, use of to repair defect of heel, **lxxv,** 252; strip of, used for ligation of common carotid artery, **lxix,** 790; suture in operations for inguinal hernia, **lxxix,** 250; transplant for recurrent ventral hernia, **lxxi,** 225; transplantation of free flaps of, **liv,** 734; white, a method of herniotomy utilizing only, **lxxx,** 225.
Fascial bands, inefficiency of pyloric exclusion by, **lxiii,** 438; flap operation for incisional hernia, **lxxvi,** 658; strip, use of for arterial ligations, **lxxvii,** 630; transplant in herniotomy, **lxvii,** 241; transplants in War surgery, **lxviii,** 1.
Fat, fascia, bone transplant for defect of skull, **lxviii,** 544; fat in the appendix and its relation to inflammation, **lxvii,** 202; necrosis, in incisions, prevention of, **lxxvii,** 782.
Fat necrosis ischæmic, **lxxvii,** 779; traumatic, of female breast, **lxxix,** 943; traumatic, of the female breast and its differentiation from carcinoma, **lxxx,** 670; fat transplant for adhesions after tenorrhaphy, **lxxi,** 791; for painful stump, **lxxvi,** 650.
Fatty capsule, utility of, in the operation of nephropexy, **lxii,** 384; hernias, **lxix,** 278.
FAUNTLEROY, A. M.: Gas bacillus infection, **lxiii,** 1.
Inguinal hernia protruding through femoral ring, **lxxii,** 675.
Posterior gastro-enterostomy three years after anterior gastro-enterostomy, **liii,** 53.
Splenectomy for traumatic rupture of spleen, **lvii,** 68.
Surgical lessons of the European war, **lxiv,** 136.
Treatment of burns, **lxix,** 589.
FAY, TEMPLE: The diagnostic value and interpretation of cerebrospinal determinations, **lxxx,** 641.
Fecal, fistula appendiceal, **lxxx,** 56, 149; continence, restoration of, after iliac colostomy, **liii,** 250; drainage through fistula in low-seated intestinal obstruction, **lvii,** 106; fistula following strangulated hernia, **lxviii,** 272; fistula, method of closure, **lxi,** 110; mucocutaneous, closure of, **lxii,** 576; with multiple joint infection, **lxxi,** 778.
Fecolith, large, in the appendix, **lxvi,** 506.
FEDEROFF, S. P.: Intravenous hedonal anæsthesia, **lv,** 133.

Feeding, transgastric jejunal, **lii,** 373.

Feet, paralytic, bone transplantation in, surgical treatment of, **lxvii,** 163; weak and flat, three frequent causes of, **lxxiii,** 499.

Felons, lxiv, 716.

Femoral artery and vein, arteriovenous aneurism of, **lxi,** 367; **lxiv,** 747; bullet wound of, successfully treated, **lxxv,** 705; wound of, **lxxviii,** 84; aneurism of, **lxxix,** 884; bullet wound of thigh producing traumatic aneurism, **lxxviii,** 403; deep traumatic aneurism of, **lx,** 500; gunshot wounds of, **lxxvi,** 651; suture of wound of, **lxvii,** 255; vessels, myxosarcoma of thigh involving, **lxxviii,** 422.

Femoral hernia, anatomical study of, **lxii,** 582; in the aged, radical cure of, **liii,** 676; intra-abdominal operation for, **lxxv,** 110; Lotheisen's operation for, **lxix,** 432; prevascular, **lv,** 848; is the sac of congenital origin, or acquired? **lii,** 668; strangulated, resection of intestine in, **lv,** 453; vein, resection of, for thrombophilia, **lxvi,** 600.

Femur avulsion of lesser trochanter of, lxv, 241; central luxation of, treatment of, **lxxi,** 62; **lxxi,** 226.

Fracture of, **lxxviii,** 108; **lxii,** 610; **lxiv,** 74, 122; **lxix,** 466; application of war lessons to, **lxx,** 603; the shaft of the, **lxxx,** 848; complicated with dislocation of hip, **liv,** 393; delayed union of, **lix,** 780; extension in, **lv,** 780; gunshot, and wounds of the femoral vessels, requiring amputation, **lxxviii,** 405; in children, **lxxviii,** 421; **lxxvii,** 736; internal condyle of, **lxi,** 79; lesser trochanter of, isolated, **lxxiii,** 117.

Fracture of the neck of, **lxx,** 600; abduction treatment for, **lxiii,** 509; **lxxvii,** 127; **liii,** 489; **liv,** 859; artificial impaction for, **lxiii,** 366; autoplastic repair of, **lxii,** 284; immediate operation for, **lxxvi,** 631; impacted, locomotion after, **lxxix,** 270; intracapsular, treatment of, **lxxiii,** 767; pathological, due to thyroid metastases, **lxxvii,** 689; results of treatment of, **lxxix,** 615; review of Basset on, **lxxiii,** 256; splint for, **lxxi,** 501; treated by bone graft peg; **lxii,** 85; **lxxix,** 470; treatment of, **lx,** 485, 508; **lxiv,** 125, 505; **lxxiv,** 127; ununited, **lix,** 140; ununited and the reconstruction operation, **lxxiii,** 245;

Oblique fracture, treatment by chromic catgut binding, **lxxi,** 520; oblique, subtrochanteric, **lx,** 528; operative treatment, **liv,** 260; **lv,** 881; pretrochanteric of, **lxxiii,** 227; results of treatment by abduction and plaster fixation, **lxxiii,** 752; shaft of, in children, inequality of the lower extremities following, **lxxiv,** 498; results of treatment at the University of Pennsylvania Hospital, **lxxiv,** 206; fracture of shaft of, **liii,** 499, 586; end results, **lvi,** 162; splint for, **lxvii,** 429; supracondyloid, **lxxiii,** 122; treated by plating, **liv,** 257; refractured, with plating, **lxxi,** 203; through the trochanters of the, **lviii,** 494; treated by intramedullary splint, **liii,** 541; treated by operative method, **liii,** 732; treatment of, **lxv,** 491; ununited, **lxxviii,** 550; treated by bone transplant, **lx,** 779; vicious, splint for, **lxxiii,** 495; freeing of fragments preliminary to the operative reduction of, **lvi,** 642; head of, perforating acetabulum, **lxx,** 296; impacted fractures through and near neck of, **liv,** 682; separation of lower epiphysis, **lxi,** 99; **lxx,** 113; **lxxx,** 143; with fracture of shaft of tibia, **lxxx,** 142; traumatic of the lower epiphysis of, **lvi,** 869; **lvii,** 135; transverse supracondylar fracture of, **lxxx,** 143.

Osteoidchondroma, intramedullary of, recurrent, **lxxi,** 200.

Osteomyelitis of, **lxxvi**, 289; acute suppurative, **lvi**, 359; syphilitic, **lxxiv**, 661.
Osteitis fibrosa cystica of the, **lxxiv**, 796.
Sarcoma periosteal, round-celled of, **lviii**, 280; sarcoma of, **lxxviii**, 417; sarcoma of, **liii**, 288; **lxiv**, 357; central, mixed toxin treatment in cases of, **lxv**, 370; contribution to the study of, **lviii**, 97; giant-cell of the, with metastases in the femoral vein, **lxxviii**, 846; primary, of lower end of, involving the synovial membrane, **lx**, 440.
Femurs, fracture of both, simultaneous, **lxi**, 715.
FERGUSON, ALEX H.: Combined operation for resection of the rectum for cancer, **lii**, 139.
FETTEROLF, GEORGE: Dumb-bell kidney, **lvii**, 868.
Fibrin paper as a hæmostatic agent, lxviii, 66.
Fibrinous calculi in the kidney, li, 111.
Fibro-epithelial tumors of the mammary gland, liv, 517.
Fibroids, multiple, in the male pelvis, **lxxi**, 755.
Fibroma of the abdominal muscles, lxix, 600, 651; intraintestinal, **lxviii**, 98; of the ovary, **lxxiii**, 772; popliteal space, **lv**, 447; small intestine, resulting in intussusception, **lxiv**, 109; stomach, **lxxix**, 456; ulcerating, **lxxi**, 678; testicle, **lxx**, 210; sublingual, **lxxx**, 187.
Fibromata of both breasts, lxv, 381; multiple, recurring, **lxvii**, 364.
Fibromatosis of the stomach, lviii, 10, 271.
Fibro-myoma of the abdominal wall, following hysterectomy, **lxxiv**, 364; cæcum, **lxxii**, 771.
Fibrous tumors of the foot, lxxvi, 101.
Fibula, chondrofibroma of the, **lxxiv**, 794; congenital absence of the, **lxiii**, 378; enchondroma of, **lxix**, 336; osteomyelitis of, **lix**, 786; sarcoma, periosteal, **lxxviii**, 415; transplantation of, **lxxvi**, 91.
Fifth nerve, section of the posterior root of, for trifacial neuralgia, **lv**, 905.
Filaria causing bilateral femoral adenolymphocele, lvi, 942.
Filigree silver, implantation of, in cases of hernia, **lv**, 321; in the treatment of umbilical hernia, **lxviii**, 104.
Finger, congenital absence of, transplantation of toe for, **lxxx**, 944; contracture treated by pedicled abdominal transplant, **lxvii**, 114; new, formed by transplantation, **lxix**, 379; preserved by ivory dowel after removal of enchondroma, **lvi**, 766; rhinoplasty by means of one, **li**, 191; use of, in rhinoplasty, **lviii**, 408.
Fingers and hand, cicatrix deformity of dorsum, **lxxix**, 465; gangrene of, with scleroderma, **lxxviii**, 814; webbed, **lxvii**, 228; **lxxviii**, 532, 543.
FINKELSTEIN, HARRY: Spondylitis deformans relieved by Albee operation, **lxiv**, 713.
FINNEY, JOHN M. T.: Extirpation of the spleen for diseases of the blood, **lx**, 133.
Fibromatosis of the stomach, **lviii**, 272.
Function of the gastro-enterostomy opening in cases of permeable pylorus, **lx**, 131.
Opportunities and responsibilities of the surgeon, **lxxvi**, 293.
Pyloroplasty for pyloric stenosis, **lxxix**, 146.
Resection of the pancreas, **li**, 818.
Wiring of otherwise inoperable aneurisms, **lv**, 661.
FINOCHIETTO, RICARDO: Usefulness of ventral decubitus in some leg amputations, **lxi**, 616.
FIOLLE, J.: Surgical exposure of the deep-seated blood-vessels, review of, **lxxv**, 127.
FISCHER, HERMAN: Anæsthesia of the splanchnic nerve in abdominal operations, **lxxix**, 444.
Chronic cholecystitis without stone, **lxxiii**, 133.
Cyst of the appendix, **lxiv**, 735.

Diverticulum of the bladder, **lxxviii,** 677.
Extirpation of adrenal gland for cure of epilepsy, **lxxv,** 248; **lxxvi,** 176.
Fibroma of stomach, **lxxix,** 456.
Gunshot injuries of the peripheral nerves and their treatment, **lxv,** 56.
Hæmostasis in suprapubic prostatectomy by the method of the "Lost Tampon," **lxxiv,** 768.
Hydronephrosis cured by plastic operation, **lxix,** 180.
Hyperplastic tuberculosis of the colon, **lxxi,** 796.
Hypoglossal-facial anastomosis for facial paralysis, **lxvii,** 627.
Immediate feeding after resection of stomach, **lxxvii,** 773.
Intussusception of appendix, **lxxvi,** 670.
Longitudinal section of patella for removal of joint-mouse, **lxxv,** 751.
Lotheisen's operation for femoral hernia, **lxix,** 432.
Myxo-fibroma of stomach, **lxix,** 663.
Operation for duodenal ulcer, **lxxix,** 953.
Operative treatment of cancer of the upper jaw, **lxix,** 182.
Pancreatic cyst, **lxxix,** 455.
Post-operative bursting of sutured abdominal wounds, **lxvi,** 244.
Primary melanosarcoma of the retro-orbital tissue, **lxiv,** 726.
Primary ulcer of the jejunum, **lxxvii,** 775.
Relation of surgery to the vascular sympathetic system, **lxxviii,** 430.
Resection of stomach for ulcer by Polya - Balfour method, **lxvii,** 761; **lxix,** 548.
Sarcoma of the stomach, **lxxi,** 678.
Septic infection of kidney after infection of finger, **lxvi,** 247.
Technic of the removal of the gall-bladder, **lxvii,** 620.
Total extirpation of penis for carcinoma, **lxiv,** 719.
Treatment of traumatic hæmothorax, penetrating gunshot wounds of the chest, **lxvii,** 707.
Unilateral septic infection of kidney, **lxvi,** 248.
Fishbone perforation of intestine, lxix, 652.
FISHER, A. O.: Multiple congenital osteochondromata, **lxi,** 142.
FISHER, DAVID: Effects of the intramuscular injection of sodium citrate upon bleeding, **lxxx,** 268.
Wound of femoral artery and vein, **lxxviii,** 84.
FISHER, WILLIAM H.: Arteriomesenteric ileus of duodenum, **lxviii,** 582.
Double interval ectopic gestation, **lxxi,** 239.
Foreign bodies arrested in the duodenum, **lxx,** 479.
Myxoma, **lxix,** 596.
Post-operative infective parotiditis, **lxxviii,** 568; **lxx,** 713.
Primary lymphosarcoma of the intestines, **lxix,** 537.
FISK, ARTHUR L.: Artificial lower jaw, **lix,** 766.
Compound fracture of the lower jaw, **lxv,** 379.
Detection of aberrant appendix, **lvi,** 948.
Post-operative hydrocephalus, **lxv,** 257.
Remarks on duodenal ulcer, **li,** 951.
Rupture of brachial plexus and of subclavian artery, with bone fracture, **lvi,** 945.
Rupture of the brachial plexus and subclavian vessels, **lx,** 518.
Siphon drainage of the thorax, **lxiv,** 731.
Spina bifida, **lxvi,** 511.
Volkmann's ischæmic paralysis following dislocations of the head of the radius and fracture of the ulna, **lvii,** 266.
Fistula and fistulæ in ano, treatment of, **lvi,** 342, 744; surgical treatment of without mutilation of sphincter, **liv,** 360, 415;
Arteriovenous fistula with an analysis of 447 cases, **lxxi,** 428.
Fistula, biliary, chronic, **lxxvii,** 765; biliary, external, **lxxv,**

506; biliary of very long duration, **lxxx**, 795; branchial, **lxxv**, 119; **lxxvi**, 648; branchiogenic, **lxiii**, 519; bronchial, treatment of, **lxxii**, 345; broncho-pulmonary, **lxxiii**, 30; broncho - subphrenic - cutaneous, **lxxviii**, 99; cervical, contribution to the study of, **lxxix**, 499; colon, **lxviii**, 211; duodenal and colic, resulting from gangrene of appendix, **lxxix**, 605; duodenal, external, **lxxviii**, 725; enterovesical with bilateral renal calculi, **lxviii**, 452; fecal, appendiceal, **lxxx**, 56; in suppurative appendicitis, prevention of, **lxiii**, 541; following strangulated hernia, **lxviii**, 272; site for making a fistula in low seated intestinal obstruction, **lvii**, 106; following nephrectomy for tuberculosis, **lxvi**, 728; gastrocolic, **lxxvii**, 433; **lxxviii**, 687; following gastro-enterostomy, **lxviii**, 95; gastro-jejuno-colic, **lxxix**, 632; jejuno-colic, **lxxii**, 609; lip, lower, bilateral congenital, **lvi**, 400; pulmonary, **lxxvii**, 777; œsophago - cutaneous, transpleural, **lxxviii**, 96; sigmoidovesical, **lxiii**, 353; vesicovaginal, from penetration of floor of the bladder by horn of a bull, **liv**, 287; repair of, **lxiii**, 512; small, repair of, **lxiii**, 106.

Fistula-enterostomy of von Stubenrauch, the proposed, **lii**, 380.

Fixation of simple fractures, lxi, 88; of transverse fractures, a method for the mechanical, **lviii**, 653.

FLAHERTY, FREDERICK: Complete avulsion of the scalp, **lix**, 186.

Flail shoulder, cure of, by ankylosing shoulder-joint, **lxxx**, 793.

Flaps, pedunculated, in reconstructive surgery, **lxviii**, 221.

Flat-feet, lxxix, 158.

Flat-foot, operation for, lx, 512.

FLETCHER, L. Z.: Ruptured spleen, **lxxv**, 186.

Flexor tendons, of forearm and hand, tuberculosis of sheaths of, **lxxvi**, 791; laceration of, and of median and ulnar nerves, **lxxx**, 153.

FLICK, JOHN B.: Present status of epiplopexy, **lxxv**, 449.

FLINT, JOSEPH MARSHALL: Four-post fracture bedstead, **lxiv**, 613.

Healing of gastro - intestinal anastomoses, **lxv**, 202.

Localization and extraction of projectiles, **lxiv**, 151.

Treatment of fractures by suspension and extension, **lxiii**, 641.

FLUMERFELT, GERTRUDE: Subdivisions of the duodenum, **lxiii**, 318.

Fluoroscopic guidance in the removal of foreign bodies, lxxiii, 372; screen, use of, in pinning fracture of tibia, **lvi**, 794.

Focal infection as a cause of osteoarthritis, lxvii, 613.

Follow-up system in a surgical service, results of, an analysis of six years, **lxxi**, 211; in hospital work, **lxx**, 661; surgical, **lxiv**, 349.

Foot, astragalectomy in paralytic deformities of the, **lxxx**, 861.

Backward luxation of, on leg, with fracture of fibula, **lxxvi**, 279; chondro - sarcoma of plantar surface of, **lxxiii**, 111; flap transplant for defect of sole of, **lxxiv**, 507; fungous diseases of the, **lxvi**, 496; gangrene of, arteriovenous anastomosis for, **li**, 280, 246; melanoblastomas of the, **lx**, 88; osteoplastic operation on the, **lviii**, 690; radium burn of, **lxxvii**, 628; reamputation of, by the method of Pirogoff, **lxv**, 770; supernumerary bones of the, **lxv**, 499; tumors of, fibrous, **lxxvi**, 101; wounds of the, treatment of, **lxix**, 101.

FOOTE, EDWARD M.: Apparatus for rectal anæsthesia, **lix**, 314.

Arteriovenous anastomosis, **lix**, 307.

Limitations of radium in surgery, **lxv**, 774.

Partial resection of lower jaw, **lxii,** 348.
Place of radium in surgery, **lxv,** 273.
Pyloric adhesions freed by operation, **liv,** 262.
Skin grafting for the removal of tatoo marks, **lxi,** 497.
Transplant on hand after operation for carcinoma, **lxvii,** 629.
Treatment of fractures of the lower jaw, **lxv,** 380.
Tumor of the tongue, **liii,** 843.
FOOTE, JOHN A.: Parker-Kerr suture, **lxv,** 400.
Forceps, thumb, to facilitate intestinal anastomosis, **lx,** 373.
FORD, C. S.: Endo-aneurismorrhaphy for femoral aneurism, **lvi,** 933.
Forearm, amputation of, for advanced phthisis, brachial plexus anæsthesia for, **lxxix,** 130; and leg fractures, comparative analysis of 213 cases, **lxxv,** 221; evulsion of tendons of the fascia flap in, **lxvi,** 120; fracture in child, late result, **lxii,** 350; fractures of, compound, apparatus for the treatment of, **lxvii,** 179; treatment of, **lv,** 778; by plating, **liii,** 571; by wiring, **liv,** 277; ischæmic contraction of, **lxv,** 381; plastic reconstructive surgery of the, **lxviii,** 55, 71; treatment of infected wound of, **lxxi,** 210.
Fœtal gall-bladder disease and the toxins of pregnancy, lxxix, 159.
Foreign body in abdomen, lxxv, 737; appendicitis, **lvi,** 427; arrested in the duodenum, **lxx,** 479; bronchus, in the, **lii,** 123, 767; of dental origin, **lxxi,** 568; bronchoscopic extraction of, from lungs and œsophagus, **lxxv,** 1; duodenum, in the, in children, **lxxix,** 947; encysted, **lxxix,** 114; larynx, in the, **lvi,** 485; localization of by X-ray, Gage's manual of, review of, **lxxii,** 770; lung, in the, producing bronchiectasis, **lxi,** 254; removal of, **lxxviii,** 673; removed by posterior thoracotomy, **lxii,** 498; œsophagus, in the, **lvi,** 484; **lxiv,** 495; œsophagotomy for, **lxxx,** 375; perforating the ileum, **lviii,** 706; rectum, in the, **lxxv,** 741; removal of, by help of X-ray, **lxvi,** 13; under fluoroscopic guidance, **lxxiii,** 372; respiratory tract, **lxiii,** 656; stomach, **lxx,** 60; small intestine, in the, **lxiii,** 247; tissues, localization of, within the, **lix,** 65; significance of, **lxiii,** 24, 113.
FORMAN, JONATHAN: Lymphosarcoma of the mesentery, **lxxi,** 11.
Mixed tumors of the salivary glands, **lxvii,** 67.
FORTUINE, STANLEY T.: Intestinal obstruction due to strangulation by Meckel's diverticulum, **lxxiii,** 568.
FOSS, HAROLD L.: Control of hemorrhage following prostatectomy, **lxxviii,** 802.
Element of error in abdominal diagnosis, **lxiv,** 39.
Simplified gastro-enterostomy clamp, **lxxi,** 668.
FOSTER, NELLIS B.: Consideration of the surgical hazards in diabetic patients, **lxxi,** 382.
Dietic treatment of gangrene in diabetes mellitus, **lix,** 176.
FOULDS, GORDON S.: Squamous-cell tumors of the renal pelvis, **lxxx,** 594.
FOWLER, GEORGE RYERSON: Metallic foreign bodies in the bronchus, **lii,** 767.
FOWLER, HARRY ATWOOD: Experience with papaverin in the treatment of ureteral calculus, **lxv,** 611.
FOWLER, O. S.: Post-operative paralytic ileus, **lxvi,** 184.
Fowler position, the mistake of adopting the, after the operation of gastro-jejunostomy, **lvi,** 507.
FOWLER, ROYALE HAMILTON: Cranio-cerebral wounds due to projectiles, **lxxi,** 560.
Cysts of the spleen, **lvii,** 658; **lxxiv,** 20.
Foreign body appendicitis, **lvi,** 427.

Further study of cysts of the spleen, **lxxx**, 58.
Gunshot wounds of the chest, **lxxi**, 257.
FOWLER, RUSSELL STORY: Choledochus cyst, **lxiv**, 546.
Non-traumatic large hemorrhage into the kidney substance or its surroundings, **liv**, 831.
FOWLER, W. FRANK: Calcareous changes in the gall-bladder wall, **lxxviii**, 623.
Co-existent nephrolithiasis and ureterolithiasis on opposite sides, **lxxx**, 62.
Evaluation of asepsis and antisepsis, **lxvi**, 583.
Stricture of the gall-bladder, **lxvi**, 679.
Fracture and fractures, problems concerning, **lxxiv**, 280.
Acetabulum, floor of the, **lv**, 92; with central luxation of the hip, **lxxviii**, 806; with perforating femoral head, **lxx**, 296.
Ambulant treatment of, **lxiii**, 634.
Dislocations and, text-book by Kellog Speed, review of, **lxiv**, 634; treatise on, by John B. Roberts and James A. Kelly, review of, **lxiv**, 633; treatise on by Lewis A. Stimson, review of, **lii**, 719; treatise on, by John A. C. Macewen, review of, **lxxii**, 768; by Chas. L. Scudder, review of, **liv**, 719.
Extension to overlapping, application of, **lxx**, 231.
Associated with peripheral nerve injuries, **lxxvi**, 528.
Notes on, **lxii**, 293.
Non-operative treatment of, **lxiii**, 91.
Operative treatment of, **lv**, 329; **lvii**, 545.
Astragalus neck, through the, **lxv**, 495.
Axis, odontoid process of, **lvi**, 896; **lix**, 297.
Bone, in gold mining industry, **lxvi**, 193.
Calcaneum, **lxvi**, 716; **lxi**, 372.
Compound, mobilization after, **lxxi**, 525.
Capitellum and trochlea, **lxxvi**, 78.
Carpal scaphoid, **lxxviii**, 545; with luxation of semilunar, **lviii**, 716.
Children, late results of in, **lxxix**, 945.
Clavicle, barrel stave splint in, **lxx**, 474; dressing for, **lv**, 88; open operation for, **lviii**, 669; simple bandage for, **lxx**, 506; spontaneous, resulting callus mistaken for tumor, **lxxix**, 132; treating by plating, **lvi**, 867; ununited, treated with bone graft and blood injections, **lx**, 399; treatment of, **lxxvi**, 595.
Compound fractures, treatment of non-union in, **lxxi**, 182, 231; wound incision in treatment of, **lxxv**, 38; contraction of the attached muscles, approximation of the ends of fragments in, **liv**, 227; deformity in, correction of, **lxx**, 359; dislocations and, treated by the open method, **liii**, 863.
Elbow, compound, **lxviii**, 534, with dislocation, treated by plating, **lv**, 888; end results of, **lxii**, 278; effacement of cavities in the treatment of, **lxix**, 367.
Epiphyseal-metaphyseal, **lix**, 447; incomplete, at the hip, **lxxvi**, 624; line, prognosis in, **lxxix**, 273.
Femur, **lxii**, 610; **lxiv**, 74, 122; **lxix**, 466; **lxxvii**, 108; both, simultaneous, **lxi**, 715; delayed union of, **lix**, 780 extension and reduction of transverse or serrated fragments of the, **lxii**, 289; gunshot, and wounds of the femoral vessels requiring amputation, **lxxviii**, 405; in children, **lxxvii**, 736; **lxxviii**, 421; inequality of the lower extremities following, **lxxiv**, 498; in the old, treatment of, **lxv**, 491; lesser trochanter, isolated, **lxxiii**, 117; lower third, **lxx**, 461; neck of, **lxx**, 600; **lxiv**, 505; abduction treatment of, **liii**, 489; autoplastic repair of, **lxii**, 284; bone-pegged, **lxxix**, 470; impacted,

locomotion after, **lxxix,** 270; immediate operation for, **lxxvi,** 631; oblique, subtrochanteric, **lx,** 528; operative treatment of, **lv,** 881; **liii,** 723; pathological, due to thyroid metastases, **lxxvii,** 689; splint for, **lxxi,** 501; treated by bone graft peg, **lxii,** 85; treatment of, **lx,** 485, 508; ununited, reconstruction operation for, **lxxiii,** 245; oblique, treated by chromic catgut binding, **lxxi,** 520; pretrochanteric, **lxiii,** 227; shaft of the, **liii,** 499, 586; **lxxx,** 848; final results of treatment of, **lxix,** 85; end results of, **lvi,** 162; results of treatment at the University of Pennsylvania Hospital, **lxxiv,** 206; splint for, **lxvii,** 429; supracondyloid, **lxxiii,** 122; traction treatment of, **lxxvii,** 239; vicious, splint for, **lxxiii,** 495; through the trochanters of the, **lviii,** 494; war lesions in, **lxx,** 603.

Fibula and tibia, impacted, of upper end of, **lxxiv,** 107; with backward dislocation of foot, **lxxvi,** 279.

Forearm and leg, comparative analysis of 213 cases of, **lxxv,** 221; compound, apparatus for the treatment of, **lxvii,** 179; in child, late result, **lxii,** 350; in the region of the wrist, **lxxii,** 428; treatment of, **lv,** 778; by bone plating, **liii,** 571; graft, sliding for, and the kangaroo suture, in fresh, **lxiv,** 68.

Hip, intracapsular, treatment of, **lvi,** 622, 653; incomplete, epiphyseal, **lxxvi,** 624.

Humerus, anatomical neck of, **lxiv,** 105; compound, **lv,** 441; followed by musculo-spiral paralysis, **lx,** 646; greater tuberosity of the, **lvi,** 440; gunshot, of the, **lxx,** 430; head of, **lxi,** 744; lower articular surface of, **lxiv,** 724; end of, anatomical and surgical study of, by Astley P. C. Ashhurst, review of, **liv,** 142; stump, comminuted, **lix,** 448; surgical neck of, **lv,** 881; **lxxviii,** 552; **lix,** 782; upper end of, **lxix,** 147; **lxxx,** 103; ununited, **lvii,** 940; ununited transplantation of bone in, **lxiii,** 464.

Ilium, ant. sup. spine, by muscular violence, **lxxix,** 551.

Ischium, through tuberosity of, **lxxiii,** 117.

Joints, involving, **lxxiii,** 378; mobilization in the treatment of, **lxix,** 212.

Knee-joint, diagnosis and treatment of, **lviii,** 27, 273; jaw, **lxxiii,** 760; lower compound, **lxv,** 379; treatise on, by Leon Imbert and Pierre Real, review of, **lxvii,** 126.

Larynx, of the, **lxxx,** 660.

Leg, complicating Charcot knee, **lxix,** 171; compound, comminuted, **lxviii,** 531; compound requiring amputation, **lvii,** 754; end results, **lxii,** 619, 632; old, ununited, injection of blood for, **lii,** 403; bone transplant for, **lxxi,** 228; traction bandage for reduction of, **lxiv,** 65; literature on, review of, **lxii,** 264.

Long bones, cause of delayed union and non-union, **lxii,** 40; clamp for lining up, **lv,** 98; influence of physical therapy in reducing disability time in, **lxxiv,** 304; metal plate in, **lxxviii,** 75; operative fixation of infected, **lvi,** 185; projectile, **lxxi,** 493; reduction of the fragments in, **lvi,** 769; at open operation, **lviii,** 656; preliminary to internal splintage, **lviii,** 490; treatment of, **liv,** 289; with tongs extension, **lxxiii,** 124.

Lumbar vertebræ, ununited, **lxiii,** 374; with compression and delayed symptoms, **lxxiii,** 360.

Malleoli, of both, treated by open operation and plating, **lv,** 780.

Mandible, of the, gunshot, **lxviii,** 245, 347; ununited, operative treatment of, **lxxi,** 363–397.

Metacarpal, fifth, base of, **lxi,** 375.

Metatarsal bones, **lxxiv,** 214; **lxxiii,** 215; bloodless reductions, **lxxv,** 124.
Military surgery, in, **lxiii,** 641.
Olecranon, **lv,** 437.
Operative fixation as a cause of delay in union, **lvii,** 545.
Orbit, treatise on, by Felix Lagrange, review of, **lxvii,** 126.
Os calcis, **lxvi,** 711; **lxiii,** 237; **lxiv,** 480; **lxxiv,** 107, 108, 294.
Patella, **lxii,** 623; **lxix,** 647, **liii,** 508; after arthrotomy, **lxxviii,** 106; both, simultaneous, **lviii,** 510; both patellæ, union without suture, **lxiv,** 126; old, fascia lata transplant in, **lxii,** 746; transverse subcutaneous fixation of, **lxxiv,** 105; treated by subcutaneous purse-string suture, **lii,** 267.
Pelvis, **lxxi,** 347, 397; **lxi,** 703; multiple, complicated, **lxx,** 115; **lxxvii,** 623; suspension treatment in, **lxxiii,** 125; plaster dressing and suspension apparatus, relative place of, in treatment, **lxxii,** 774.
Pott's, operative treatment after, **lxxii,** 388.
Processus posticus tali with fracture of calcaneum, **lxi,** 372.
Radius, above the attachment of the pronator quadratus muscle, **lv,** 778, 877; danger of the pernicious Bond splint in treatment of, **lxviii,** 538; compression of lower end, **lxxvi,** 599; head and neck of the, **lii,** 207; Lane plate for, **lviii,** 668; lower end of, **lxxi,** 594; **lix,** 769; **lxv,** 1; **lxiii,** 240; **lxi,** 373; epiphyseal, **lv,** 444; with forward displacement of lower fragment, **lxxii,** 524; lower third, complete, in childhood with greenstick fracture of ulna, **lxi,** 209; through the neck of, **lxiv,** 511; reduction of, immediate, **lxiii,** 593.
Reposition of, instrument for securing, **lx,** 511; results obtainable in the treatment of, **lxviii,** 238.
Scapula, **lix,** 297; acromion process of the, **lix,** 455; neck of the, **lxiii,** 215.
Sesamoid bones, **lv,** 101.
Shaft, artificial periosteum for fixation, **lxiii,** 182; shortening in old, method of overcoming, **lii,** 141; simple fixation of, **lxi,** 88.
Skull, **lxxvii,** 624; neurological manifestations of, **lxx,** 404; compound, followed by tetanus, **liii,** 548; with open dura, treatment of, **lxix,** 1; decompression and drainage, **lxiv,** 746; depressed, **lxxi,** 671; over speech centre, **lxvii,** 632; in children, **lxxiv,** 72; observations on the treatment of, **lxxix,** 198, 298.
Spine, **lviii,** 296; cervical, laminectomy for, **lvii,** 108; uncomplicated by cord injury, operative treatment of, **lxvii,** 513; with cord and root symptoms, **lxvii,** 63 108.
Spiral, **lxxv,** 717; **lxxvii,** 252; mechanics of production and the treatment of, **lxxiv,** 490.
Spontaneous, numerous from multiple myelomata, **lvii,** 163;
Stave, of the first metatarsal bones, **lxxiii,** 215.
Steinmann's nail, extension method in, **lx,** 397.
Straus's method of fixing, **lxiii,** 253.
Tarsal scaphoid, **lviii,** 526; **lxxi,** 680.
Thumb, sesamoid bones of, **lxii,** 297; tibia ununited, **lix,** 486; 495; **lxiii,** 247; and femur, open operation and plating of, **lv,** 778; fibula, gunshot, **lxxi,** 66; value of tenotomy in some cases of, **lii,** 276; involving ankle-joint, **lxxv,** 243; ununited, treated by transplantation of bone, **lix,** 486, 495; traction apparatus for open reduction, **lxxvii,** 506; transverse, mechanical fixation of, **lviii,** 653; treated by Lane's plate, its uses and value, **lxix,** 161.
Treatment of, **lxxviii,** 126; by external clamps, **liv,** 381, 406; by gimlet and bar method

in open operation, **lv**, 883; by wiring or plates, **liv**, 255, 256, 260; open, **liv**, 404, 576; operative, **lvi**, 847; simple, end results, **lv**, 338, 472; with bone graft peg, **lxii**, 123; traction tongs, **lxiv**, 500.
Tubular bones, rational treatment of, **lxxiii**, 385.
Upper extremities, new conception of the mechanism of, **lxx**, 359.
Ununited, cured by blood injections, **lviii**, 564; local blood injection for, **lv**, 314; treated by blood injection, **lvii**, 284; treatment of, **lxxiii**, 487.
Vertebra, transverse process of, isolated, **lv**, 316; vertebral column, **lxxiii**, 470; with extensive comminution of the bone, treatment of, **lxviii**, 534; (see also spine).
Wounds of the lower extremity, communicating with a, **lxxix**, 779.
Wrist, about the, in childhood and adolescence, **lxiv**, 318.
Zygoma of, **lv**, 457.
Fracture-bedstead, the four-post, **lxiv**, 613.
Fracture-dislocation of astragalus, lv, 120; **xiii**, 606; cervical spine, **lxvii**, 107; **lxxvi**, 284; fragilitas ossium, **lxxiv**, 629; humerus, **lvi**, 487; **lxiv**, 749; **lxxiv**, 637; shoulder, **lv**, 431; **lviii**, 574, 666; late changes following reduction, **lxiii**, 746; vertebræ, **lxxviii**, 260; lumbar, **lxxvii**, 243.
Fracture fixatures of metal, lxx, 754.
FRANK, LOUIS W.: Anuria after unilateral nephrectomy, **lxix**, 286.
Congenital diaphragmatic hernia, **lxxi**, 280.
Results of ligation of one ureter, **lvi**, 411.
Traumatic spondylitis, **lxiv**, 381.
FRANK, MORTIMER: Translation of Choulant, history and bibliography of anatomic illustration, review of, **lxxiii**, 389.
FRAYSER, BENJAMIN H.: Operative treatment of acute epididymitis, **lx**, 719.
FRAZIER, CHARLES H.: Actinomycosis, **liv**, 132.
Anæsthesia by intratracheal insufflation, **liv**, 572.
Anæsthesia in cases of intestinal obstruction, **lxi**, 238.
An approach to the hypophysis through the anterior cranial fossa, **lvii**, 145, 303.
Chronic cystic mastitis, **lx**, 658.
Cranioplasty, **lxviii**, 544.
Effect of the removal of the hypophysis in the dog, **lvii**, 581.
Endothelioma of the spinal cord, **lxiv**, 383.
Experimental colonic stasis, **lxiii**, 729.
Laminectomy and regional anæsthesia, **lxviii**, 12.
Large brain tumor removed from child, **lxxii**, 416.
Loose bodies in the knee-joint, **lxv**, 511.
Management of toxic goitre, from surgical point of view, **lxxii**, 155, 420.
Median bar formation in the urinary bladder, **lxv**, 517.
One hundred consecutive opertions for goitre with reference to the treatment of hyperthyroidism, **lx**, 583.
Operative cure in internal hydrocephalus, **liv**, 412.
Perirenal hæmatoma, **lvii**, 303.
Pin perforating appendix, **lxvii**, 381.
Recognition and treatment of lesions of the right iliac fossa, other than appendicitis, **lvi**, 582, 656.
Surgical approach to the sphenopalatine ganglion, **lxxiv**, 328.
Surgical clinic of the Protestant Episcopal Hospital of Philadelphia, **liv**, 554; problems in the reconstruction of peripheral nerve injuries, **lxxi**, 1.
Treatment of goitre, **lxiv**, 489.
Surgery of spastic paralysis, **lxvii**, 617; spine and spinal cord, review of, **lxxiii**, 138.
System of keeping surgical records, **lxiv**, 347.

Treatment of paralysis of the recurrent laryngeal nerve by nerve anastomosis, **lxxix**, 161.
Treatment of tuberculous cervical lymphadenitis, **lviii**, 551.
FREEMAN, JOHN WILLIAM: Fractures of the different bones in the gold mining industry, **lxvi**, 193.
FREEMAN, LEONARD: Accidental laceration of Fallopian tube, **lvi**, 340.
Anæsthetics in tuberculosis, **liv**, 420.
Application of extension to overlapping fractures, **lxx**, 231.
Arteriovenous anastomosis for threatened gangrene of the foot, **lviii**, 92.
Causation and avoidance of cerebral disturbances in ligation of the common carotid artery, **lxxiv**, 316.
Chronic general infection with the bacillus pyocyaneus, **lxiv**, 195.
Improved technic for gastrectomy and gastro-enterostomy, **lxxvii**, 190.
Operation for the relief of cardiospasm, **lxxviii**, 174.
Prevention of keloids in scars, **lxi**, 605.
Spastic ileus, **lxviii**, 196.
The neurotic or irritable abdomen, **lxxx**, 692.
Tourniquet operation in toxic and other goitres, **lxxii**, 161.
Treatment of oblique fractures of the tibia and other bones by means of external clamps, **liv**, 381, 406.
Use of free omental grafts in abdominal surgery, **lxiii**, 83.
X-ray for diagnosis of diaphragmatic hernia, **lvi**, 358.
French Army Medical Corps, notes on service in, **lxvi**, 1.
FRIEDLANDER, ALFRED: Solid tumors of the mesentery, **lxxiii**, 211.
FRIEDMANN, LOUIS: Hernia adiposa, **lvii**, 204.
Pyelography in the diagnosis of kidney injuries, **lx**, 729.
FROMME, DR.: Mobile cæcum, **lv**, 164.
Frontal bone, sarcoma of, **lxvii**, 623; trephining for compound fracture of, **lxvi**, 499; lobe, abscess of the, **lxvi**, 508; sinus, anatomy of the, in man, **lxiv**, 666; suppuration, **lix**, 937; unusual, **lvi**, 396.
Front line conditions and war surgery, **lxx**, 695.
FULD, JOSEPH E.: Bone transplantation in the surgical treatment of paralytic feet, **lxvii**, 163.
FULLER, EUGENE: Operative procedure in cancer of the prostate, **lvi**, 738.
FULLER, WILLIAM: Iodine as a skin disinfectant previous to intra-abdominal work, **lxviii**, 567.
FULTON, WILLIAM J.: Gonococcus in arm abscess, **lxxvi**, 802.
FULTON, Z. M. K.: Lateral angular elbow splint, **lv**, 783.
Funiculitis, acute, **lxxviii**, 785.
Funiculus, spermaticus, lipoma of the, **lxviii**, 269.
Fused kidneys, contributions to the knowledge of, **lxviii**, 39.
FURNESS, WILLIAM P.: Use of dichloramine-T in the treatment of infections and infected wounds, **lxvii**, 14, 120, 122.

G

GAGE, HOMER: Acute appendicitis occurring in the course of typhoid fever, **lxii**, 146.
Embryoma of the kidney, **lxxviii**, 226.
End results of operations for carcinoma of the breast, **lxxvi**, 346.
Fibrinous calculi in the kidney, **li**, 111.
Post-influenzal abscess of the sheath of the rectus muscle, **lxx**, 188.
GAILLARD, A. THEODORE: Diagnosis of surgical diseases of the genito-urinary tract, **lix**, 267.

Gall-bladder, absence of, **lxxiii,** 792; and bile-ducts, some modifications of technic in surgery of, **liv,** 110, 428; and bile passages, anomalies of, **lxiv,** 419; and kidney, co-existing lesions of, **lix,** 679, 783;
Adherent, closing open ulcer of stomach: gastro-enterostomy, **li,** 123.
Calculi, incidence of in the, **lxviii,** 289.
Calculi, 14,000 removed from, at one operation, **liii,** 590.
Carcinoma of, and ductus choledochus, **lx,** 401.
Cholecystectomy in, advantage of, **lxvi,** 411.
Clonorchis sinensis infection of, **lxviii,** 34.
Conditions, cases illustrating, **lv,** 889.
Disease in childhood, **lxxvii,** 587; fœtus and the toxins of pregnancy, **lxxix,** 159; Meltzer-Lyons test in diagnosis of, **lxxviii,** 604; youth, **lxxix,** 961.
Double, removed by operation, **liv,** 204.
Drainage, abnormal from, **lxxi,** 513; tube retained in the, **lxxii,** 627.
Filled with calcium carbonate putty, **lxv,** 800.
Fish scale, **lxxi,** 723.
Fluid contents, a bacteriologic study of, **lxxvi,** 482.
Gangrene, acute of, following injury, **lxii,** 420.
Hydrops of, **lxxv,** 741.
Malignant neoplasia in, **lxxiv,** 700.
Removal of, technic of operation for, **lxiii,** 415; **lxvii,** 620.
Papilloma of, **lxi,** 725; **lxii,** 193.
Papilloma and adenoma of, **lxxvii,** 276.
Pathological gall-bladder, by Arial W. George and Ralph D. Leonard, review of, **lxxv,** 640.
Pathology of, and some associated lesions, **li,** 651.
Perforation of, acute, **lxxix,** 316.
Perforation of, acute spontaneous, into free peritoneal cavity, **lviii,** 428.
Preserving the, importance of, in operations upon the gall-passages, **liii,** 349.
Pseudo-diverticulum of, **lxiii,** 627.
Röntgenological visualization of the, by the intravenous injection of tetrabromphenolphthalein, **lxxx,** 473.
Sarcoma of, primary, **lxii,** 688.
Strawberry, frequency of, **lxix,** 131.
Stricture of, **lxvi,** 679.
Surgery, **lxiv,** 48; **lxvi,** 464; **lxxvii,** 64; exposure in, **lxix,** 422; special points in, **lxviii,** 192; recent controversial questions in, **lxxix,** 424.
Wall, calcareous changes of, **lxxviii,** 623.
Gallie, W. E.: Tendon fixation, **lvii,** 427; for deformity resulting from partial paralysis, **lxi,** 94; in infantile paralysis, **lxii,** 481.
Gall-stone causing intestinal obstruction, lxviii, 73; **lv,** 725.
Disease, cases of, **lxii,** 197.
Ileus, **li,** 133; **liv,** 321; **lxiii,** 248; **lxv,** 793; **lxvi,** 100; **lxvii,** 124.
In common bile duct, duodenotomy for, **lxi,** 180.
Gall-stones, lxi, 535; and other calculi among laborers in the Panama Canal Zone, **lix,** 107;
Case of operation for stone in the common duct, **liv,** 249;
Cholecystostomy for, **li,** 579.
Complicating situs viscerum inversus, **lxii,** 424.
In infancy and childhood, **lxvi,** 557; **lix,** 781.
Multiple, operations for, **lxvii,** 364.
Pathology and symptomatology of, **liv,** 83, 176.
Reformation of, after operation, **lxi,** 226.
Surgical treatment of, **lxxvi,** 201.
Typhoid bacilli living found in, thirty-seven years after fever, **liii,** 870.
Visualization of, by X-ray, **lxxiii,** 132.
Ganglion, sphenopalatine, surgical approach to, **lxxiv,** 328.
Gangrene, lxxiv, 565.
Cæcum, secondary to carcinoma of colon, **lix,** 761.

Diabetes mellitus, in, dietetic treatment of, **lix**, 176, 313.
Extremities, due to thromboangiitis obliterans, conservative treatment of, **lxiii**, 280; as a complication of pneumonia, arteriovenous anastomosis as a preventive of, **lv**, 195.
Foot, arteriovenous anastomosis for, **li**, 280; **lxii**, 630; threatened, **lviii**, 92; diabetic, effect of artificial arterial hyperæmia in, **lii**, 713; treatment of, by arterial anastomosis, **li**, 246.
Ileum, complicating appendicitis, **lvi**, 900.
Impending, arteriovenous anastomosis of the femoral vessels for, **lviii**, 411; **lx**, 62.
Lower limb, value of arteriovenous anastomosis in, **lv**, 864.
Lung, **lii**, 554.
Gant's treatise on diseases of the rectum, anus and colon, review of, **lxxviii**, 685.
GARDNER, JAMES A.: Operative treatment of tumors of the bladder, **lxii**, 456.
GARRÉ, W.: Report on Basedow's disease, **lv**, 145.
Gas and the motility of the surgical stomach, lxix, 271.
Gas bacillus infection, lv, 624; **lxiii**, 1; lxv, 751; consideration of, with special reference to treatment, **lvi**, 544.
Cysts of the intestine, **liii**, 576; **lvii**, 811.
Gangrene, **lxxix**, 806; in civil life, **lxxv**, 240; the Welch bacillus, in case of, **lxxii**, 418.
Gask and Wilson, text-book of surgery, review of, **lxxiii**, 139.
GASSER, HERBERT S.: Hypertonic gum acacia and glucose in treatment of secondary traumatic shock, **lxix**, 389.
Gasserian ganglion, injection of, for neuralgia, **lxvi**, 287; priority in extirpation of, **lxxvii**, 125; removal of, under local anæsthesia, **lxxiii**, 779; transorbital puncture of, **lxiv**, 525; tumors of the, **lxvi**, 152.
Gastrectomy, annular segmental, **lxvi**, 672; and gastro-enterostomy, improved technic for, **lxxvii**, 190.
Extensive, **lx**, 757.
For carcinoma, **lxi**, 627; **lv**, 886, 888; partial, **lxiii**, 111; **liii**, 294, 728; **li**, 947; **lv**, 629; in a young patient, **lv**, 324.
Method of, sub-total, **lix**, 828.
Partial, **lviii**, 687; **lx**, 756, 757; for gastro-jejunal ulcer, **lxxix**, 386; penetrating ulcers of stomach, **lxxv**, 247; primary lymphosarcoma, **lv**, 907; ulcer, **lv**, 628.
Subtotal, for recurrent gastric ulcer, **lxxx**, 150.
With transverse colectomy, **lxii**, 109.
Gastric atony, a cause of neurasthenia, **liv**, 306, 426.
Gastric and duodenal ulcer, liv, 806; **lxi**, 406; **lxxiii**, 328, 420; acute perforation of, **lvii**, 703; **lxvi**, 72, 102; from a surgical point of view, **lxvi**, 664; life expectancy of patients following operations for, **lxx**, 522; perforating, **lix**, 563; **lxxii**, 593, 597; **lxxiv**, 721; acute clinical features and treatment of, **lv**, 689; operations for, **lxiv**, 410; without previous pain, **lxxiv**, 223; red stippling sign of, **lx**, 534; **lxi**, 380; resection of stomach for, **lxxviii**, 507, 546.
Fistula, gastro-colonic, **lxii**, 208; in the treatment of certain perforating gastric ulcers, **liii**, 143.
Intestinal surgery some underlying principles of, **lxxiii**, 199.
Pancreatic carcinoma, relationship between, **lviii**, 324.
Ulcer, **lxiii**, 744; cautery excision of, **lxvii**, 725; excision of, followed by hour-glass contraction of stomach, **lix**, 791; factors influencing life expectancy of patients operated on for, **lxxvi**, 405; gastroenterostomy still the treatment for, **lxxi**, 303; motor disturbances from and changes caused by operation, **lxv**, 730; operative treatment of, **lxx**, 526; operation, choice of, in view of late results, **lxxvi**, 476; perforated, **lx**, 758; **liii**, 140, 420; **lxxix**, 144; acute, clinical

features and treatment of, **lv**, 546; adherent, method of treating, **lx**, 336; history of, **lxvi**, 124; in utero of a, **lxxviii**, 36; operation for, followed two years later by gastro-jejunostomy, **liv**, 278; repeated, **lxvii**, 747; persistence of, after gastro-enterostomy, **lxxiv**, 740; pylorectomy for, **lxiv**, 508; pyloroplasty for, **lix**, 634; relation of, to cancer, **lxvii**, 715; relative rôle of medicine and surgery in treatment of, **lxxix**, 957; resection of body of stomach for, **lxxvi**, 409; stomach for, **lxvii**, 761; segmental, **lxiv**, 527; surgical management of, **lxxiv**, 449; treatment of, **lxxx**, 152; value of Gluzinski's test in diagnosis of, **lix**, 821.

Gastrocolic fistula, lxxvii, 433; **lxxviii**, 687; following gastro-enterostomy, **lxviii**, 95.

Gastro-coloptosis, lvii, 1; surgical treatment of, **lxi**, 545, 633.

Gastro-duodenal ulcers, perforated, hypochondriac tympany symptoms of, **lxvii**, 255.

Gastro-duodenoscopy, value of direct, in affections of the stomach and duodenum, **lvi**, 201.

Gastro-duodenostomy, lxvii, 80; Kocher's method, after pylorectomy for carcinoma of the stomach, **lxxix**, 229.

Gastro-enteric clamp, Dott's new, **lxxii**, 771.

Gastro-enterostomy, li, 123; and gastrectomy, improved technic for, **lxxvii**, 190; anterior, **lvii**, 902; followed three years later by posterior, **liii**, 53; and pyloroplasty, comparative results of, in stomach surgery, **lxxiii**, 450; and entero-enterostomy, condition after ten years, **lix**, 126; followed by ileus, **lx**, 645; followed by immediate jejunal feeding, **lxvii**, 565; followed by intussusception of the stoma, **lxxvi**, 543; followed by jejunal ulcer, **lxiii**, 732, 764; **lxxiii**, 434, 647, 654; for benign stenosis of pylorus, **lviii**, 664; cicatricial stenosis of the pylorus, **lx**, 649; chronic duodenal ulcer, **li**, 950; ulcer of stomach, **lix**, 794.

Cause and treatment of certain unfavorable after effects of, **lviii**, 466.

Clamp, simplified, **lxxi**, 668; **liv**, 174; **lviii**, 659; the "tongue depressor," **lxi**, 604; modification of Bartlett's, **lvi**, 783.

Closing duodenal perforations after, **lvii**, 945.

Diet after, **lxxviii**, 118.

Hemorrhage, consecutive; transfusion, **lxiv**, 361; following, **lxii**, 349; secondary, **lxiv**, 496.

In acute perforated ulcer of the stomach and duodenum, **lxxiii**, 441.

In distal pouch of hour-glass stomach, **lix**, 794.

Late results of, for gastric ulcers, **lxxvi**, 457.

Method of, **lxvi**, 334.

Opening, the function of the, in cases of permeable pylorus, **lix**, 832; **lx**, 131.

Operation for ulcer of the duodenum, discussion of, after **lvii**, 780.

Persistent vicious circle after, **lviii**, 663.

Posterior, some secondary complications of, **lxxiv**, 360.

Question of, after perforated duodenal ulcer, **lx**, 497.

Radiographs for, **liii**, 863.

Rôle of, in treatment of ulcers, **lxi**, 557.

Sequelæ, etiological relations of, to, **lxvi**, 177.

Still the treatment for chronic gastric and duodenal ulcers, **lxxi**, 303.

Stoma, stenosis of, **lxxv**, 627.

Under local anæsthesia, **lxv**, 795.

With occlusion of pylorus, **lviii**, 664; recurrence of symptoms due to non-absorbable suture, **lxvi**, 121.

Gastro-gastrostomy for hour-glass stomach, lxviii, 97.

Gastro-hepatic omentum, rupture of, **lxi**, 631; traumatic rupture of, **lvii**, 261.

Gastro-intestinal anastomoses heal-

ing of, **lxv,** 202; hemorrhages, repeated, splenectomy for, **lxv,** 89; tract, hæmangiomas of, **lxxvi,** 28.
Röntgen diagnosis of surgical lesions of the tract, by George and Leonard, review of, **lxiii,** 255.
Gastro-jejunal ulcer, partial gastrectomy for, **lxxix,** 386; subsequent to gastro-enterostomy, **lxxiii,** 434, 647, 654.
Gastro-jejuno-colic fistula, lxxix, 632.
Gastro-jejunostomy followed by perforation at the stoma two years later, **lxiv,** 375.
For chronic gastric ulcer, **lxvi,** 123; for perforated gastric and duodenal ulcers, **lxxvii,** 254.
Posterior, management of the opening in the transverse mesocolon, **lv,** 398.
Gastro-mesenteric ileus, acute, **lxix,** 648; **lxx,** 107.
Gastroptosis, lii, 569; complicated by stomach dilatation, method of correcting, **lxiii,** 541.
Posterior gastro-enterostomy for, **lxviii,** 97.
Treated by gastro-enterostomy, **lxi,** 630.
With persistent vomiting, **lxi,** 477.
Gastroscopic examinations, liv, 567.
Gastrostomy and œsophagoplasty, **lxi,** 480.
As a curative measure *per se* in non-malignant strictures of the œsophagus, **liii,** 318.
For cancer of the œsophagus, **lxvii,** 750; for foreign body, **li,** 934.
In an infant, **lx,** 387.
Permanent, method of a, **lxviii,** 194.
GATCH, WILLIS D.: Neuro-fibromyxoma, treated by conservative operation, **lxxv,** 181.
Rebreathing in the administration of anæsthetics, **liv,** 416.
Treatment of aneurism of abdominal aorta by partial occlusion with metallic band, **liv,** 30.
Two hundred sixty-two consecutive cases of appendicitis, **lxxix,** 862.
Gaucher spleen, lxxiv, 635; **lxxi,** 208.
GAUDIANI, VINCENT: Kineplastic amputations, **lxvi,** 414.
Surgical treatment of suppurations in posterior mediastinum, **lxiii,** 523.
Gauze lost in bone cavity, lv, 926.
GEISINGER, JOSEPH F.: Obstruction of the ureter, **lxvi,** 654.
Reduplication of the ureter, **lxv,** 355; **lxxvii,** 563.
Spontaneous intraperitoneal rupture of the bladder, **lxxvii,** 206.
GEIST, SAMUEL H.: Effect of preoperative digitalization in reducing post-operative complications, **lxxviii,** 693.
Histopathology of carcinoma of the testicle, **lxvi,** 571.
Sarcoma of breast, **lxii,** 11.
Genital canal block following Neisser coccus infections, li, 416.
Genital organs, note on the treatment of wounds of, in warfare, **lxviii,** 306.
Genito-urinary diseases and syphilis, by Henry H. Morton, review of, **lxviii,** 453.
Organs, epithelioma of, **lxxv,** 574.
Surgery in an army hospital, **lxx,** 629.
Surgery and venereal diseases, by White and Martin, review of, **lxvi,** 125.
Tract, diagnosis of surgical diseases of, **lix,** 267, 295.
GEORGE, ARIAL W.: Pathological gall-bladder, **lxxv,** 640.
GEORGE and LEONARD'S: Atlas on the Röntgen diagnosis of surgical lesions of the gastro-intestinal tract, review of, **lxiii,** 255.
GERAGHTY, J. T.: Value and limitation of diastase, urea and phthalein in estimating renal function, **lviii,** 800.
German Surgical Congress, transactions of, **lv,** 129.
Germicidal activity of antiseptics, method of estimating, in vivo, **lxviii,** 241.
GERSTER, ARPAD G.: Aberrant position of appendix, **lvi,** 946.

Accessory thyroid, **lx**, 379.
Aneurismorrhaphy for popliteal aneurism, **liii**, 538.
Appendix perforated by fish-bone in sac of hernia, **lxi**, 356.
Banti's disease, **lvii**, 127.
Blood injection for cure of ununited fracture, **lviii**, 564.
Bone regeneration after osteomyelitis, **lix**, 789.
Border-line pathological lesions, **lviii**, 285.
Breast cancer in octogenarians, **lxii**, 100.
Chronic colitis and pericolitis, **liv**, 325.
Closure of gastro-enterostomy orifice, **lix**, 635.
Congenital teratoma of the parotid region, **lv**, 598.
Deformities of stomach following excision of gastric ulcers, **lix**, 793.
Diagnosis of carcinoma of the larynx, **lxii**, 372.
Drainage in cases of acute pancreatitis, **lvi**, 338.
Echinococcus disease of the kidney, **lxvi**, 254.
Fibromatosis of the stomach, **lviii**, 273.
Formation of bone in the human penis, **lvii**, 896, 955.
Fractures of the pelvis, **lii**, 143.
Function of the gastro-enterostomy opening in cases of permeable pylorus, **lx**, 132.
Gastric fistula sequel to perforating gastric ulcer, **liii**, 143.
Ileocæcal resection for tuberculosis, **liii**, 539.
Inguinal hernia artificially produced, **lv**, 601.
Ligations of carotids as preliminary to operations on the maxilla, **lvii**, 953.
Momburg's method of artificial anæmia by suprapelvic constriction, **li**, 878.
Nephrectomy, **lvi**, 1, 256.
Open treatment of fractures, **liv**, 409.
Operative treatment of hyperthyroidism, **lvi**, 459.
Patent urachus and epigastric hernia, **lviii**, 566.
Perienteritis membranosa, **lxii**, 74, 106.
Pre-operative study in cases of biliary surgery, **lxxiii**, 789.
Prevention of intra-abdominal adhesions, **lv**, 911.
Prolapse of the rectum, **lvii**, 132.
Prostatectomy, **lix**, 803.
Pulmonary abscess, **lviii**, 567.
Pylephlebitis complicating appendicitis, **lvi**, 939.
Recollections of a New York surgeon, review of, **lxvii**, 384.
Regarding general anæsthesia, **liv**, 422.
Remarks on appendicitis, **li**, 940.
Resection of ten ribs for tuberculosis of lung, **liii**, 539.
Saddle-shaped ulcer of the stomach with hour-glass deformity, **lv**, 599.
Sarcoma of the duodenum and jejunum, **lxii**, 368.
Sutures in hernia operations, **lviii**, 680.
Thrombo-angiitis obliterans, **lix**, 798.
Traumatic infection of the knee-joint, **lxiv**, 100.
Treatment of diffuse progressive free peritonitis, **li**, 490.
Treatment of the pylorus after gastro-enterostomy, **lviii**, 665.
Treatment of spreading peritonitis, **liii**, 152.
Tumor of the upper jaw, **lxi**, 354.
Two-stage operation in the treatment of cancer, **lx**, 109.
Urinary infiltration after retroperitoneal ureterotomy, **lviii**, 566.
GERSTER, JOHN C. A.: Ankle fracture, **lxxx**, 634.
Finney pyloroplasty for pyloric stenosis, **lxxix**, 146.
Freeing of fragments preliminary to the operative reduction of fracture of femur, **lvi**, 642.
Intercostal diaphragmatic hernia, **liv**, 538.
Longitudinal fracture of patella, **lxxx**, 635.
Plastic closure of persistent through and through sinus of lower thigh, **lxxx**. 635.
Reduction of the fragments in fractures of the long bones, **lvi**, 769.

Reduction of fragments in fractures of long bones at open operation, **lviii**, 656.
Transverse supracondylar fracture of femur, **lxxx**, 143.
GESSNER, HERMANN B.: Matas operation for aneurism, **lxxix**, 370.
Growth of bone and tendon sheath, **lxviii**, 426.
Giant-cell sarcoma of long bones, prognosis of, **lxxix**, 318, 321; pelvis, **lxii**, 636.
Tumor of the clavicle, **lxxix**, 317.
Tumors of tendon sheaths, **lxii**, 738; ulna, non-malignant, **lxix**, 345.
Giant-cells in bone lesions, significance of, **lxv**, 151.
GIBBON, JOHN H.: Acute perforated duodenal and gastric ulcer, **lvii**, 743.
Arteriovenous aneurism, **lvii**, 581.
Biliary fistula, **lxxvii**, 767.
Cases of Volkmann's contracture, **lvii**, 572.
Causes of rupture of the gallbladder, **lviii**, 430.
Chlorine antiseptics, **lxxi**, 782.
Coin lodged in œsophagus, **lv**, 457.
Element of error in abdominal diagnosis, **lxiv**, 119.
Endo-aneurismorrhaphy, **lxxx**, 325.
Extension in fractures, **lvi**, 352.
Fibroma of the male breast, **lxii**, 376.
Gunshot injuries to the chest, **lxxii**, 522.
Hypernephroma of suprarenal in children, **lxxx**, 135.
Imperforate anus, **lix**, 292.
Indications for and against the operative treatment of simple fractures, **lv**, 329, 425.
Management of cases of intestinal obstruction, **lxi**, 238.
Mesenteric thrombosis, **lv**, 460.
No-flap or guillotine amputation, **lxx**, 111.
Operations for carcinoma of rectum, **lvi**, 342.
Papillary cystadenoma of the breast, **lxxiii**, 384.
Perforated duodenal ulcer in a child, **lxxvii**, 757.
Present status of epiplopexy, **lxxv**, 449.
Relation of appendicitis to cholecystitis, **lxi**, 511.
Renal tuberculosis, **lxx**, 117.
Rhinophyma, **lxx**, 169.
Rupture of the biceps muscle, **lxii**, 123.
Sarcoma cured by Coley toxins, **lx**, 105.
Sarcoma of the small intestine, **lix**, 750.
Separation of lower ephysis of femur, **lxxx**, 143.
Sterilization of the thoracic cavity, **lxx**, 116.
Technic of nephro-pyelo- and ureterolithotomy, **lviii**, 232.
Technic of renal and ureteral surgery, **lxxviii**, 641.
Temporary ligatures in cases of aneurism, **lxiv**, 748.
Treatment of acute appendicitis, **liii**, 875.
Treatment of far-advanced malignant disease, **liv**, 297.
Treatment of fractures, **lxxiii**, 387.
Treatment of fractures of patella, **liii**, 582.
Treatment of undescended testicle, **lvi**, 503.
Treatment of ureter in cases of tuberculous kidney, **liii**, 735.
Tumors of the male breast, **lv**, 636.
Typhoid perforation, **lxii**, 385, 539.
Use of eserin in paralytic ileus, **liii**, 129.
Value of radium in treating pelvic tumors, **lxxi**, 780.
Volkmann's ischæmic paralysis, **liii**, 580.
Wound sterilization, **lxx**, 119.
GIBBONS, E. C.: Data concerning the experimental production of pancreatitis, **lxxiv**, 426.
GIBNEY, VIRGIL P.: Treatment of Volkmann's ischæmic paralysis, **lxv**, 271.
Value of conservative treatment of sarcoma of the long bones, **lxxiv**, 659.
GIBSON, ALEXANDER: Separation of upper epiphysis of tibia, **lxxvii**, 485.

GIBSON, CHARLES L.: Acute perforation of the stomach, **lxxviii**, 678.
Acute perforation of stomach with transposition of viscera, **lxxviii**, 679.
Advantages of picric acid for disinfection of skin, **lxix**, 127.
Avulsion of the tubercle of the tibia, **liii**, 431.
Bile duct obstruction, **lxxi**, 206.
Blepharoplasty by a pre-grafted flap, **lix**, 958.
Cancer of the male breast, **lvi**, 471.
Cancer of the penis, **lvi**, 471.
Carrel method of treating wounds, **lxvi**, 262.
Cervical rib, **lviii**, 555.
Complete excision of one sternomastoid muscle for torticollis, **lvi**, 472.
Disinfection of the skin by tincture of iodine, **liii**, 106.
Double perforation of the duodenum, **lviii**, 555; **lx**, 497.
End-to-end intestinal anastomosis by the invagination method, **lii**, 116, 130.
Epithelial changes in chronic mastitis, **lviii**, 400.
Gastro-enterostomy after closure of duodenal ulcers, **lvii**, 946.
Hepatic jejunal anastomosis for destruction of common duct, **lxxv**, 629.
Hospital work, the follow-up system in, **lxx**, 661.
Incisional hernia, **lxxvi**, 658.
Ligation of carotids as a preliminary of operations on the maxilla, **lvii**, 955.
Mikulicz operation for colostomy, **lxxi**, 392.
Occlusion of pylorus, **lxi**, 423.
Operation for cure of large ventral hernia, **lxxii**, 214.
Operation for fracture of patella, **lxix**, 647.
Osteomyelitis treated by Carrel irrigations following operation, **lxv**, 762.
Plastic on hand, **lxxv**, 630.
Post-operative intestinal obstruction, **lxiii**, 442.
Repair of large incisional ventral hernia by pedunculated flaps of fascia, **lxv**, 761.
Repair of ventral hernia, **lxix**, 657.
Results of a six-year follow-up system in a surgical service, **lxxi**, 211.
Rubber dam Mikulicz tampon, **lxxiii**, 470.
Standardized results of wound healing, **lxxiv**, 376.
Surgical follow-up system, **lxiv**, 349.
Surgical treatment of colitis, **lv**, 17.
"Tongue depressor" gastro-enterostomy clamp, **lxi**, 604.
Treatment of fractures by the open method, **lv**, 883.
Treatment of hand infections by active mobilization, **lxxviii**, 423.
Treatment of hour-glass stomach by double gastro-enterostomy, **lxxviii**, 587.
Uselessness of blood counts in perforated typhoid ulcer, **lvii**, 588.
GIBSON, EDWIN T.: Melanoblastomas of the foot, **lx**, 88.
GIBSON, THOMAS E.: Cysts of the Wolffian body, **lxxix**, 762.
Malignant tumors of the testicle in children, **lxxviii**, 761.
GIDDINGS, HAROLD G.: Cystadenoma of supernumerary kidney, **liii**, 367.
GIFFIN, H. Z.: Clinical notes on splenectomy, **lxii**, 166.
Diagnosis of diaphragmatic hernia, **lv**, 388.
Diverticulitis of the rectum, **liii**, 533.
Splenectomy in childhood, **lxii**, 679.
GIFFORD, HERBERT: Extension and reduction of transverse or serrated fractures of the femur, **lxii**, 289.
Oblique extensor radial ridge, **lxi**, 126.
GILL, A. BRUCE: Acute dilatation and spontaneous rupture of the stomach, **lxvii**, 378.
Bone transplantation for old ununited fracture, **lxxi**, 228.

Congenital elevation of the scapula, **lxxi,** 229.
Connection between fecal fistula and joint infection, **lxxi,** 780.
Dupuytren's contracture, with description of operation, **lxx,** 221.
End results of operation for Dupuytren's contracture, **lxxv,** 504.
Heliotherapy for tuberculosis of bones and joints, **lxxvii,** 620.
Hereditary malformation of the ear, **lxvii,** 379.
Infectious arthritis, **lxv,** 125.
Multiple enchondromata of hand, **lxvi,** 623.
Perforated Meckel's diverticulum, **lviii,** 708.
Plastic reconstructive surgery of the hand and forearm, **lxviii,** 55.
Post-operative intraperitoneal adhesions, **lxi,** 366.
Removal of paraffine from inguinal canal, **lviii,** 710.
Result of arthroplasty for ankylosis of jaw, **lxxviii,** 540.
Sarcoma of clavicle and scapula, **lxii,** 634.
Silk tendon removed two years after introduction, **lvi,** 657.
Surgery of spastic paralysis, **lxvii,** 529.
Surgical tuberculosis treated by the Rollier sunshine method, **lxiii,** 251.
Transplant for contracture of finger, **lxvii,** 114.
Transplantation of entire bones with their joint surfaces, **lxi,** 658, 757.
Treatment of fractures of the metatarsal bones, **lxxiv,** 251.
Treatment of webbed fingers, **lxxviii,** 532, 543.
Two independent sacs in an inguinal hernia, **lviii,** 709.
Use of implanted silk to correct paralytic foot-drop, **lix,** 439.
Gillies' plastic surgery of the face, review of, **lxxii,** 766.
GILMOUR, WILLIAM R.: Biliary tract surgery, **lxxx,** 616, 697.
GINSBURG, NATHANIEL: Autogenous fascial reconstruction of bile-duct, **lxv,** 79.
Cases of goitre, **lvi,** 488.
Bone cysts, **lxv,** 513.
Compound fracture of the patella, **lxv,** 753.
Cyst of the appendix complicating ruptured ectopic gestation, **lxiv,** 585.
Endarteritis obliterans, **lxiv,** 752.
Fracture of os calcis, **lxiii,** 237.
Fracture of skull, decompression and drainage, **lxiv,** 746.
Gunshot wound of thigh with gas bacillus infection, **lxv,** 752.
Gynæcomastia, **lxii,** 376.
Jejunal ulcer following gastro-enterostomy, **lxiii,** 732.
Old refracture of patella with infection of knee-joint, **lxv,** 755.
Recovery from empyema, **lxi,** 637.
Relation of unabsorbable sutures to gastro-jejunal ulcer, **lxiii,** 765.
Results of division of spinal accessory nerve, **lxvi,** 622.
Sarcoma of tonsils, **lxi,** 237.
Sarcoma of tonsils treated with radium, **lxi,** 364.
Scapulohumeral amputation for gas bacillus infection, **lxv,** 751.
Surgical anatomy of the thyroid gland, **lxi,** 268, 365.
Thrombo-angiitis obliterans, **lix,** 446.
Traumatic brachial paralysis with flail shoulder-joint, **lxvi,** 616.
GIRARD, CHARLES: Technic of pyloric exclusion, **lv,** 155.
GIRVIN, JOHN H.: Calculous cholecystitis, **lii,** 278.
Lymphangioma of the omentum, **lxxiv,** 792.
GITLOW, SAMUEL: Diaphragmatic hernia, **lxxiii,** 417.
Glanders abscess of the forearm, **liii,** 573.
Glands cervical lymph, the indications for operation in the treatment of tuberculous, **lxxx,** 885.
Involvement of the, lymph, in cancer of the cæcum, **lxxvii,** 698.
Tuberculosis of, in the elderly, **lxx,** 570.

Glioma of the buttock, lxx, 582.
Upper abdominal cavity, **lxvii,** 496.
Glucose solution, in the treatment of peritonitis, use of intra-abdominal injections of, **lxxviii,** 357.
Gluteal aneurism, ligation of the internal iliac for, **lxxvi,** 520.
Gluteus maximus to form sphincter after excision of the rectum, lvi, 476.
Gluzinski's test, value of, in diagnosis of gastric ulcer, **lix,** 821.
GOEBEL, DR.: Mobile cæcum, **lv,** 163.
GOETHALS, THOMAS R.: Finger exploration of gunshot wounds of the brain, **lxxi,** 531.
Goitre, advantages of the double resection of, in certain types, **lix,** 671.
Cases of, **lvi,** 488.
Clinical study of 139 cases of, **lxxii,** 129.
Displaced, beneath the sternum, **lxviii,** 146.
Exophthalmic, **lxiv,** 385; **lxvii,** 750; **lxxvi,** 649; arterial ligation for, **lxi,** 500; complicated by corneal ulcer, **lxvi,** 222; hemithyroidectomy after ligation of the superior thyroid vessels for, **li,** 255; resulting in blindness from corneal ulcers, **lxxix,** 495; results of operative treatment of, **lxiv,** 400; **lxxii,** 145; thyroidectomy, partial, for, **lii,** 713; **liii,** 422; **lvi,** 456; after preliminary ligation, **lvi,** 789, 791; toxic adenoma in relation to, **lxxii,** 141.
Heredity, as a factor in the causation of, **lxii,** 138.
Intrathoracic, **lix,** 191.
Large colloid, **lvi,** 457.
Operation for, many stage, **lxxviii,** 151.
Operations, end results of, **lxxx,** 383, 388, 391; operations, question of anæsthesia in, **lviii,** 939; with reference to treatment of hyperthyroidism, **lx,** 583.
Retrosternal, **lxvii,** 230, 748.
Study of four thousand cases of, **lxxix,** 840.
Surgical relation of parathyroids 395, 487.
Toxic, **lxxii,** 152; in young girl, **lxiv,** 371; management of, **lxxii,** 420; management of, from surgical point of view, **lxxii,** 155.
With pneumococcus abscess, **lxvi,** 115.
Goitres, tourniquet operations in, **lxxii,** 161.
Gold mining industry, fractures of the different bones occurring in, **lxvi,** 193.
GOLDBERG, SAMUEL: Mesenteric embolism in an hæmophiliac, **lxxiii,** 229.
GOLDBERGER, MORRIS A.: Effect of pre-operative digitalization in reducing post-operative complications, **lxxviii,** 693.
Gonitis, tubercular synovial, **li,** 946.
Gonococcus in arm abscess, **lxxvi,** 802.
Myositis, **lxxvii,** 782.
Gonorrhœal epididymitis complicated by peri-epididymitis, treatment of, **lxvii,** 103.
GONZALEZ, A.: Pleural epilepsy, **lxxviii,** 6.
GOODMAN, CHARLES: Arteriovenous anastomosis of the femoral vessels for impending gangrene, **lx,** 62.
Blood transfusion in hæmophilia, **lii,** 457.
Blood-vessel suture, **lxv,** 693.
Gas gangrene, **lxxix,** 806.
Method for obtaining uncontaminated blood from dogs and other animals, **lxiii,** 108.
Protective ferments of blood after transplantations of organs, **lxi,** 149.
GOODMAN, EDWARD H.: Lumbar hernia, **lxiii,** 548.
GOODWIN'S arthrometer, **lxxix,** 476.
GORSCH, RUDOLPH V.: Compression fracture of the first lumbar vertebra with delayed symptoms, **lxxiii,** 360.
GOSSET: On functional results of operations upon peripheral nerves, **lxix,** 190.

GRADWOHL, R. B. G.: **Surgical** significance of the estimation of the non-protein nitrogenous constituents of blood, **lxv,** 648.
Graft, Skin, the full thickness, **lxxx,** 298.
Tibial, use of for skull defect, **lviii,** 690.
Vena cava on the abdominal aorta, **lii,** 462.
Grafting of bones, values of the various methods of, **lxxiv,** 286; bone, autogenous for fracture of patella, **lix,** 483.
Modified autogenous, and turning skin flaps to cover granulating surfaces, **liv,** 848.
Pott's disease, for, **lix,** 136.
Skin, **lxxvi,** 799; by exact pattern, **lxxvii,** 223.
Grafts, free omental, use of, in abdominal surgery, **lxiii,** 83; skin, in interior of mouth and nose, **lxxi,** 360, 396.
Self-retaining bone, **lxx,** 750.
GRAHAM, EVARTS A.: Diabetes insipidus as a sequel to gunshot wound of head, **lxvi,** 529.
Röntgenological visualization of the gall-bladder by the intravenous injection of tetrabromphenolphthalein, **lxxx,** 473.
Some surgical aspects of asphyxia, **lxxiii,** 170.
Surgical treatment of syphilis of the stomach, **lxxvi,** 449.
GRAHAM, DOUGLAS: Non-operative treatment of displaced semilunar cartilages of the knee-joint, **lxxvii,** 729.
GRAHAM, JAMES M.: Fibromatosis of the stomach, **lviii,** 10.
GRAHAM, ROSCOE R.: Cholecystitis, **lxviii,** 188.
GRANT, ARTHUR ROGERS: Pneumatic injectors in local anæsthesia, **lxxix,** 637.
Tying of a surgical knot, **lxvii,** 439.
GRANT, FRANCIS A.: Auto-transfusion, **lxxiv,** 253.
Graves's disease, cases of, **lv,** 460.
Excision of both lobes of thyroid gland for cure of, **lviii,** 178.
Neuropathologic cytology, **li,** 753.
Preliminary ligation of the thyroid arteries in cases of, **lviii,** 180.
GRAVES, ROBERT COLGATE: Shadowless renal calculi, **lxxv,** 487.
GRAVES, STUART: Congenital idiopathic dilatation of the colon, **lxvii,** 734.
Cystic dilatation of the vermiform appendix, **lxiv,** 587.
Hygroma coli, **lxvii,** 71.
Gravimetric method for determining the superficial area of wounds, lxxiii, 673.
Gray, anatomy of the human body, review of, **lxviii,** 564; **lxxii,** 767.
On the early treatment of war wounds, review of, **lxix,** 443.
GREEN, NATHAN W.: Aberrant position of appendix, **lvi,** 948.
Abscess of liver, discharging through bronchi, **lxvii,** 631.
Abscess of the lung, **lxxvii,** 370; **lxx,** 539; **lxvii,** 368, 630.
Acute hæmatogenous infection of the kidney, **lxxv,** 760.
Acute suppurative pancreatitis, **lxv,** 395.
Anomalous abdominal membranes, **lxxv,** 753.
Artificial respiration and intrathoracic œsophageal surgery, **lii,** 58.
Association of tuberculosis and carcinoma, **lxxiii,** 662.
Basal-cell epithelioma of the upper lip, **lxv,** 790.
Benign stenosis of the œsophagus, **lxxiii,** 724; **lxxiv,** 124.
Bursitis simulating sarcoma, **lxxii,** 392.
Cancer of the œsophagus and cardia, **lii,** 67.
Cases of carcinoma of the appendix, **lxii,** 510.
Central luxation of the femur, **lxxi,** 226.
Chronic empyema thoracis, **lxix,** 557.
Cicatricial stricture of the œsophagus, **lvi,** 482; **lxvii,** 231.
Compound dislocation of astragalus without fracture of the leg bones, **lxix,** 650.

Depressed fracture of skull over speech centre, **lxvii**, 632.
Effect of splenectomy, **lxvii**, 235.
Epithelioma of the nose, operation for, under intratracheal insufflation anæsthesia, **liii**, 291.
Epithelioma of the penis, **lx**, 388.
Fibroma of abdominal muscles, **lxix**, 600, 651.
Foreign bodies in the respiratory tract, **lxiii**, 656.
Foreign body in the lung, removed by bronchoscopy, **lxii**, 49.
Foreign body in the lung removed by posterior thoracotomy, **lxii**, 498.
Foreign body in the œsophagus, **lxiv**, 495.
Fracture-dislocation of cervical vertebræ, **lxxvi**, 288.
Fractures of the humerus with paralysis of musculospiral nerve, **lxix**, 338.
Gastric fistula in the treatment of perforating gastric ulcer, **liii**, 143.
Gastro-enterostomy and ulcer of the stomach, **lix**, 130.
Gastrotomy in an infant, **lx**, 387.
Gelatinous carcinoma of the bladder, **lxii**, 501.
Hypernephroma, **lix**, 124.
Idiopathic peritonitis probably of pneumococcus origin, **lx**, 387.
Implantation of cancer cells in operations for cancer of the bladder, **lxxiii**, 239.
Late result of partial resection of colon for cancer, **lxxiii**, 233.
Late result of resection of head of humerus for sarcoma, **lxxiii**, 236.
Management of post-operative thoracic infections, **liv**, 549, 568.
Mesenteric thrombosis, with resection in intestine, **lv**, 458.
Œsophagoplasty, **lvii**, 587.
Œsophagoscope, **lix**, 195.
Operations for femoral hernia, **lxix**, 661.
Operations upon the œsophagus, **lxxiv**, 119.
Operations under local anæsthesia, **lxxiii**, 664.
Paralysis agitans in one arm, following breast amputation, **lv**, 898.
Pedicle graft replacing ablated heel, **lxxii**, 389.
Perforating duodenal ulcer, **lvii**, 944.
Pneumococcus peritonitis, **lxvii**, 248.
Pott's fracture with deformity, treatment of, **lxxii**, 388.
Prevention of injuries of the bladder during herniotomy, **lxv**, 264.
Pulmonary lobectomy, **lxxv**, 384.
Radical operation for chronic empyema, **lxxvii**, 375.
Relative merits of gastrostomy and jejunostomy in cancer of the cardiac end of the stomach, **lxxv**, 746.
Repair of inguinal hernia, **lxix**, 432.
Resection of rectum with retention of sphincter, **lv**, 899, 903.
Results of experimental resection of the œsophagus, **lxi**, 359.
Retrosternal goitre, **lxvii**, 230.
Rupture of the gastrohepatic omentum, **lxi**, 631.
Sarcoma of the frontal bone, **lxvii**, 623.
Stitch for closing posterior sheath of the rectus, **lxiii**, 364.
Transverse abdominal incision, **lxvi**, 241.
Traumatic subdural pneumatocele, **lxxv**, 764.
Treatment of bronchus in operations for bronchiectasis, **lxi**, 104.
Treatment of cystic mastitis, **lxiv**, 739.
Treatment of fractures of lower jaw, **lxv**, 380.
Use of rubber gloves in operative surgery, **lxix**, 341.
GREEN, THOMAS M.: Elephantiasis and the Kondoleon operation, **lxxi**, 28.
GREEN, W. H. CLAYTON: Notice of association as collaborator, **lxxiii**, 392.
GREENBERG, GEZA: New operating composite cysto-urethroscope, **lxx**, 212.

GREENOUGH, JAMES: Clinical experience with synergistic analgesia, **lxxiv**, 185.
GREENOUGH, ROBERT B.: Fibro-epithelial tumors of the mammary gland, **liv**, 517.
Handling of early and doubtful cases of cancer, **lxvi**, 385.
Pancreatitis, recovery without operation, **lvi**, 337.
Results of conservative treatment of cystic disease of the breast, **lx**, 42.
GREGOR, GILBERT D.: Dental plate in the œsophagus, **lxiii**, 672.
GREY, ERNEST G.: Studies on the localization of cerebellar tumors, **lxiii**, 129.
GRONNERUD, PAUL: Etiological relations of the sequelæ to gastro-enterostomy, **lxvi**, 177.
GROVE, L. W.: Removal of foreign bodies under fluoroscopic guidance, **lxxiii**, 372.
GROVER, COURTNEY P.: Wound of femoral artery and vein, **lxxviii**, 84.
GROVES, ERNEST W. HEY: Multiple myelomata, **lvii**, 163.
GUERRY, LEGRAND: Perforating gunshot wounds of the abdomen, **lxi**, 694.
Primary closure of the renal pelvis after nephrolithotomy, **lxxiv**, 85.
Guillotine amputation, lxix, 543; **lxx**, 111.
Gum-salt solutions, intravenous injection of, experimental research on, **lxix**, 297.
Gumma of the breast, differential diagnosis from carcinoma, **lxxix**, 44.
Liver, as a sequel to yaws, **lv**, 111.
Gunshot and stab wounds, perforated, of abdomen at Gouverneur Hospital, New York, **lxxx**, 51.
Fracture of the femur and wounds of the femoral vessels requiring amputation, **lxxviii**, 405.
Fractures of the mandible, treatment of, **lxviii**, 245, 347; tibia and fibula, **lxxi**, 66.
Injuries of the chest, **lxxii**, 522; peripheral nerves, **lxv**, 56; spinal cord, **lxi**, 686; thorax, surgery of, **lxviii**, 564.
Wounds, review of LaGarde on, **lxv**, 798.
Wound of the abdomen, **lxxi**, 103; **lxxix**, 599; **lxxiii**, 129; and other injuries, hemorrhage from, causing mortality, **lxxix**, 382, **lxxviii**, 364; of abdomen, perforating, **lxi**, 694; **lxii**, 369; brain, **li**, 581; **lxxi**, 531; carotid artery, **lxv**, 115; chest, **lxxi**, 257; involving the lung, **li**, 272; late results of, **lxviii**, 659; penetrating, treatment of, **lxx**, 30; **lxvii**, 707; external iliac artery, **lxxv**, 253; femoral artery, **lxxvi**, 651; horse-shoe kidney, **lxxv**, 253; ileum, multiple, **lxxvi**, 651; knee-joint, **li**, 736; opening up of, **lxix**, 95; of peripheral nerves, **lxv**, 38; shoulder, **lxxiii**, 117; skull, with rupture of the longitudinal sinus, **li**, 738.
GUTHRIE, C. C.: End results of arterial transplants, **lxxviii**, 305.
GUTHRIE, DONALD: Locating the appendix vermiformis, **lxv**, 742.
Practical hospital psychology, **lxxvii**, 112.
Prevention of fecal fistula in suppurative appendicitis, **lxiii**, 452.
GUYOT, J. DEVOINE: Relation of the ileocæcal folds to appendectomy, **lvi**, 437.
GWATHMEY, JAMES T.: American Association of Anæsthetists, **lviii**, 865.
Clinical experience with synergistic analgesia, **lxxiv**, 185.
Three-table military operating room, **lxx**, 397.
Gynæcological diagnosis, text-book on, by Winter-Clark, review of, **li**, 444.
Gynæcology, operative, review of Crossen's text-book of, **lxiii**, 254.
Gynæcomastia, lxii, 376.
Gynoplastic technology, by Arnold Sturmdorf, review of, **lxxi**, 236.

H

Hæmangioma cavernosa of bone, **lxv**, 476.
Cervical, subcutaneous cavernous, **li**, 65.
Of intestine, **lxxviii**, 42; spinal cord, **lxii**, 641.
Hæmangiomas of the gastro-intestinal tract, lxxvi, 28.
Hæmatogenous infection of kidney, acute unilateral, **lvi**, 818; excision of the infarct in acute, **lvii**, 760; **lviii**, 226.
Hæmatoma, arterial, following traumatic rupture of the popliteal artery, **lxxiv**, 625.
Spontaneous, in sarcoma of kidney, **lxxvii**, 311.
Hæmatomyelia, with crossed paralysis, **lxxii**, 406.
Hæmaturia, unilateral renal, **lvii**, 923.
Hæmolytic jaundice in children, **lxxx**, 158, 159; splenectomy for, **lxiv**, 627; treated by blood transfusion, **lxxvii**, 247; with cholelithiasis, **lx**, 400.
Hæmophilia, Blood transfusion in, **lii**, 457.
Preventive injection of human blood serum before operation in a case of, **lviii**, 695.
Hæmophiliac, mesenteric embolism in an, **lxxiii**, 229.
Hæmostasis in supra-pubic prostatectomy by the method of the "lost tampon," lxxiv, 768.
Hæmothorax from penetrating gunshot wounds, **lxvii**, 707.
Traumatic siphon drainage for, **lviii**, 276.
HAGGARD, WILLIAM D.: Cirsoid aneurism of the scalp, **lxxvi**, 524.
Fecal fistula following strangulated hernia, **lxviii**, 272.
Ligation of the internal iliac for gluteal aneurism, **lxxvi**, 520.
HAGNER, FRANCIS R.: Bilateral polycystic kidney, **lxv**, 580.
Note on the removal of carcinoma of the fundus of the urinary bladder, **lii**, 654.
HAINES, WILLARD D.: Dislocation of the tarsal scaphoid; double fracture of the ischiatic tuberosities, **lxxi**, 187.
Hair-ball in the stomach, lx, 764.
Hair-pin in male bladder removed by the aid of a cystoscope, li, 115.
HALE, KELLY: Fatty hernias, **lxix**, 278.
HALLAHAN, ROBERT E.: Treatment of traumatic synovitis, **lxxvii**, 781.
Hallux valgus, double, **lx**, 513.
HALSTEAD, ALBERT E.: Arteriovenous anastomosis for gangrene of the leg, **liv**, 424.
Extirpation of tumors of vomer, **liv**, 424.
Late result of operation for subclavian aneurism, **lvi**, 356.
Operative treatment of tumors of the hypophysis, **lii**, 120.
HALSTED, WILLIAM STEWART: Blind end circular suture of the intestine, **lxxv**, 356.
Case of congenital dislocation of the hip cured by operation, **lxiv**, 276.
Excision of both lobes of thyroid gland for cure of Graves's disease, **lviii**, 178.
Myxoma of the humerus, **lii**, 122.
Observations upon amputations, **lviii**, 276.
Occlusion of arteries, **lii**, 129.
Preliminary ligation of thyroid arteries in cases of Graves's disease, **lviii**, 180.
HAMANN, CARL A.: Faulty rotation of the intestine, **lxxvi**, 491.
Fistulous communication between stomach and colon, **lxii**, 208.
Ligation of the abdominal aorta, **lxviii**, 217.
Ligation of the first portion of the left subclavian, **lxviii**, 219.
Ligation of the innominate artery, **lix**, 962.
Simulation of neoplasms by inflammatory processes, **li**, 782.
HAMILTON, CHARLES S.: Hemorrhagic cysts of the spleen, **lxxiii**, 58.
HAMMOND, LEVI J.: Considerations relating to the pathogenesis

and diagnosis of surgical diseases of the pancreas, **liv**, 798.
HAMMOND, ROLAND: Fracture of the head and neck of the radius, **lii**, 207.
HAND, ALFRED: Transpleural œsophagocutaneous fistula, **lxxviii**, 96.
Hand, amputation of the, **lx**, 155; and fingers, dorsum of, cicatrix deformity, **lxxix**, 465.
Artificial, of the Middle Ages, **lvii**, 591.
Burn cicatrix of, plastic flap from abdomen for, **lxvi**, 598.
Burn of, flap transplant for, **lxxiv**, 507.
Contractures, treatment of, **lxxvi**, 121.
Disabilities of, and their physiological treatment, **lxxviii**, 816.
Formation of a new thumb from the stump of the first metacarpal, **lxxiv**, 121.
Enchondromata of, multiple, **lxvi**, 623.
Infections of the, **lvii**, 561; deep palmar; **lxvii**, 152; **xvi**, 24; treatise on, by Allan Kanavel, review of, **lxxiv**, 670; treatment of, by active mobilization, **lxxviii**, 423.
Plastic on, **lxxv**, 630.
Principles of anatomy as seen in the, review of Frederic Wood Jones' treatise on, **lxxii**, 533.
Reconstructive surgery of, **lxviii**, 55, 71.
Salvage of, by reparative surgery, **lxx**, 623.
Supernumerary muscle of the dorsum of the, **lxiv**, 615.
Transplant on, after operation for carcinoma, **lxvii**, 629.
Handicapped surgical patients, preoperative preparation of, **lxxix**, 803.
Handley's method of lymphangioplasty, **lvii**, 941.
Hands, disinfection of the, and field of operation, **lv**, 129; simplified pre-operative treatment of, **lxiii**, 608.
And fingers, tumors of, **liii**, 290.
Variations of the bones of, and feet, by Thomas Dwight, review of, **liii**, 160.
HANFORD, JOHN M.: Indications for operation in the treatment of tuberculous cervical lymphglands, **lxxx**, 885.
HARDE, E. S.: Frequency of tetanus bacilli upon the surface of projectiles extracted from wounds, **lxix**, 68.
HARE, H. A.: Shock, **lxviii**, 80.
Harelip, **lxxvi**, 133.
And cleft palate, by James Berry and T. Percy Legg, review of, **lvi**, 949.
And cleft palate deformities, **lxxvi**, 117; operative treatment of, **lxix**, 12.
Double, treatment of complete, **lxxvi**, 143.
Operation, retention apparatus after, **lxxi**, 395; technic in, **lxviii**, 104; **lxxiv**, 394.
HARKAVY, J.: Abscess of the tongue, **lxxviii**, 496.
HARRIGAN, ANTHONY H.: Acute dilatation of the stomach, **lxix**, 510.
Arterial hæmatoma following traumatic rupture of the popliteal artery, **lxxiv**, 625.
Hypernephroma of the falciform ligament of the liver, **lxviii**, 395.
Hypochondriac tympany symptom of perforated gastro-duodenal ulcers, **lxvii**, 255.
Linitis plastica, **lxxiii**, 551.
Orthopædic treatment of burns, **lxxii**, 618.
Temporary arrest of the heart beats following incision of the pericardium, **lvii**, 367.
Torsion and inflammation of the appendices epiploicæ, **lxvi**, 467.
Use and value of the Lane plate, **lxix**, 161.
HARRINGTON, F. B.: Resection of the sigmoid for diverticulitis, **lvi**, 344.
HARRIS, MALCOLM L.: Conservatism in operating on horse-shoe kidney, **liv**, 414.
Gunshot wound of the pancreas, **lii**, 135.
Open treatment of fractures, **liv**, 409.

HARRISON, F. G.: Myositis ossificans progressiva, **lxvi**, 614.
HART, HARRY H.: Flashlight autochrom photography of pathological subjects, **lx**, 493.
HARTE, RICHARD H.: Diagnosis of perforated duodenal and gastric ulcer, **lvii**, 745.
Extension by pulleys in fractures treated by open incision, **lii**, 142.
Fracture of the shaft of the femur, **liii**, 499.
Intraperitoneal hemorrhage from ruptured ovary, **lvi**, 340.
Operative treatment of simple fractures, **lv**, 425.
Radical cure of hernia, **lv**, 916.
Results after fractures of the shaft of the femur, **liii**, 589.
Some considerations in the treatment of fractures of the long bones, **liv**, 289.
Treatment of fractures, **lvi**, 352.
HARTLEY, FRANK: Ankylosis of the jaw, **liii**, 551.
Interscapulothoracic amputation, **liii**, 556.
Nerve implantation, **liii**, 555.
Removal of fluids from peritoneal cavity by aspiration, **liii**, 575.
HARTMANN, FRED L.: Gas gangrene in civil life, **lxxv**, 240.
High ligation of the cystic duct in cholecystectomy, **lxxv**, 203, 241.
HARTMANN, HENRI: Function of the gastro-enterostomy opening in cases of permeable pylorus, **lix**, 832.
Ulcer of the stomach and of the duodenum, **lx**, 227.
HARTWELL, JOHN A.: Abscess of the lung, **lxxii**, 333.
Acute post-operative dilatation of the stomach, **lxiv**, 107.
Adenoma of colon, **lxxvi**, 674.
Cancer of the male breast, **lxii**, 100.
Cancer of the rectum, **lxii**, 92; **lxxiv**, 649.
Carcinoma of cervical lymph-nodes, **lxiv**, 355.
Carcinoma of the sigmoid loop, **liii**, 298.
Carcinoma of the splenic flexure of the colon, **lxvi**, 339.
Cases illustrating stomach and gall-bladder conditions, **lv**, 889.
Causation of acute dilatation of the stomach, **lv**, 615.
Chlorine antiseptics in civil hospital use, **lxvii**, 385, 757.
Chronic perforating ulcer of the duodenum, **lxxix**, 950.
Colonic anæsthesia, **lxxvii**, 116.
Diet in the treatment of diabetic gangrene, **lix**, 313.
Diffuse carcinoma of the stomach, **lxxvi**, 672.
Diverticulitis of sigmoid, **li**, 584.
Effect of tobacco in producing endarteritis obliterans, **lix**, 798.
Epithelial changes in chronic mastitis, **lviii**, 399.
Experimental intestinal obstruction, **lix**, 299.
Experiments on high intestinal obstruction, **lv**, 115.
Factors affecting operations for acute ileus, **lxxii**, 530.
Fracture of the head of the radius, **lix**, 632.
Gangrene of the cæcum secondary to carcinoma of the colon, **lix**, 761.
Gastrectomy for carcinoma, **lxi**, 627.
Gastro-enterostomy for ulcer of stomach, **lix**, 794.
Hyperplastic tuberculosis of the intestines, **lxxi**, 794.
Injury of axillary vessels and brachial plexus, **lx**, 516.
Intestinal diverticulitis, **lii**, 262.
Intestinal obstruction due to tubercular lymph-nodes, **lxiv**, 353.
Jejunal ulcer following gastro-enterostomy, **lix**, 300.
Late suture of the musculospiral nerve, **lxxiii**, 665.
Late suture of the ulnar nerve, **lxxiii**, 667.
Mikulicz operation for colostomy, **lxxi**, 392.
Non-tuberculous inflammation of the cæcum, **lxxiii**, 668.
Operation for carcinoma of the colon, **lxiv**, 505.

Operation for carcinoma of the rectum: abdomino-sacral operation for, **lxix,** 668.
Operation for prolapse of the rectum, **lx,** 643.
Operation for ulcer of the stomach, **lxi,** 747.
Osteomyelitis of the femur, **lxxvi,** 289.
Osteomyelitis of the tibia, **lxxiv,** 662.
Pachymeningitis hemorrhagica interna, **lxi,** 628.
Perforating diverticulum of ascending colon, **li,** 269.
Perienteritis membranosa, **lxii,** 105.
Periosteal sarcoma of femur, **lxxviii,** 419.
Prostatectomy, **lix,** 802.
Pyopneumothorax, **lviii,** 402.
Radical operation for chronic empyema, **lxxvii,** 380.
Relation of surgery to the vascular sympathetic system, **lxxviii,** 430.
Recurrent dislocation of shoulder, **lxxvii,** 118.
Result after operation for chronic cystic mastitis, **lxiv,** 740.
Results of plating fractures, **lv,** 881.
Sarcoma of femur, **lxiv,** 357.
Splenectomy, **lxxviii,** 557.
Statistics of cases of removal of carcinoma of the rectum, **lv,** 901.
Streptococcus hæmolyticus in double empyema, **lxix,** 664.
Syphilitic lesion simulating cerebellar abscess, **lxi,** 97.
Torsion within the lesser omentum, **lxi,** 626.
Traumatic arthrosis, **lxxvii,** 232.
Treatment of appendicitis, **lx,** 651.
Treatment of empyema, **lxx,** 55.
Treatment of fracture of upper third of the left humerus complicated by fracture at the elbow, **lvii,** 440.
Treatment of spreading peritonitis, **liii,** 146.
Tuberculosis of the breast, **lviii,** 396.
Use of local anæsthesia in surgical operations, **lxxiii,** 664.
Value of conservative treatment in sarcoma of the long bones, **lxxiv,** 659.

HARVEY, SAMUEL CLARK: Congenital variations in the peritoneal ascending colon, cæcum, appendix and terminal ileum, **lxvii,** 641.
Fibrin paper as a hæmostatic agent, **lxviii,** 66.
Modification of the operation of Bucknall for hypospadias, **lxxvii,** 572.
Regeneration of the meninges, **lxxvii,** 129; **lxxx,** 536.

HASSLER, J. WYLLIS: Intravenous anæsthesia, **lviii,** 900.

HAUBOLD, H. A.: Plastic repair of the thumb, **lii,** 536.

HAUDEK, DR.: Duodenal ulcer, **lv,** 159.
Pyloric exclusion, **lv,** 158.

HAUSSLING, F. R.: Clinical and pathological observations on giant cell medullary bone tumors, **lxiii,** 454.

HAWKES, CHARLES E.: Traumatic extraperitoneal rupture of the bladder, with fracture of pelvis, **lxv,** 222.

HAWKES, FORBES: Abscess of the liver, **lxviii,** 88.
Acute ulcer peritonitis in typhoid fever, **liii,** 651.
Carcinoma of the rectum, **lxviii,** 89.
Epiphyseal fracture at lower end of radius, **lv,** 444.
Refracture of femur with plating, **lxxi,** 203.
Rupture of the quadriceps tendon of the knee, **lv,** 443.
Silver filigree in the treatment of umbilical hernia, **lxviii,** 104.
Tuberculosis of the spleen, **liii,** 144; **lxix,** 56.

HAWLEY, DR.: Chronic osteomyelitis, treated by Carrel irrigations, **lxv,** 763.

HAWLEY, GEORGE W.: Hospital bed designed for military hospitals, **lxvii,** 435.
Improved military ambulance, **lxvii,** 226.
Skeletal carcinomatosis, **li,** 636.

HAYNES, IRVING S.: Acute palmar bursitis with removal of rice bodies, **lvi**, 463.
Cases of inguinal hernia with unusual features, **lxvi**, 731.
Fascial transplant in herniotomy, **lxvii**, 241.
Gangrenous appendicitis with resection of portion of ileum, **lvi**, 461.
Hernia following transverse abdominal incision, **lxvii**, 244.
Multiple operations for gallstones, **lxvii**, 364.
Neurofibroma of the brachial plexus, **liii**, 274.
Reconstruction of the bile-ducts, **lxvii**, 371.
Repair of complete vaginal lacerations, **lxvii**, 501.
Splenectomy for splenomegaly, **lxvii**, 243.
Sublingual thyroid, **lvi**, 465.
Traumatic meningocele, **liii**, 268.
Treatment of congenital internal hydrocephalus by drainage into the cranial sinuses, **lvii**, 449.
Treatment of spreading peritonitis, **liii**, 151.
HAYS, GEORGE LIVINGSTON: Volvulus of the sigmoid, **lxxv**, 724.
Head, appliance to secure position and steadiness of, during brain operations, **lxxii**, 591.
Gunshot wound of, followed by diabetes insipidus, **lxvi**, 529.
Traumas, pulse rate and blood pressure observations in, **lxvii**, 51.
Traumatic lesions of the, **lxxviii**, 26.
Headache, cases of severe intermittent, radiolucent semilunar shadow constant factor in, **lxviii**, 521.
HEARN, W. JOSEPH: Suture of heart, **lvii**, 302.
Heart beats, temporary arrest of, following incision of the pericardium, **lvii**, 367.
And blood-vessels, surgery of the, **lviii**, 278.
Dilatation of, after abdominal operations, **lxvi**, 295.
Intrapleural exposure of the, by section of the sternum, **lx**, 117.
Migration of shell fragment into, from femoral vein, **lxiv**, 734.
Operations on the orifices of the, experimental, **lx**, 1.
Resuscitation by direct massage of, in cardiac arrest, **lxxx**, 555.
Stab wound of, **liii**, 727.
Stab wound into left ventricle of, **lxv**, 120; right auricle of, **lxv**, 119.
Stab wound of, recovery after treatment, **lvii**, 296.
Surgery of the, experimental, **lii**, 83.
Suture of, **lviii**, 67, 712; distant results of, **lix**, 968; in acute injuries, **lxxviii**, 696.
Wounds of, **lv**, 150; treatment of, **lii**, 96; **lv**, 485; operative, **liii**, 324.
Heat stroke after operations, lxxiii, 115.
HEDBLOM, CARL ARTHUR: Foreign bodies of dental origin in a bronchus, **lxxi**, 568.
Treatment of chronic empyema, **lxxii**, 288.
Hedonal anæsthesia, intravenous, **lv**, 133.
Heel, ablated, replaced by pedicle graft, **lxxii**, 389.
Defect of, use of fascia lata to repair, **lxxv**, 252.
Heels, bilateral swelling of both, **liii**, 855.
HEGNER, CASPAR FRANK: Lightning, some of its effects, **lxv**, 401.
HEHMEIER, F.: Experimental investigations in bridging defects of organs lined with mucous membrane, **lv**, 139.
HEIM, HARLAN S.: Clinical significance of the relation of total and differential leucocyte counts in acute appendicitis, **lxxx**, 915.
HEINECK, AIMÉ PAUL: Simultaneous dislocation of both shoulder-joints, **lxxix**, 788.
Heliotherapy for tuberculosis of bones and joints, lxxvii, 620.
HELLER, ED. P.: Question of drainage in intra-abdominal infection, **lxxviii**, 121.
Rectal and vesical incontinence relieved by operation, **lxxv**, 89.

Use of hyclorite as a substitute for Dakin's solution, **lxxi**, 667.
HELMUTH, WILLIAM TOD: New operation for procidentia uteri, **lxv**, 469.
HELSLEY, GORDON F.: Metastases of œsophagus carcinoma, **lxxvii**, 272.
HELVESTINE, FRANK, JR.: Hæmangioma of the intestine, **lxxviii**, 42.
Hemiplegia, enucleation of clot in, **lxvi**, 219; spastic, with spontaneous recovery, **lv**, 317.
Hemithyroidectomy after ligation of the superior thyroid vessels for exophthalmic goitre; hyperthyroidism, **li**, 255.
Hemorrhage following gastroenterostomy, **lxii**, 349; transfusion for, **lxiv**, 361.
From gunshot wounds and other injuries of abdomen, mortality of, **lxxviii**, 364; **lxxix**, 382.
Into peritoneal cavity from rupture of ovary, **lvi**, 125, 338.
Intra-abdominal, from ruptured corpus luteum, **lxxi**, 777; **lxxix**, 296.
Non-traumatic, large, into kidney substance or surroundings, **liv**, 831.
Post-operative, mechanism of, **lxxx**, 652.
Prostatectomy, control of, **lxxviii**, 802.
Secondary, from the branches of the common carotid artery, treatment of, **lxxiv**, 313.
Septic secondary, after amputation of breast, **lvii**, 946.
Subperitoneal, simulating appendicitis, **lxv**, 240.
Hemorrhagic erosions of the œsophagus, **lxi**, 261.
Foci in bone, **lxxi**, 581.
Hemorrhoids, Whitehead operation for, immediate and late results of the, **lviii**, 647.
HENDERSON, MELVIN S.: Injuries of the semilunar cartilages of the knee-joint, **lxxi**, 658.
Mechanical derangement of the knee-joint, **lxvii**, 738.
Transplantation of bone in ununited fractures of the shaft of the humerus, **lxiii**, 464.
Treatment of ununited fractures, **lxxiii**, 487.
Treatment of ununited fractures of the tibia, by transplantation of bone, **lix**, 486.
HENDERSON, YANDELL: Fatalities caused by intermittent ether anæsthesia, **liv**, 418.
HENDRIX, B. M.: High intestinal stasis, **lxiii**, 720.
HENLE, DR.: Treatment of intestinal paresis by hormonal, **lv**, 153.
HENESCHEN, C.: Surgical treatment of tuberculosis of the lungs and bronchiectasis, **lx**, 122.
Treatment of aneurisms of the thoracic aorta, **lx**, 119.
Hepatic (see liver), abscess evacuating via bronchus, **lxxvi**, 591.
And common ducts, angulation of, after cholecystostomy, **lvii**, 182.
Cirrhosis, surgical treatment of, **lxxx**, 419.
Duct anomalous, method of reconstructing injured, **lxxix**, 78.
Hepatico jejunal anastomosis for destruction of common duct, **lxxv**, 620.
Hepaticoduodenostomy for injury of the bile-ducts, **li**, 830; **lxxv**, 344; technic of, **lxxiii**, 343.
Hepatitis, acute, simulating stone in the common duct and liver abscess, **liii**, 783.
Hepatoptosis, result of operation for, after five years, **li**, 258.
HEPBURN, THOMAS N.: Kidney-ureter abnormalities, **lxviii**, 294.
HERBST, WILLIAM P.: Malignant tumors of the thyroid, **lxxix**, 488.
Heredity as a factor in causation of goitre, **lxii**, 138.
HERMAN, J. LEON: Abscess of the prostate, **lxxi**, 234.
Bullet in the bladder, **lxxviii**, 667.
Dumb-bell kidney, **lvii**, 868.
Duplex kidney with pyonephrosis, **lxxix**, 602.
Pseudo-polycythemia, **lxxiii**, 223.
Radical operation for carcinoma of the breast, **lxxi**, 96.
Unilateral tuberculosis of the kidney, **lxx**, 117, 203.

Urachal calculus, **lxxviii**, 668.
Vesical calculus, **lxxviii**, 668.
Hermaphrodite, undescended testis in a, **lviii**, 400.
Hernia, abdominal, jack-knife position for patients after operation for, **lxxx**, 239.
Adiposa, **lvii**, 204.
Amniotic, **lxxiii**, 642.
Artificial, **liv**, 265.
Bladder, **lxxv**, 615.
Cooper, encysted, **lxvi**, 234.
Descending colon, sliding, **liv**, 265.
Diaphragmatic, **lxiii**, 78; **lxix**, 254; **lxx**, 179; **lxxi**, 276; **lxxii**, 665–668; **lxxiii**, 417; **lxxv**, 337; **lxxviii**, 660; congenital, **lxvii**, 748; **lxxi**, 280; **lxxvii**, 725; combined abdomino-thoracic approach in operation for, **lxxvii**, 32; diagnosis of, **lv**, 388; recurring, **lxxix**, 751; thoracic operative approach, **lxxiv**, 347; traumatic, **lxxv**, 620.
"En W," strangulated, **lxvi**, 234.
Epigastric, **liv**, 78; **lviii**, 566; cause of chronic diarrhœa, **lv**, 66; strangulated, **lxxii**, 629; without palpable swelling, **lxvi**, 300.
Extrasaccular, **lvii**, 86.
Femoral, anatomical study of, **lxii**, 582; formation of the sac of, **lii**, 668; intra-abdominal operation for, **lxxv**, 110; Lotheisen's operation for, **lxix**, 432; prevascular, **lv**, 848; radical cure of, in the aged, **liii**, 676; simulated by lymphocele, **lviii**, 682; saphenous varix, **lxvii**, 471; strangulated, **lvii**, 759; intra-abdominal rupture of intestine following, **lxxx**, 504; prevascular, **liv**, 265; with appendix in sac, **lxi**, 355; varicose veins simulating a, **lii**, 269.
Following transverse abdominal incision, **lxvii**, 244.
Ileum of, through rent in mesentery-adherent Meckel's diverticulum, **li**, 134.
Improved method of removing from within, **lxxix**, 375.
Incisional, operation for, **lxxvi**, 658.
Inguinal, **lxix**, 658; **lxx**, 65; artificially produced, **lv**, 601; appendix in sac of, **lxvii**, 376; associated with undescended testis, **liii**, 301; attempted cure by injections of paraffine, **lviii**, 710; bilateral strangulated, in three months old baby, **lxxx**, 617; cases of, **lxvi**, 731; direct, radical cure of, **lxxii**, 641, 671; specimen of, **lxv**, 760; treatment of in adults, **lxviii**, 214; double, associated with tuberculous peritonitis, **liv**, 264; fascia to fascia in operations for, **lxxix**, 250; in the male, **lxvi**, 702; **lxxvii**, 171; left, associated with undescended testis, **lxiv**, 504; occult strangulated, spontaneous reduction "en masse," **lxi**, 370; preservation of the iliohypogastric nerve in operation for cure of, **lxi**, 204, 248; protruding through femoral ring, **lxxii**, 675; radical cure of, **lxvi**, 79, 126; **lxxi**, 744, 753; **lxxii**, 640; **lxxvii**, 605; in infant, **lix**, 440; rectus transplantation in certain cases of, **lviii**, 473, 677; **lxvii**, 465; recurrence of, **lviii**, 479; **lxxviii**, 524, 558; recurring, strangulation of, **lxxiii**, 641; relation of the iliohypogastric nerve to the radical cure of, **lxvi**, 79, 126; relation of nerve distribution to, **lxi**, 483; repair of, with living sutures taken from the external oblique tendon, **lxxix**, 758; right, following appendectomy, **liv**, 673; strangulated, containing cæcum and appendix, **lxi**, 381; in early infancy, **lvii**, 188; in two weeks old infant, **li**, 131; transplantation of the rectus muscle or its sheath for cure of, **liii**, 568; **lxx**, 81; treated by paraffine injection, **liv**, 286; with ovary and tube in sac, **lxvii**, 380; with two independent sacs, **lviii**, 709.
Intercostal diaphragmatic, **liv**, 538.
Interparietal, **lvii**, 740.
Intractable, implantation of silver filigree for, **lv**, 321.

Intraperitoneal, of the ileum, **lxxii**, 516.
Into the duodenal fossæ, retroperitoneal, **lxv**, 456.
Large intestine, of, adherent, **lvi**, 313; sliding, **lix**, 610, 640.
Lumbar, **lxiii**, 377, 458; **lxxiv**, 650.
Multiple; inguinal, femoral, epigastric, **lxxviii**, 421.
Obturator, **lxii**, 710.
Of female reproductive organs into inguinal canal, **lxxv**, 742.
Operations; inguinal, fascia to fascia, **lxxix**, 250; use of absorbable sutures in, **lviii**, 679.
Operative treatment of, **lxviii**, 89, 255.
Paraduodenal, left, **lxvii**, 195.
Paraffine, **lxvi**, 308.
Pericæcal type of, retroperitoneal, **li**, 682.
Perineal, true, **lxvi**, 235.
Radical cure of, **lv**, 857, 916.
Rectus muscle, use of the, in closing direct inguinal, **liii**, 568; transposition in, **lxvii**, 624.
Recurring, after Macewen operation, **lxvii**, 245.
Richter's, with acute obstruction, **lxiv**, 119.
Sac obliterated at one point, **lxxi**, 512.
Sciatic, **lxxv**, 672.
Silver wire, use of, and linen thread, for cure of, **lii**, 678.
Sliding, of the ureter, **lxxiii**, 613.
Strangulated, by a congenital ring, **lxvi**, 233; coincidence of volvulus with, **liii**, 232; inguino-superficial, **liv**, 264; in young infant, **liv**, 262; obturator, **lxx**, 126; report of 105 cases of, **lviii**, 639; resulting in fecal fistula, **lxviii**, 272.
Through the conjoined tendon, **lxxviii**, 300.
Through the foramen of Winslow, **lxxix**, 605.
Transmesenteric, duodenal obstruction from, in an infant, **lxxix**, 948.
Traumatic and industrial, **lxxv**, 467.
Treatise on, by Leigh F. Watson, review of, **lxxix**, 629.
Umbilical, an operation for, **li**, 694; and inguino-labial, **lxxv**, 638; pathogenesis of, **lxi**, 570; relief of, by Condemin-Ransohof technic, **lxvii**, 732; silver filigree in the treatment of, **lxviii**, 104.
Umbilical cord, of the, in a new born infant, radical operation for, **lix**, 441; operation eleven hours after birth, **li**, 113.
Vaginal, **lxix**, 609.
Ventral, **lix**, 449; **lxiv**, 364; large incisional, repair of by pedunculated flaps of fascia, **lxv**, 761; strangulated, **lxviii**, 100; massive, **lxxvii**, 445; operation for cure of, **lxxii**, 214; recurrent, fascia transplant for, **lxxi**, 225; repair of, **lxix**, 657; spontaneous lateral, **lxxv**, 677.
With prolapse of iliocæcum **lxviii**, 535.
Herniæ, inguinal, direct bilateral, with bilateral adenomyoma of round ligaments, **lxv**, 775.
Histologic evidences of inflammation in the sacs of certain, **lxxix**, 254.
Strangulated and irreducible, **lxx**, 89.
Repair of from peritoneal side of abdominal wall, **lv**, 570; with living sutures taken from the external oblique tendon, **lxxix**, 758.
Hernial sac in its relation to concealed intestinal injuries, **lviii**, 365.
Ventral, serial plication of, **lx**, 766.
Hernial sacs, etiology of cysts connected with, **lxiii**, 544.
Hernias, fatty, **lxix**, 278.
Sliding of cæcum and appendix in children, **lxxvii**, 438.
Hernioplasty, inguinal, modified, **lxxviii**, 48; technic of, **lxxviii**, 410.
Herniotomies, three thousand consecutive, **lxxx**, 242.
Herniotomy, fascial transplant in, **lxvii**, 241.
Followed by tetanus, **lxxvi**, 646.
Inguinal, new technic for, **lxxiv**, 610; under local anæsthesia, **lxvi**, 112; with wound of bladder, **lxv**, 261.

Method of utilizing only white fascia, **lxxx**, 225.
HERRICK, FREDERICK C.: Sarcoma of prostate, **lxxi**, 168.
Splenic anæmia with splenectomy, **lix**, 690.
HERRICK, WILLIAM P.: Anomalous abdominal membranes, **lxxv**, 754.
Genito-urinary surgery in an army general hospital, **lxx**, 629.
HERTZ, ARTHUR F.: Cause and treatment of certain unfavorable after effects of gastro-enterostomy, **lviii**, 466.
HERTZ, J.: Early treatment of septic effusions complicating penetrating wounds of the chest, **lxviii**, 661.
HERTZLER, ARTHUR E.: Melanoblastomas of the foot, **lx**, 88.
HESSE, ERICK: Saphenofemoral anastomosis, **lv**, 170.
HESSE, FREDERICK: Wounds of the heart, **lv**, 150.
HETZEL, WILLIAM B.: Report of eighty-two cases of knee-joint war injuries, **lxx**, 257.
HEUER, GEORGE J.: Empyema of the pleural cavity, **lxxviii**, 711.
Gunshot injuries to the chest, **lxxii**, 523.
Intrathoracic tumors, **lxxix**, 670.
Penetrating war wounds of the chest, **lxxii**, 352.
Treatment of chronic empyema, **lxxii**, 80.
HEWITT, HERBERT W.: Value of the leucocyte count in acute surgical diseases, **liv**, 721.
Value of the leucocyte count in the diagnosis and prognosis of acute appendicitis, **lxvi**, 143.
HEWSON, ADDINELL: Deposit of metallic silver in body tissues, **lix**, 751.
Encysted urinary calculus, **lix**, 748.
Hair-pins in abdominal cavity, **lxvii**, 381.
Lane plate healed in place, **lxxviii**, 534.
Multiple diffused metastases following breast carcinoma, **liv**, 134.
Needles in the spinal cord, **lxiii**, 248.
Obstruction by Meckel's diverticulum, **lviii**, 711.
Plastic restoration of the lower lip, **liv**, 133.
Results after removal of advanced cancer of lower jaw, **liv**, 570.
Sarcoma occurring in scar tissue of the back, with metastases of the lung; pressure necrosis of the aorta, with hemorrhage and death, **li**, 745.
Supernumerary extensor of the digits, **lxiv**, 380.
Treatment of intracapsular fractures of the neck of the femur, **lvi**, 654.
HEYD, CHARLES GORDON: Blood transfusion, **lxxvii**, 504.
Liver and its relation to chronic abdominal infection, **lxxix**, 55, 305.
Relationship between intestinal obstruction, chronic peritonitis, and multiple serositis, **lxxvii**, 636.
Removal of appendix in cases of intussusception, **lxxviii**, 683.
Thoraco-abdominal injuries; some technical procedures developed by the war, **lxxii**, 370.
War wounds of the chest, **lxxi**, 248.
HIBBS, RUSSELL A.: Further consideration of an operation for Pott's disease of the spine, **lv**, 682.
Operation for stiffening the knee-joint, **liii**, 404.
HIGGINS, SAMUEL G.: Effects of the intramuscular injection of sodium citrate upon bleeding, **lxxx**, 268.
HIGHSMITH, EMMETT DE WITT: Plastic surgery of the face, **lxxvi**, 129.
HILDEBRAND, DR.: Basedow's disease, **lv**, 147.
HILL, ROLAND: Posture in cases of abdominal drainage, **lxvi**, 414.
HINMAN, FRANK: Cyst of the Wolffian body, **lxxix**, 762.
Malignant tumors of the kidney in children, **lxxx**, 569.
Priapism, **lx**, 689.

HINTON, DRURY: Suture of war wounds, **lxxi**, 191.
HINTON, J. WILLIAM: Exophthalmic goitre, resulting in blindness from corneal ulcers, **lxxix**, 495.
Hip, Ankylosis of, **lxvi**, 106.
Arthritis deformans of, **lv**, 774.
Artificial impaction of the, **lxvi**, 380.
Central luxation of, with fracture of the acetabulum, **lxxviii**, 806.
Disarticulation of, **lxxv**, 736.
Dislocation, complicated with fractures of the femur, **liv**, 393; congenital, etiology of, **lvi**, 854; rational method of treatment, **lviii**, 277; everted dorsal, **liv**, 371, 410; irreducible, treatment, **liv**, 410; mistaken for fracture, **lxiii**, 638; recent traumatic, **lx**, 617, 655.
Fractures of, artificial impaction of, **lxiii**, 366; abduction in the treatment of, **lxiii**, 509; **liv**, 863; incomplete, epiphyseal, **lxxvi**, 624; intracapsular, treatment of, **lvi**, 622, 653; spiked, **lvi**, 793.
Hypertrophic arthritis treated by arthrodesis, **liv**, 265.
Resection of, for tuberculosis, **lix**, 773.
Rheumatoid arthritis of, **li**, 937.
Snapping, **lviii**, 59.
Hip-joint, amputation at, for sarcoma of the femur, **lvi**, 785; **lxxvi**, 115.
Arthritis deformans of, reconstruction operation for, **lxxx**, 779.
Double, non-tuberculous inflammation of, **liii**, 426.
Exarticulation, preliminary ligation of common iliac artery, **lxxiii**, 285.
Luxation of, inveterate traumatic, **lv**, 176.
Osteomyelitis involving the, **lxiii**, 473.
Hirschsprung's disease, partial colectomy for, **lxxiii**, 782.
HIRSHFELD, SAMUEL: Intramuscular administration of sodium citrate, **lxxvi**, 1.
HIRST, BARTON COOK: Technic of pelvic floor repair, **lxv**, 247.
History-analysis applied to surgical diseases of the biliary tract and pancreas, **lxviii**, 471.
HITZROT, JAMES MORLEY: Abscess of the forearm due to glanders bacillus, **liii**, 573.
Aneurism of the deep femoral artery, traumatic, **lx**, 500.
Anterior dislocation of the ulna, **lv**, 623.
Arthroplasty for diacondylar fracture of humerus, **lxvi**, 107.
Banti's disease, **lx**, 380.
Bilateral cyst of the kidneys, **lv**, 623.
Bone cyst of humerus shaft, **lxi**, 742.
Bone graft for ununited fracture of tibia, **lxxiii**, 247.
Bone transplantation, methods of, **lix**, 766.
Central fracture of the acetabulum; ankylosis of hip, **lxvi**, 106.
Compound comminuted fracture of the leg, **lxviii**, 531.
Compound fracture of the elbow, **lxviii**, 534.
Duodenal fistula following nephrectomy for stone, **lii**, 259.
Duodenal leakage through the common duct, **lxvii**, 236.
End results of the treatment of simple fractures, **lv**, 338, 472.
Epithelioma in old osteomyelitis sinus, **lxxiii**, 247.
Fracture of head of humerus, **lxi**, 744.
Fracture of head of radius, **lix**, 633.
Fracture of humerus with paralysis of the musculospiral nerve, **lxix**, 338.
Fracture of lower end of radius with anterior displacement of lower fragment, **lxi**, 740.
Fracture of the scapula, **lix**, 297.
Fractures of neck of scapula, **lxiii**, 215.
Fracture of patella, old, **lvi**, 467.
Gangrene of the lung, **lii**, 554.
Gas bacillus infection, **lv**, 624.
Gastric ulcer, perforated, **lvii**, 588.
Gastrotomy for foreign body, **li**, 934.
Gunshot wound of abdomen, **lxii**, 369.

Hæmangioma cavernosa of bone, **lxv**, 476.
Iliofemoral aneurism, **lxii**, 364.
Instrument for securing reposition of a fracture, **lx**, 511.
Lacerated wound of leg, **lxvii**, 229.
Lobectomy for bronchiectasis, **lxxi**, 785.
Luetic osteomyelitis of the ulna, **lxviii**, 87.
Lymphosarcoma of the jejunum, **lxii**, 367.
Multiple lipomata, **lix**, 636.
Myeloma of the clavicle, **lxviii**, 92.
Myositis of chest wall, **lxvi**, 105.
Myositis ossificans, **lxxvi**, 672.
Myxochondroma sarcoma of the humerus, **lxxi**, 787.
Operation for ulcer of stomach, **lxi**, 747.
Operation for umbilical hernia, **lxviii**, 91.
Operations for fracture of patella, **lxix**, 647.
Osteomyelitis of the scapula, **lx**, 502.
Perforated ulcer of the jejunum, **liii**, 571.
Plastic operation on the scalp, **lxxi**, 789.
Posterior congenital dislocation of the left shoulder, **lv**, 622.
Post-typhoid osteomyelitis of the radius, **liii**, 574.
Prolapse of the rectum, **lvii**, 131.
Pulmonary lobectomy, **lxxv**, 382.
Pylorectomy for ulcer of the stomach, **lx**, 503.
Pyloroplasty for gastric ulcer, **lix**, 634.
Removal of fluids from peritoneal cavity by aspiration, **liii**, 75.
Result following excision of fractured carpal scaphoid and dislocated semi-lunar, **lii**, 261.
Results of open method for reduction of shoulder, **lv**, 628.
Splenectomy effects of, **lxvii**, 233, 540; for pernicious anæmia, **lxxv**, 121; **lxxiv**, 248; for traumatic ruptures of spleen, **lix**, 757; in hemorrhagic purpura, **lxxviii**, 186.
Subacromial bursitis, **lxvi**, 113.
Subcutaneous injuries of the liver, **lxvi**, 50.
Surgical treatment of pernicious anæmia, **lxxv**, 31.
Treatment of acute suppurative pleurisy, **lxxiii**, 531.
Treatment of cystic mastitis, **lxiv**, 740.
Treatment of fracture of neck of femur, **lx**, 509.
Use of metal plates in the treatment of fractures of the long bones, **lxxviii**, 110.
Wiring of fractured olecranon, **lxvii**, 762.
HOAGLAND, O. W.: Treatment of burns, **lxix**, 589.
HODGE, EDWARD B.: Abnormal drainage following cholecystostomy, **lxxi**, 513.
Arteriovenous aneurism of the femoral artery and vein, **lxi**, 367.
Arthrotomy for elbow luxation, **lv**, 777.
Backward luxation of leg, with fracture of fibula, **lxxvi**, 279.
Calculus in Wharton's duct, **lxxiii**, 378.
Compound luxation of elbow with rupture of brachial vessels, **lxxvi**, 279.
Empyema thoracis, **lxxvii**, 250.
Endarteritis obliterans, **lxiv**, 751.
Femoral arteriovenous aneurism, **lxiv**, 747.
Imperforate anus, **lix**, 292.
Iodoform wax bone-filling, **lxv**, 245.
Lung abscess and pyopneumothorax, following tonsillectomy, **lxxix**, 607.
Method of recording surgical operations at the front, **lxx**, 253.
Mowing machine cut of legs, **lxi**, 237.
Old posterior dislocation of shoulder, **lxii**, 631.
Perforation of ileum with escape of foreign body simulating appendicitis, **lviii**, 707.
Result of late neurorrhaphy, **lxii**, 631.
Tumors of the male breast, **lv**, 637.
Volvulus of the sigmoid, **lii**, 270.

Hodgkin's disease, **lxiii**, 35; association with ulcer of the stomach, **lxxiii**, 670; radiotherapy in, **lxxx**, 786.
Granuloma, pathogenesis and treatment of, **lxx**, 561.
HOFFMAN, CLARENCE: Contribution to the knowledge of fused kidneys, **lxviii**, 39.
HOGUET, JOSEPH PIERRE: Anomalous abdominal membranes, **lxxv**, 754.
Carcinoma of the undescended testis, **lxvii**, 747.
Cholecystectomy, **lxxi**, 222.
Cranioplasty for large temporal defect, **lxxv**, 115.
Direct inguinal hernia, **lxxii**, 648, 671.
Duodenal ulcer, **lxxiii**, 128.
Gastric ulcer, **lxxiii**, 128.
Gastro-jejunal ulcer, after gastroenterostomy, **lxxiii**, 656.
Melanotic cancer, **lxiv**, 206.
Nerve supply of the anterior abdominal wall, **liv**, 153.
Operative treatment of hernia, **lxviii**, 255.
Repair of inguinal hernia, **lxix**, 660.
Repeated perforation of gastric ulcer, **lxvii**, 747.
Retrosternal goitre, **lxvii**, 748.
Right inguinal hernia following appendectomy, **liv**, 673.
Skin grafting, **lxxi**, 220.
Technic of operation for inguinal hernia, **lxxviii**, 559.
HOHLEN, K. S. J.: Myxofibromata of the abdominal wall, **lxvi**, 555.
HOLDING, ARTHUR F.: Results of X-ray and radium in the treatment of lymphosarcoma, **lxv**, 686.
Hollow viscera, simple method of suturing, **lii**, 520.
HOLLOWAY, JACKSON K.: Spontaneous lateral ventral hernia, **lxxv**, 677.
HOLMAN, EMILE: Arteriovenous aneurism, **lxxx**, 801.
HOLMES, GORDON: Treatment of secondary and late complication of brain wounds, **lxix**, 184.
HOMANS, JOHN: Accidents and precautions in the ligation of the common carotid artery, **lxxi**, 707.
Osteomyelitis of the long bones, **lv**, 375.
HONAN, WILLIAM FRANCIS: Intravenous anæsthesia, **lviii**, 900.
HONIEJ, JAMES: Note on tuberculosis of spine, **lxvii**, 165.
HOOKER, RANSOM S.: Chronic arthritis of knee-joint, **lxxvi**, 126.
Intussusception in an adult, **lxiv**, 624.
Isolation of erysipelas cases, **lxvi**, 246.
Treatment of burns with paraffine dressing, **lxv**, 783.
Treatment of staphylococcus septicæmia by transfusion of immune blood, **lxvi**, 513.
HOON, LEROY W.: Infections of the hand, **lvii**, 561.
HOON, MERLE R.: Solid carcinoma of the ovary, **lxxvi**, 768.
HORINE, CYRUS F.: Aseptic resection of intestine, **lxxvi**, 745; **lxxix**, 100.
Prevention of acute intestinal obstruction, analysis of one hundred cases, **lxxx**, 42.
Hormonal, in the treatment of intestinal paresis, **lv**, 153.
HORN, HARRY W.: Situs viscerum inversus with gall-stones, **lxii**, 424.
HORRAX, GILBERT: Intracranial aerocele following fracture of skull, **lxxiii**, 18.
Horse serum in the treatment of burns, **lxv**, 367.
Horseshoe kidney, gunshot wound of, **lxxv**, 253.
Suppuration in half of, **liv**, 355, 413.
HORSLEY, J. SHELTON: Adamantine epithelioma of the lower jaw, **lxxix**, 358.
Experimental devascularization of intestine, **lvii**, 506.
Method of lateral anastomosis of blood-vessels and of operation for the cure of arteriovenous aneurism, **lxi**, 597.
Notes on technic of suturing blood-vessels, **lv**, 208.
Operation for ulcer of stomach, **lxxix**, 957.
Operative surgery, review of, **lxxx**, 286.

Resection of the cæcum and ascending colon, **lxix**, 25.
Reversal of the circulation in the lower extremity, **lxiii**, 277.
Some underlying principles of intestinal and gastric surgery, **lxxiii**, 199.
Suture of the recurrent laryngeal nerve, **li**, 524; **lii**, 287.
Traumatic aneurism of the temporal artery, **lxv**, 316.
Use of olive oil in blood-vessel suturing, **lxvii**, 468.
HORTON, HENRY R.: Bougie, nucleus of vesical calculus, **lv**, 924.
HORWITZ, ALEX E.: Uncomplicated fractures of the tarsal scaphoid, **lviii**, 526.
HORWITZ, ORVILLE: Plastic operation for the relief of an incurvation of the penis, **li**, 557.
Bed designed for military hospitals, **lxvii**, 435.
Hospital, evacuation, organization and operation of, **lxx**, 489; rôle of, in the care of the wounded, **lxviii**, 127.
Internes, examinations of, **li**, 138.
Modern, treatise on by Hornsby and Schmidt, review of, **lviii**, 858.
Psychology, practical, **lxxvii**, 112.
Hospitals of the American Expeditionary Force, **lxviii**, 463.
HOTCHKISS, LUCIUS: Acute pancreatitis, **liii**, 434; **lxv**, 397.
Acute pancreatitis with extensive fat necrosis, **lvi**, 111.
Bile duct obstruction, **lxxi**, 206.
Epigastric hernia, **liv**, 78.
Excision of the infarct in acute infections of the kidney, **lviii**, 226.
Fracture of the internal semilunar cartilage, **liv**, 274.
Gas-bacillus infection, **lv**, 625.
Giant-celled sarcoma of tibia, treated by enucleation, **liv**, 272.
Gunshot wound of the ureter, **lv**, 470.
Hydronephrosis, **lxvii**, 370.
Intussusception due to tumor within small intestine, **lxiv**, 365.
Ligation of carotids as preliminary of operations on the maxilla, **lvii**, 954.
Multiple operations for gall-stones, **lxvii**, 366.
Old unreduced backward dislocation of the elbow, **lxxiii**, 129.
Operation for fracture of patella, **lxix**, 648.
Osteoplastic resection of the skull, **lxiv**, 503.
Polyposis of the colon, **lxvi**, 231.
Reconstruction of the bile ducts, **lxvii**, 372.
Rectus transposition in hernia, **lxvii**, 624.
Remarks on appendicitis, **li**, 941.
Repair of inguinal hernia, **lxix**, 660.
Resection of both upper jaws for carcinoma, **lii**, 562.
Sliding hernia of the large intestine, **lix**, 641.
Suppurative cholecystitis, **liv**, 273.
Torsion of the great omentum, **lxxiii**, 252.
Treatment of direct inguinal hernia in adults, **lxviii**, 214.
Treatment of fracture of neck of the femur at the Bellevue Hospital, **lx**, 508.
Treatment of traumatic hæmothorax, penetrating gunshot wounds of the chest, **lxvii**, 707.
Wiring of fractured olecranon, **lxvii**, 762.
Hour-glass contraction of stomach, **lvi**, 477, 478; **lxv**, 376, 765; five cases of, **lx**, 390; following excision of gastric ulcer, **lix**, 791; mediogastric resection for, **lx**, 499; midgastric resection for, late results, **lxxv**, 760; gastro-gastrostomy for, **lxviii**, 97; intermittent, **lvii**, 287; operative treatment of, **lxvi**, 418; treatment by double gastro-enterostomy, **lxxviii**, 587.
Howard on the practice of surgery, review of, **lxi**, 120.
HUBBARD, JOSHUA: Gall-stones, **lxi**, 535.
Megacolon, **lxiii**, 349.
HUDSON, WILLIAM H.: Consecutive displacement of the cerebral hemisphere in localization and removal of intracerebral tumors and hemorrhages, **lvii**, 492.

New decompression operation for the brain, **lv**, 744.
Subtemporal muscle drainage by the aid of silver wire mats in cases of congenital hydrocephalus, **lvii**, 338.
HUFFMAN, LYMAN FOSTER: Case of diaphragmatic hernia observed post-mortem, **lxxii**, 665.
HULL, ALFRED J.: Handbook on surgery in war, review of, **lxix**, 223.
Recurrence of inguinal hernia, **lviii**, 475.
Humerus, Anatomical and surgical study of fractures of the lower end of the, by Astley P. C. Ashhurst, review of, **liv**, 142.
And femur, sarcoma of, **lxiv**, 118.
Bone cyst of, pathological fracture of, due to, **lxi**, 742.
Graft of, for non-union, **lxxiii**, 244.
Defect of, transplant of bone for, **lix**, 763.
Dislocation, open operation for, **lvi**, 488; subclavicular, **lix**, 768.
Epiphyseal separation, upper end, **lxxiv**, 106; in a child, **lvii**, 281; treated by operation, **liii**, 145.
Fracture, compound of the, with sequestra, **lv**, 441; condylar, of the, **lxxix**, 596; diacondylar of the, treated by arthroplasty, **lxiv**, 107; epiphyseal, at upper extremity of, **liv**, 861; dislocation of, **lxiv**, 749; upper end of, **lxxix**, 607; excision of upper end of, for, **lvi**, 487; head of, **lxxiv**, 637; followed by musculospiral paralysis, **lx**, 646; of anatomical neck of the, with dislocation of the head into the axilla, **li**, 267; of anatomical neck of the, with subglenoid dislocation, **lx**, 648; of greater tuberosity of, **lvi**, 440; treated by bone autogenous graft, **lxvi**, 95; of head of, **lxi**, 744; of lower articular surface of, **lxiv**, 724; of surgical neck of, **lix**, 782; **lxxviii**, 552; treated with Lane's plates, **lv**, 881; treated by Borchgrevink's extension splint, **lxiv**, 353; ununited, **lvii**, 940.
Fractures about the upper end of the, **lxxx**, 103; gunshot of the, **lxx**, 430; of the upper end of the, **lxix**, 147; of, ununited, transplantation of bone in, **lxiii**, 464.
Head of, method for excision, **lxvi**, 492; subglenoid dislocation of, with fracture of greater tuberosity, **lxxx**, 634.
Myxoma of, conservative operation for, **lii**, 122.
Osteoma of the upper end of, **liii**, 300.
Sarcoma of, **liii**, 286; bone transplantation for, **lxiv**, 106; intrauterine, **lxxvii**, 771; myxochondroma, **lxxi**, 787; resection of head for, late result, **lxxiii**, 236.
HUNDLEY, JOHN M.: Surgical treatment of uterine prolapse, **lxxvi**, 106.
HUNNICUTT, JOHN A.: Osteogenic power of periosteum, **lxi**, 672.
HUNT, ERNEST L.: Jejunal diverticula, **lxxiv**, 746.
HUNT, JOHN: Temporary colostomy, **lxv**, 105.
HUNT, J. RAMSAY: Symptomatology and surgical treatment of spinal cord tumors, **lii**, 289, 412.
HUNT, VERNE C.: Myoma of the rectum, **lxxiv**, 236.
Torsion of appendices epiploicæ, **lxix**, 31.
HUNTINGTON, THOMAS W.: Calcified fibro-adenoma of breast, **lxi**, 127.
Fractures, review of the literature of, **lxii**, 264.
Open treatment of fractures, **liv**, 407.
Operations for appendicitis during pregnancy, **lvi**, 339.
Operative treatment of fractures, **lvi**, 350.
Presidential address before the American Surgical Association, **lxviii**, 113.
Sarcomas cured with Coley toxins, **lx**, 105.
Spinal cord anæsthesia, **liv**, 422.
Tuberculous foci in bones and their treatment, **lix**, 930.
HUPP, FRANK LEMOYNE: Atrophy and inactivity of parotid gland, **lxxiv**, 331.

Intra-abdominal rupture of intestine following strangulated femoral hernia, **lxxx**, 504.
HUTCHINGS, WILLARD H.: Note on catgut sterilization, **liv**, 693.
HUTCHINS, MILLER B.: Tuberculosis of the submaxillary and cervical glands in the elderly, **lxx**, 570.
HUTCHINSON, J. A.: Traumatic and industrial hernia, **lxxv**, 467.
HUTCHINSON, JAMES P.: Spinal anæsthesia, **lv**, 423.
Hyclorite, report of the use of, **lxxi**, 663.
Hydatid cysts of the liver, suppurating, **lviii**, 574.
Hydatiform degeneration followed by chorio-epithelioma, lxxiv, 219.
Hydrocele of the tunica vaginalis, bottle operation for, **lv**, 112.
Recurrences after operation, **lviii**, 561.
Hydrocephalus, congenital, drainage by silver wire mats, **lvii**, 338; internal, treatment of, by drainage into the cranial sinuses, **lvii**, 449.
Experimental, **lxx**, 129.
Extirpation of the choroid plexus in, **lxviii**, 569.
Following operation for spina bifida, **lxv**, 255.
Internal, operative cure of, **liv**, 411.
Hydronephrosis, lx, 639, 723; **lxvii**, 370.
Congenital, relieved by nephrectomy, **li**, 129.
Experimental consideration of the infection of permanent, **lxxx**, 519.
Diagnosis of, early, **lviii**, 766.
From kinking of ureter, **lxxix**, 139.
Influence of the venous collateral circulation of the kidon, **lxv**, 597.
Intermittent, with gastro-enterologic symptoms, **lxxv**, 372.
Nephrectomy for, **li**, 125.
Plastic operation for, **lxix**, 180.
Primary congenital, **lii**, 626.
Relation of anomalous renal arteries to, **lii**, 814.
Traumatic, **lvii**, 879.
Unusual case of, **lxi**, 474.
Hygroma colli, lxvii, 71.
Cysticum colli, **lviii**, 112, 288.
Of neck, **lix**, 753; **lxxiii**, 781; cystic, **lx**, 398.
HYMAN, ABRAHAM: Empyema of the ureteral stump following incomplete ureterectomy, **lxxviii**, 387.
Inflation of bladder as an aid in diagnosis of prostatic enlargement, **lix**, 804.
Mechanism of obstruction in prostatic adenoma, **lxvii**, 493.
Normal bladder and its sphincters and the changes following suprapubic prostatectomy, **lix**, 544.
Hyoid bone, finger elevation of, in general anæsthesia, **lviii**, 660.
Hyperæmia, artificial arterial, in threatening gangrene of the foot, **lii**, 713.
Comparative, the technic of, **lix**, 645.
Hypercholesterolemia, bile drainage for, **lxxviii**, 594.
Hypernephroma, lix, 121; **lv**, 282, 634; ovary in a child, **lxxvii**, 758; suprarenal in children, **lxxx**, 135.
Bone, metastasis in, **lii**, 553.
In folds of falciform ligament of liver, **lxvi**, 318; **lxviii**, 395.
Nephrectomy, **lxiii**, 630–631; **lviii**, 692; for, abdominal, **lxv**, 392.
Permanent recovery after operation, **lxiv**, 499.
Hyperplastic tuberculosis of the intestines, lxxi, 637, 794.
Hyperthyroidism, cases illustrating post-operative failures in, **lx**, 381.
Conservation of the thyroid in, **lxvii**, 447.
Intra-thyroidal injection of boiling water in, **lxv**, 279.
Operative treatment of, **lvi**, 457.
Post-operative, identity of cause of, with that of aseptic wound fever, **lvii**, 648.
Relative, **lv**, 909.
Treatment of, **lx**, 583, 662.
With adenoma, **lxxii**, 134, 145.
With associated diabetes mellitus, **lxxvii**, 252.

Hypochondriac tympany symptom of perforated gastro-duodenal ulcers, lxvii, 255.
Hypodermoclysis, painless, **lxxiii,** 161.
Hypogastric artery and its branches, composite study of, **lxvii,** 584.
Hypoglossal-facial anastomosis for facial paralysis, lxvii, 627.
Hypophyseal duct tumors, lxxii, 537, 725.
Keratin and Keratohyalin in, **lxxiv,** 501.
Hypophysis, approach to, through the anterior cranial fossa, **lvii,** 145, 303.
Effect of the removal of, in the dog, **lvii,** 485, 581.
Operations upon the, **lii,** 1, 120.
Transfrontal operation for tumor of, **lx,** 767.
Tumor of the, **lii,** 15, 120; **lix,** 454.
Hypopituitarism, lv, 771.
Hypospadias, Bucknall's operation for, **lxxi,** 486; modification of, **lxxvii,** 572.
Hysterectomy for sloughing fibroid; spinal anæsthesia; blood transfusion, **li,** 730.
In the Lankenau Hospital, **lxxiii,** 84.
Spontaneous, after abdominal contusion, **lxvii,** 208.
Supravaginal development of malignant diseases of the cervical stump after, **lviii,** 373.

I

Ileocæcal folds, relation of the, to appendectomy, **lvi,** 437.
Infantile stenosis, **lxv,** 514.
Tuberculosis, **lix,** 698; resection for, **liii,** 539.
Valve, technic of operation for the repair of, **lxvii,** 83.
Ileocæcum, prolapse of, in case of post-operative ventral hernia, **lxviii,** 535.
Ileocolic intussusception, lvi, 486.
Ileosigmoidostomy, lix, 141.
For obstruction of the bowels, **lx,** 637.
Ileum, contusion of, slow perforation following, **lxxiii,** 792.
Fibroma of the, causing intussusception, **lxvi,** 605.
Gunshot wound of, multiple, **lxxvi,** 651.
Intussusception in adult, due to adenoma, **lxxvii,** 633.
Lane's kink of the, **lv,** 608.
Obstruction of the, enterostomy for, **lxv,** 95.
Perforated, resection of, **lx,** 640.
Perforation of, by foreign body simulating appendicitis, **lviii,** 706.
Spasm of, causing intestinal obstruction, **lix,** 558.
Tubercular stenosis of the, with excision, **li,** 574.
Upper, diverticula of the, **lxxiii,** 241.
With volvulus, acute intussusception of the, **li,** 237.
Ileus, acute, **lxxii,** 527–528; gastro-mesenteric, **lxix,** 648; **lxx,** 107; lethal factors in, **lxxv,** 423.
Arteriomesenteric, of duodenum, **lxviii,** 582.
Colonic, cæcostomy for, **lxvi,** 251.
Combination, **lxxvii,** 594.
Due to gall-stones, **li,** 123; **lxi,** 242; **lxiii,** 248; **lxv,** 793; **lxvi,** 100; **lxvii,** 124.
Due to Meckel's diverticulum, **lvii,** 83.
From gall-stone obstruction, **liv,** 321.
Following gangrenous appendicitis, **lviii,** 413.
Following gastro-enterostomy, **lx,** 645.
Gastro-mesenteric, for cholecystectomy, **lv,** 614.
High enterostomy for; jejunostomy, **lxxix,** 619.
Mechanical relation of intestinal damage in, to delayed operation, **lxxii,** 529, 612.
Paralytic, as a sequel of fractured ribs, **li,** 102; post-operative, **lxvi,** 184; value of eserin in, **liii,** 129.

Post-operative, **lix,** 407; value of Röntgen examination in early diagnosis of, **lxxix,** 715.
Spastic, **lxviii,** 196.
Iliac arteries, simultaneous ligation of both external, **liii,** 547.
Artery, aneurism of the, **lxxix,** 884; common, ligation of with fascial strip, for aneurism, **lxxvii,** 630; preliminary ligation of, in hip-joint exarticulation, **lxxiii,** 285; external, gunshot wound of, **lxxv,** 254; and vein, external, ligation of, **lxxiii,** 265; internal, aneurism of the, **lviii,** 269.
Fossa, lesions of the right, recognition and treatment of lesions of the, other than appendicitis, **lvi,** 582, 656.
Vessels, external, arteriovenous aneurism of the, **lix,** 558.
Iliofemoral aneurism, lxii, 364.
Iliohypogastric nerve, preservation of, in operation for cure of inguinal hernia, **lxi,** 204, 248.
Relation of the, to the radical cure of inguinal hernia, **lxvi,** 79.
Ilium, anterior superior spine of the, fracture by muscular violence, **lxxix,** 551.
Chondroma of anterior surface, of, **lxvii,** 247.
ILLOWAY, HENRY: Priority in the extirpation of the gasserian ganglion, **lxxvii,** 125.
IMBODEN, H. M.: Hernia of the diaphragm, **lxxii,** 668.
Immediate reduction of fractures, lxiii, 593.
Incontinence, rectal and vesical, relieved by operation, **lxxv,** 89.
Industrial medicine and health insurance, lxviii, 114.
Infancy and childhood, tumors of the kidney in, **lxxvi,** 52.
Infant, acute intussusception in, **lxxviii,** 349.
Large ureteral stone in, **lxxv,** 763.
Infantile paralysis, and surgery of, **lxxiv,** 61.
An operation for paralytic shoulder-joint due to, **li,** 79.
Infantilism from tumor of the hypophysis, lii, 15, 120.
Infected wounds, open, treatment of, **lxxiii,** 701.
Treatment of, **lxv,** 438.
Use of dichloramine-T in the treatment of, **lxvii,** 14, 120.
Infections, abdominal, chronic, with its relation to the liver, **lxxix,** 305.
Importance of spleen in resistance to, **lxx,** 513.
Intra-abdominal, drainage in, **lxxvii,** 558.
Neuropathologic cytology of, **li,** 753.
Of permanent hydronephroses, an experimental consideration of the, **lxxx,** 519.
Of the face and lips, **lxxvi,** 13; hand, deep palmar, **lxvi,** 24; **lxvii,** 152; treated by active mobilization, **lxxviii,** 423.
Physical factors influencing, **lxviii,** 436.
Study of, **liv,** 433.
Thoracic, post-operative treatment of, **liv,** 549, 568.
Infiltration anæsthesia, method of facilitating, **lxiii,** 678.
Inflammatory processes, simulation of neoplasms, **li,** 782.
Tumors of the abdomen, **lxvii,** 308.
INGERSOLL, OLMSTEAD: Amputations of the leg, **lxviii,** 235.
Inguinal lymphoma, lxi, 754.
Injuries and gunshot wounds of the abdomen, causing hemorrhage, influencing mortality, **lxxix,** 382.
Cranial, plan of management, based on a new grouping of such injuries, **lxxix,** 481.
On transportation systems, methods of handling, **lxiv,** 184.
Self-inflicted, **lxviii,** 101.
Injury as a causative factor in cancer, liii, 449, 615.
Innominate artery, aneurism of the **liii,** 543; ligation of the, **lix,** 962; ligature of, for subclavian aneurism, **lxi,** 641; **lxxx,** 948.
Innominate bone, fractures and dislocations of the, **lii,** 143.

Insufflation, intratracheal, first case of thoracotomy in the human being under anæsthesia by, **lii,** 30; value of, for thoracic surgery, **lii,** 23.
Insulin in surgery, lxxx, 146.
Intercarotid body, endothelioma of the, **lxi,** 382.
Interdental splints, lxxiii, 760.
Internal iliac artery, aneurism of the, **lviii,** 269; ligation of, for gluteal aneurism, **lxxvi,** 520.
International Society of Surgery, editorial note upon, **lv,** 181; transactions of the, **lx,** 137, 280; President's Address—1920; **lxxii,** 257.
Interscapulothoracic amputation, liii, 556; **lvi,** 373; **lvii,** 796; **lix,** 116.
Intestinal adenoma, **liii,** 416.
And gastric surgery, some underlying principles of, **lxxiii,** 199.
Anastomosis, end-to-end, **lxix,** 613; by the invagination method, **lii,** 116, 130; closure of artificial anus of eight years' duration with some remarks of the question of, **lxxx,** 478; forceps to facilitate, **lx,** 373; improved technic for, **lxxx,** 939; invagination by, union of colon with rectum, **li,** 125.
Angioneurotic œdema, surgical significance of, **lxi,** 324.
Communications with the biliary passages and the pancreas, **lv,** 166.
Damage from acute mechanical ileus, relation of, to delayed operation, **lxxii,** 612.
Diverticulitis, **lii,** 262.
Foci of infection in cases of arthritis deformans, surgical relief of, **lxxvi,** 515.
Lesions produced by blunt force, **lii,** 358.
Obstruction, **lxxv,** 81; **lxxviii,** 755; acute, cause of death in high, **lxxv,** 429; caused by chronic organizing peritonitis of undetermined etiology, **lxxviii,** 116; caused by Meckel's diverticulum, **lxxiii,** 765; **lxxviii,** 92; causes of high mortality in, **lxxii,** 201; due to intussusception, **lv,** 115; mechanical, treated by high temporary jejunostomy, **lxxx,** 45, 148; mortality statistics of 276 cases, **lxi,** 198, 238; prevention of, analysis of 100 cases, **lxxx,** 42; an experimental study of, **lxvii,** 210; **lix,** 299, 714; chronic, colectomy for, **lxxviii,** 425; partial in an adult, due to arrested development of large bowel, **lxxx,** 217; peritonitis and chronic multiple serositis, relationship between, **lxxvii,** 423; variability of the pathology and symptoms of, **lxix,** 21; due to ascarides, **lxxi,** 757; **lxxviii,** 401; chronic peritonitis, **lxxvii,** 635; gall-stones, **lv,** 725; **lxviii,** 73; tubercular lymph-nodes, **lxiv,** 353; experimental, **lxxiv,** 584; following acute appendicitis, **lviii,** 405; appendectomy, resection for, **lxxiii,** 249; operation for appendicitis, **li,** 115; from ophalmesenteric duct, **lxvii,** 575; Richter's hernia, **lxiv,** 119; strangulation by Meckel's diverticulum, **lxxiii,** 568; tumor of testis, **lix,** 419; high, experiments on, **lv,** 115; implantation of ileum into colon, **lvi,** 480; low-seated, an instrument for establishing fecal drainage in, **lvii,** 106; mesenteric cyst causing, **lxxx,** 636; post-operative, **lii,** 135; **lxiii,** 442; **lix,** 312; produced by evagination of ileum into bladder, **lxviii,** 429; relieved by ileo-sigmoidostomy, **lx,** 637; spasmodic, **lxviii,** 196.
Occlusions, coincidence of two, **lxxvii,** 594.
Paresis, treated by hormonal, **lv,** 153.
Resection for mesenteric thrombosis, **lv,** 458.
Stasis, appendicostomy in Lane's operation for, **liii,** 686; chronic, as produced by obstruction at ileocæcal region and hepatic flexure, **lxii,** 326; high, **lxiii,** 720; partial colectomy for, **lx,** 792; the ileocæcal valve as a

factor in, **lx**, 114; uncontrollable, elimination of colon for relief of, **lxvi**, 443.
Tract, interrelation of stasis, ptosis and inertia of the, **lxviii**, 27; multiple polyposis of the, **lxxii**, 649; polypoid lipoma of the, **lxxiv**, 230.
Intestine, bilateral exclusion and occlusion, **lxi**, 497.
Blind end circular suture of the, **lxxv**, 356.
Experimental devascularization of, **lvii**, 506.
Gas cysts of the, **liii**, 576; **lvii**, 811.
Hæmangioma of the, **lxxviii**, 42.
Intra-abdominal rupture of, following strangulated femoral hernia, **lxxx**, 504.
Large, acute phlegmonous inflammation of the, **lvi**, 579; cancer of, **lxxiii**, 755; **lxxiv**, 508; non-rotation of the, **lxxv**, 757; operative treatment of the diseases of the, **lx**, 409; persistent embryonal type of, **lxi**, 73, 116; sarcoma of the, **lviii**, 818.
Lymphosarcoma of, **lxxvi**, 229.
Mesentery and small, multiple rupture of the, **lvii**, 286.
Non-rotation of the, **lviii**, 822; causing aberrant position of the appendix, **lvi**, 946.
Perforation of, by swallowed toothpick, **lxvii**, 381.
Prolapse of, through perforation in uterus, removal of, **lvii**, 443.
Removal of the, extensive, **liv**, 669; later history of case of, **lviii**, 717; large portion of, later history of, **lviii**, 719.
Resection of, aseptic, **lxxvi**, 739, 745; **lxxix**, 100; for carcinoma, **lv**, 466; in strangulated hernia, **lv**, 453; long, **lxix**, 425.
Rotation of the, faulty, **lxxvi**, 491; failure of primary, in relation to intestinal obstruction, **lxxii**, 114.
Rupture of the, in a child, **lviii**, 686; partial, **lxxix**, 598.
Sarcoma of the, **li**, 122.
Small, carcinoma of the, **lxii**, 428; foreign bodies in the, **lxiii**, 247; hyperplastic tuberculosis of the, **lxxii**, 196; resection of, extensive, **lxxviii**, 745; portion of in gangrenous appendicitis, **lvi**, 461; sarcoma of the, **lv**, 400; **lix**, 727, 749; **lxxvi**, 663; stricture of the, traumatic, **lxxix**, 461; ulcer of the, chronic perforating, **lxv**, 757; volvulus of, complicating appendicitis, **liii**, 120; in a child, **lii**, 402.
War surgery of the, **lxviii**, 656.
Intestines, gas cysts of the, **lxxv**, 620.
Myoma of the small, **lxix**, 663.
Primary lymphosarcoma of the, **lxix**, 537.
Small, lymphosarcoma of the, **lxxx**, 704.
Tuberculosis of the, hyperplastic, **lxxi**, 794.
Intra-abdominal hemorrhage from ruptured corpus luteum, **lxxi**, 777; **lxxx**, 492; from gunshot wounds, **lxxviii**, 364; **lxxix**, 382.
Infection, drainage in, **lxxvii**, 558; **lxxviii**, 121.
Rupture of intestines following strangulated femoral hernia, **lxxx**, 504.
Intracapsular fracture, treatment of, **lxxiii**, 767; of the femur, results of treatment by abduction and plastic fixation, **lxxiii**, 752.
Fractures of the femur, treatment of, **lvi**, 644; hip, treatment of, **lvi**, 622, 653.
Intracerebral hemorrhage, spontaneous, operative steps dealing with, **lxiii**, 513.
Intracervical enucleation, **lxxviii**, 61.
Intracranial arteriovenous aneurism, **lxxx**, 1, 272.
Hemorrhage, osteoplastic resection of skull for, **lxi**, 101.
Intra-intestinal fibroma, **lxviii**, 98.
Intramedullary splint for fractures of the femur, **liii**, 541.
Intrapericardial traumatic hemorrhage, **lxvi**, 44.
Intraperitoneal rupture, spontaneous, of the bladder, **lxxvii**, 206.
Intrapleural, extraperitoneal route of aproach for intrathoracic surgery, **lxxx**, 908.

Intrathoracic goitre, **lix,** 191.
Operations, drainage after, **lvi,** 100; **lv,** 327; technic of, **lx,** 115.
Projectiles, the delayed or late extraction of, by the method of Petit de la Villeon, **lxx,** 37.
Surgery, **lvi,** 402; an extraperitoneal intrapleural route of approach for, **lxxx,** 908.
Intratracheal anæsthesia, **lviii,** 927.
Simple and complete forms of apparatus for, **lix,** 628.
Insufflation, anæsthesia by, **liii,** 161, 291, 302, 749; **liv,** 417, 572; **lvi,** 192, 357; **lvii,** 43; apparatus for, **lvi,** 328; clinical experience with, **lii,** 23; first case of thoracotomy in the human being under, **lii,** 30; value of, for thoracic surgery, **lii,** 715.
Intravenous anæsthesia, lviii, 900.
Drip, continued, **lxxix,** 643.
Ether anæsthesia, **lv,** 133.
Hedonal anæsthesia, **lv,** 133.
Injection of gum salt solutions, experimental research on the effect of, **lxix,** 297.
Intussusception, lix, 258, 293; **lxii,** 352; **lxxiii,** 638.
Acute, in infants, **lxxviii,** 349, 681.
Adults, in, with special reference to, **liii,** 169, 406.
Caused by fibroma of ileum, **lxvi,** 605.
Caused by a lipoma of the descending colon, **liv,** 344.
Chronic, of large intestine in an adult, **lxvi,** 502; primary, in young children, **lxxix,** 244.
Due to tumor within the small intestine, **lxiv,** 365.
In a child, **lxi,** 476; an adult, **lxiv,** 624; due to adenoma in ileum, **lxxvii,** 633; an infant, **lxvi,** 500.
Irreducible, in an infant five days old, excision of one-third of colon, **lvii,** 713.
Of the appendix, **lx,** 641; **lxxvi,** 669.
Of the head of cæcum, **lxx,** 125.
Of the ileum with volvulus, acute, **li,** 237.
Of the sigmoid by polypus, **lxviii,** 588.
Of stoma following gastroenterostomy, **lxxvi,** 543.
Produced by fibroma of the small intestine, **lxv,** 109.
Recurrent, double, due to multiple fibromata of the ileum, **lxxv,** 738.
With accessory pancreas, **lxvii,** 293.
Invagination method of intestinal anastomosis, lii, 116, 130.
Inversion of abdominal viscera, with gall-stones, **lxii,** 424.
Iodine as a skin disinfectant previous to intra-abdominal work, **lxviii,** 567.
Catgut, dry, **liii,** 110.
Tincture, disinfection of the skin by, **liii,** 106.
Iodoform wax bone-filling of Mosetig-Moorhof, indications for the, **lxv,** 227, 245.
IRWIN, H. C.: Papilloma of the gall-bladder, **lxi,** 725.
Ischæmic contraction of forearm, **lxv,** 381.
Fat necrosis, **lxxvii,** 513.
Paralysis and contracture, Volkmann's, **lxv,** 28.
Ischium, double fracture of the tuberosities of the, **lxxi,** 187.
Isolated fracture of the tuberosity of the, **lxxiii,** 117.
Italian surgery of the old Universities of Italy, by Paolo de Vecchi, review of, **lxxv,** 127.
Ivory dowel for preserving the finger after removal of enchondroma, lvi, 766.
IVY, ROBERT H.: Actinomycosis, **lxxvi,** 278.
Actinomycosis treated with copper sulphate, **lxxvii,** 618.
Ankylosis of jaw, arthroplasty for, **lxxviii,** 539.
Bone transplant from crest of ilium to mandible, **lxxiii,** 375.
Calculus in Wharton's duct, **lxxiii,** 377.
Cicatricial ankylosis of jaw, **lxxv,** 503.
Fracture of condyloid process of mandible, **lxi,** 502.
Free skin grafts to replace loss of mucous membrane of mouth and nose, **lxxi,** 396.
Interdental splints, **lxxiii,** 760.

Operative treatment of ununited fractures of the mandible, **lxxi**, 363, 397.
Plastic surgery of the face, **lxxx**, 610.
Regeneration of lower jaw, **lxxv**, 503.
Repair of loss of bridge of nose, **lxxviii**, 538.
Technic for operation for ankylosis of lower jaw, **lxxix**, 929.
Use of dilators in treatment of jaw ankylosis, **lxxvi**, 647.

J

JACK, W. D.: Use of fascial transplants in war surgery, **lxviii**, 1.
Jack-knife position for patients after operation for abdominal hernia, lxxx, 239.
JACKSON, ARNOLD S.: Study of four thousand cases of goitre, **lxxix**, 840.
JACKSON, CHEVALIER: Bronchoscopic extraction of foreign bodies from the lungs and œsophagus, **lxxv**, 1.
Cancer of the larynx, **lxxvii**, 1.
Indications for bronchoscopy, **lxxx**, 136.
Intercostal thoracopuncture for the removal of penetrating projectiles in the lung, **lxxviii**, 501, 537.
JACKSON, JABEZ N.: Technic in operations for cancer of the breast, **lxxii**, 181.
Membranous pericolitis and allied conditions of the ileocæcal region, **lvii**, 374.
Remarks on the pericolic membrane, **lx**, 114.
JACKSON, REGINALD H.: Hemorrhagic ulcer of Meckel's diverticulum, **lxxx**, 222.
JACKSON, W. R.: Megacolon, **lxvi**, 441.
Jackson veil, the significance of the, **lx**, 622.
Jacksonian epilepsy, due to shot wound, relieved by craniotomy, **lxi**, 101.
JACOB, M.: Treatment of chronic osteomyelitis of traumatic origin, **lxix**, 72.
JACOBSON, J. H.: Thyrogenic origin of Basedow's disease, **lvii**, 341.
JACOBSON, NATHAN: Cases of diaphragmatic hernia, **lvi**, 358.
Diverticulitis of colon, **lvi**, 343.
Excision of upper jaw for giant-cell sarcoma, **lii**, 123.
Observations upon amputations, **lviii**, 276.
Removal of bean from bronchus, **lii**, 125.
Jaksch's anæmia, splenectomy for, **lxiii**, 122.
JANEWAY, HENRY H.: Apparatus for intratracheal insufflation, **lvi**, 328.
Autoplastic transplantation of bone, **lii**, 217.
Cancer of the œsophagus and cardia, **lii**, 67.
Improved device for transfusion, **liii**, 720.
Intratracheal anæsthesia, **lviii**, 927.
Management of post-operative thoracic infections, **liv**, 549, 568.
Nature of shock, **lix**, 158.
Treatment of malignant tumors of the thymus gland by radium, **lxxi**, 460.
Treatment of tumors of the superior maxilla, **lxviii**, 353.
JANSSEN, CHARLES: Cranioplasty; its indications and technic, **lxix**, 61.
Jaundice, chronic, caused by pressure band upon the duodenum, **liii**, 565.
Hæmolytic in children, **lxxx**, 158, 159; treated by blood transfusion, **lxxvii**, 247; with cholelithiasis, **lx**, 400.
Obstructive malignant, **lxvii**, 273.
Some problems of and their significance in surgery, **lxxix**, 662.
Splenectomy for, **lxxvii**, 764.
Jaw, ankylosis of the, **liii**, 551; arthroplasty for, **lx**, 127; bony,

end-results of operation for, **lxxiii**, 314; bilateral, **lix**, 138; cicatricial, **lxxv**, 503; mandibular, dilator for, **lxxvi**, 647.
Cancer of, removal of, **liv**, 570; treatment of, **lxxvi**, 328.
Chloroma of the, **li**, 52.
Cysts of the, tooth germs, **lxiv**, 674.
Epulis and sarcoma of the, surgical aspect of, **lii**, 565.
Fractures of the, **lxxiii**, 760.
Lower, adamantine epithelioma of the, **lxxix**, 358.
Lower, ankylosis of, **lxxii**, 636; bilateral, operation for, **lviii**, 698; method for relieving, **liv**, 145; artificial, **lix**, 766; bone graft for osteomyelitic defect of, **lxi**, 623; dislocation, recurrent of the, **lxviii**, 141; fractures of the, review of Imbert and Real on, **lxvii**, 126; partial removal of, for sarcoma, **lii**, 122; partial resection of the, **lxii**, 348; regeneration of the, **lxxv**, 503; treatment of bony defects of, **lxv**, 283; defects occasioned by partial excision of, **lvi**, 70; gunshot fractures of the **lxviii**, 245, 347.
Necrosis, extensive, of the, end results in, **lxvii**, 377.
Odontoma, pigmented, of the, **lxi**, 353.
Prosthetic appliance replacing one-half, **lxxix**, 924.
Sarcoma of, cured by mixed toxins, **lxii**, 353; result of treatment with mixed toxins, **lii**, 397; surgical aspect of, **lii**, 493.
Snapping, excision of the interarticular cartilage in case of, **lxxiii**, 712.
Tumors of the, malignant, **lxviii**, 136.
Upper, chondroma of, **lx**, 377; carcinoma of, resection of both, **lii**, 562; excision of, **lxii**, 348; melanosarcoma of the, **lxi**, 491; resections of, **lxix**, 178; with preservation of hard palate, **lxix**, 334; sarcoma of, treated by mixed toxins, **lii**, 398.
JEFFERSON, GEOFFREY: Subdivisions of the duodenum, **lxiii**, 318.
Ulcer of the duodenopyloric fornix, **lxiii**, 328.
Jejunal feeding, immediate, after gastro-enterostomy, **lxvii**, 565.
Hepatic anastomosis for destruction of common duct, **lxxv**, 629.
Ulcer, bleeding and perforated duodenal ulcer, **lxxvii**, 754; following gastro-enterostomy, **lix**, 300; **lxiii**, 732, 764; **lxxii**, 638; marginal, **lxxix**, 468.
Jejuno-colic fistula, **lxxii**, 609.
Jejunostomy, after laceration of duodenum, **lxxiii**, 793.
For inoperable ulcer of the stomach, **lxi**, 496.
High enterostomy for ileus, **lxxix**, 619.
High, temporary, for, treatment of intestinal obstruction, **lxxx**, 45, 148.
Of the lesser curvature and posterior wall of the stomach, **lxxv**, 747.
Jejunum, diverticula of the, **lxxiii**, 135; **lxxiv**, 96, 746.
Lymphosarcoma of the, **lxii**, 367.
Ulcer of the, following gastro-enterostomy, **lxxiii**, 434, 647, 654; perforated, **liii**, 571; primary, **lxxvii**, 775.
Rupture of the, subcutaneous, **lxi**, 487; traumatic, **lvi**, 480.
JOANNIDES, MINAS: Extraperitoneal intrapleural route of approach for intrathoracic surgery, **lxxx**, 908.
JOHN, RUTHERFORD L.: End results in fractures of legs, **lxii**, 619.
Johns Hopkins Hospital, postoperative catheterization in, **lxxix**, 813.
JOHNSON, ALEXANDER B.: Cases of renal calculus, **liii**, 276.
Cholecystectomy for cholelithiasis, **li**, 266.
Cholecystostomy for gall-stones, **li**, 579.
Chronic jaundice caused by pressure upon the duodenum by a band, **liii**, 565.
Crossed renal dystopia with fusion, **li**, 582.

Fracture of the anatomical neck of the humerus, with dislocation of the head into the neck, **li**, 267.
Gunshot wound of the brain, **li**, 581.
Linitis plastica, **lv**, 617.
Long immunity after operation for cancer of the breast, **lv**, 619.
Nephrectomy for hydronephrosis, **li**, 125.
Nephrolithiasis, **li**, 723.
Renal calculus, pyonephrosis; nephrectomy, **li**, 260.
Rupture of a polycystic kidney, **li**, 116.
Technic of the operative treatment of appendicitis, **liii**, 525.
Tuberculosis of the kidney, **li**, 271.
Tuberculosis of the ureter, **liii**, 563.
Tuberculous bursitis of the thigh and groin, **liii**, 566.
JOHNSON, E. W.: Primary pneumococcal peritonitis, **lxxx**, 958.
JOHNSON, FREDERICK M.: Aberrant adenoid cystic epitheliomas of the salivary gland type, **lxxv**, 331.
JOHNSON, ROBERT W.: The tomato joint, **lvi**, 147.
JOHNSON, T. M.: New appliance to secure proper position and steadiness of the head during operations, **lxxii**, 591.
Joint and bone lesions, syphilitic, surgical aspects of, **lxxii**, 488.
Elbow, dislocation of the, anterior, **lxxvii**, 612.
Fractures, mobilization in the treatment of, **lxix**, 212.
Infection, multiple, with fecal fistula, **lxxi**, 778; treatment of by lavage and direct medication, **lxii**, 409.
Injuries, indications for an active immediate mobilization in the treatment of, **lxxii**, 425.
Knee, arthroplasty of, **lxxx**, 88; injuries of, management of, **lxxx**, 69; suppurative arthritis of, **lxxx**, 622.
Mouse, **lxi**, 80.
Shoulder, injury to, **lxxx**, 794.
Temporomandibular, arthroplasty upon, **lxxix**, 485.
Wounds of the lower extremity communicating with a fracture of, **lxxix**, 779.
Joints and tendons, immediate plastic operations in injuries involving, **lxxviii**, 100.
Ankylosed, mobilization of, **lxxix**, 925.
Crippled, **lxxix**, 158.
Fracture, compound, subjected to mobilization, **lxxi**, 526.
Infected, treatment of, **lvi**, 652.
Internal derangements of, **lxxiii**, 761.
Involved in fractures, **lxxiii**, 378.
Nature of neuropathic affections of the, **lxvi**, 201.
Reproduction of, after ankylosis, **lvi**, 344.
Shoulder, simultaneous dislocation of both, **lxxix**, 788.
The tomato, **lvi**, 147.
JONAS, AUGUST FREDERICK: Dislocation of the first cervical vertebra, **lxiv**, 248.
Old irreducible dislocations of the shoulder-joint, **li**, 890.
Paraffin hernia, **lxvi**, 308.
JONES AND LOVETT: Orthopædic surgery, review of, **lxxviii**, 128.
JONES, BERT LOGAN: Bone transplantation from scapula for defect in skull, **lxvi**, 160.
JONES, CHESTER: Salivary calculus in an acromegalic, **lxxiii**, 527.
JONES, DANIEL FISKE: End results of operations for carcinoma of the rectum, **lxxvi**, 386.
Rôle of the Evacuation Hospital in the care of the wounded, **lxviii**, 127.
JONES, FREDERICK WOOD: Principles of anatomy as seen in the hand, review of, **lxxii**, 533.
JONES, JOHN F. X.: Removal of a retention cyst from the liver, **lxxvii**, 68.
Stab wound into the left ventricle of the heart, **lxv**, 120.
Tanner's ulcer, **lxiii**, 155.
JONES, S. FOSDICK: Primary sarcoma of the lower end of the femur, **lx**, 440.
JONES, T. BANFORD: Melanoma of the nail bed, **lxxx**, 839.
JONES, WALTER M.: Bone formation in operative wound cicatrices, **lxxvi**, 539.

Papillary epithelioma of kidney pelvis, **lxxx**, 591.
War injuries coming to subsequent operation, **lxxv**, 389.
Jonnesco's membrane, anatomy of and surgical technic in, **lx**, 113; the treatment of, **lix**, 848.
JOPSON, JOHN H.: Avulsion of the lesser trochanter of the femur, **lxv**, 243.
Bilateral temporomaxillary ankylosis, **lix**, 138.
Biliary fistula, **lxxvii**, 766.
Case of subphrenic abscess following appendicitis, **liii**, 129.
Cases of tuberculous tenosynovitis, **lvi**, 497.
Chronic intussusception of large intestine in an adult, **lxvi**, 502.
Cicatricial ankylosis of the jaw, **lxxv**, 503.
Compound fracture-dislocation of the elbow, **lxxx**, 141.
Compound fracture of the patella, **lxv**, 753.
Congenital stenosis of the colon, **lxxiii**, 127.
Effect of amberine in healing after burns, **lxxii**, 633.
Element of error in abdominal diagnosis, **lxiv**, 120.
Empyema thoracis, **lxxvii**, 250.
Experimental colonic stasis, **lxiii**, 762.
External biliary fistula, **lxxv**, 506.
Fibroneuroma of the median nerve, **lxvi**, 503.
Fracture-dislocation of shoulder, **lv**, 432.
Fracture of the capitellum of the humerus, **lxiii**, 629.
Fracture of the pelvis, **lxxi**, 399.
Gall-stone ileus, **lxiii**, 248.
Giant appendix, **liv**, 573.
Gunshot wound of the shoulder, **lxxiii**, 117.
Hæmolytic jaundice, **lxxvii**, 249.
Hernia of the uterus, **lxxv**, 743.
Hour-glass stomach with pyloric stenosis, **lv**, 782.
Ileosigmoidostomy, **lix**, 141.
Imperforate anus, **lix**, 292; **lxxiii**, 111.
Infection following tonsillitis, **lv**, 914.
Intracapsular fracture of the neck of the femur, **lxxiii**, 770.
Intussusception in an infant, **lxvi**, 500.
Mesenteric thrombosis, **lxxiv**, 798.
Method of approximating patella fragments in case of old fracture with wide separation, **lxv**, 756.
Mixed tumors of the kidney, **lxxiii**, 118.
Non-union in compound fractures, **lxxi**, 231.
Ochsner treatment in peritonitis, **lxxvii**, 194.
Open operation and plating for old fracture of both malleoli, **lv**, 780.
Open operation and plating of fractures of tibia and femur, **lv**, 778.
Operation for old fracture of the patella, **lxi**, 754.
Operation for undescended testicle, **lvi**, 925.
Operative reduction of old dislocation of the shoulder, **lviii**, 542.
Operative treatment of simple fractures, **lv**, 429.
Paget's disease of the nipple, **lxii**, 212.
Partial colectomy for intestinal stasis, **lx**, 792.
Perforation of gall-bladder into general peritoneal cavity, **lviii**, 432.
Perforated gastric and duodenal ulcer, **lvii**, 748.
Perforated ulcer of stomach, **lx**, 803.
Perforating gunshot wound of the abdomen, **lxxi**, 103.
Perforating wound of kidney, with secondary nephrectomy, **lxxvii**, 110.
Radical cure of hernia, **lv**, 916.
Recent advances in pulmonary surgery, **liii**, 593.
Reconstruction of divided common bile-duct, **lxiv**, 753.
Results of arthroplasty for ankylosis of jaw, **lxxviii**, 542.
Rupture of the biceps flexor cubiti, **lxi**, 638.
Rupture of the biceps muscle, **lxii**, 122.
Sarcoma of the large intestine, **lix**, 749.

Separation of lower epiphysis of femur with fracture of shaft of tibia, **lxxx**, 142.
Silver wire in the treatment of fractures, **lxii**, 123.
Sprain fracture, **lv**, 126.
Stab wound of diaphragm and stomach, **lxxi**, 107.
Strangulated inguinal hernia in a two weeks old infant, **li**, 131.
Subluxation of ulna, **lx**, 785.
Subphrenic abscess following appendicitis, **li**, 426.
Subphrenic infection, **lviii**, 423.
Supracondyloid fracture of femur, **lxxiii**, 122.
Suspension treatment in fractures of the pelvis, **lxxiii**, 125.
Suture of patellæ under local anæsthesia, **lv**, 639.
Technic of inguinal herniopLasty, **lxxviii**, 410.
Treatment of acute appendicitis, **liii**, 877.
Treatment of intracapsular fractures of the femur, **lvi**, 653.
Treatment of recent wounds of the knee-joint, **lxx**, 266.
Treatment of Volkmann's contracture, **lvii**, 572.
Treatment of webbed fingers, **lxxviii**, 532, 543.
Tumor of carotid body, **lx**, 789.
Ulcer at stoma following gastroenterostomy, **lxiii**, 764.
Ununited fracture of the neck of the femur, **lix**, 140.
Use of silver wire in treatment of fracture of the patella, **liii**, 583.
Volkmann's contracture, **lxxvii**, 244.
Volkmann's ischæmic paralysis, **liii**, 578.
JOYCE, J. L.: Operative treatment of peripheral nerve injuries, **lxix**, 206.
JUDD, EDWARD STARR: Bleeding ulcer of the duodenum with cholecystitis, **lxxv**, 459.
Diverticula of the bladder, **lxviii**, 298.
Diverticulitis of the colon, **lxxx**, 425.
Effect of trauma upon laryngeal nerves, **lxvii**, 257.
Hæmangiomas of the gastrointestinal tract, **lxxvi**, 28.
Infections in prostate cases, **lxvi**, 362.
Laryngeal function in thyroid cases, **lxxiii**, 321.
Method of exposing the lower end of the ureter, **lix**, 393.
Mortality after liver and pancreas operations, **lxxviii**, 195.
Non-calculous intermittent biliary obstruction following cholecystectomy, **lxxix**, 533.
Post-operative stricture of the common bile duct, **lxxx**, 210.
Resection of the body of the stomach for ulcer, **lxxvi**, 409.
Results of operation for removal of stones from the ureter, **lxxi**, 128.
Surgery of renal tuberculosis, **lxxix**, 395.
Symptoms following operations on the biliary tract, **lxvii**, 473.
Technic of cholecystectomy, **lxi**, 306.
Treatment of tuberculous glands of the neck, **lii**, 758.
White bile in the common duct, **lxxvii**, 281.
Jugular vein, internal double, **lxi**, 235.
JURASZ, DOCTOR: Arthroplasty for ankylosis of knee, **lx**, 128.

K

Kader operation, modification of, **lxxvi**, 35.
KAHN, LEE: Hygroma colli, **lxvii**, 71.
KAMMERER, FREDERIC: Bilateral exclusion and occlusion of the intestine, **lxi**, 497.
Bile-duct obstruction, **lxxi**, 206.
Cancer of ampulla of Vater, **lxvii**, 369.
Cancer of thyroid, **lxxii**, 382.
Carcinoma of the œsophagus, **lx**, 510.
Carcinoma of the stomach grafted on an ulcer base, **lx**, 395.

Constriction of the lower end of the duodenum, **lv**, 114.
Control of hemorrhage after suprapubic prostatectomy, **liii**, 429.
Difficulties in clinical diagnosis of mammary tumors, **lxi**, 353.
Disinfection of the skin by tincture of iodine, **liii**, 437.
Diverticulum of the gall-bladder, **lv**, 320.
Duodenal hemorrhage, **lx**, 778.
Duodenal ulcer, **lv**, 319.
Erb's paralysis, **lviii**, 684.
Establishment of artificial ani, **lxxii**, 384.
Excision of the elbow-joint, **lx**, 512.
Excision of gastric ulcer, followed by hour-glass contraction of the stomach, **lix**, 791.
Exclusion of pylorus in cases of duodenal ulcer after gastro-enterostomy, **lix**, 132.
Extreme rectal prolapse cured by operation, **lv**, 318.
Fibroma of the ileum causing intussusception, **lxvi**, 605.
Gastro-enterostomy for gastroptosis, **lxi**, 630.
Hypopituitarism, **lv**, 771.
Importance of complete operations on stomach at one sitting, **lx**, 650.
Late result of partial excision of stomach for carcinoma, **lxvi**, 118.
Ligation of carotids as preliminary of operations upon the maxilla, **lvii**, 954.
Mixed tumor of the parotid gland, **lix**, 308.
Multiple symmetrical lipomatosis, **lxii**, 112.
Musculospiral paralysis after fracture of the humerus, **lx**, 647.
Occlusion of the pylorus, **lxi**, 490.
Operation for bronchiectasis, **lxi**, 254.
Operations for cancer of rectum, **lvi**, 342.
Operation for carcinoma of the larynx, **lxii**, 372.
Operation for carcinoma of the rectum, **lv**, 901, 902; **lxii**, 371.
Operation for diverticulum of the œsophagus, **lxi**, 362.
Operation for ulcer of the stomach, **lxi**, 747.
Operative treatment for carcinoma of the œsophagus, **lxi**, 359.
Operative treatment of hour-glass stomach, **lxv**, 379.
Partial thyroidectomy, **lv**, 909.
Prolapse of the rectum, **lvii**, 131.
Prostatectomy, **lix**, 802.
Protection of parathyroids during thyroidectomy, **lxiii**, 125.
Removal of cervical rib, **lviii**, 556.
Resection of the œsophagus for carcinoma, **lv**, 320.
Result of operation for adenoma of the kidney, **lxi**, 750.
Result of operation for melanosarcoma, **lxii**, 116.
Rupture of quadriceps femoris tendon, **lxii**, 624.
Spleen, rupture of, during typhoid fever, **lix**, 760.
Spontaneous fracture of femur from fibrosis, **lxii**, 625.
Subacromial bursitis, **lxvi**, 112.
Total laryngectomy for cancer of the larynx, **lvii**, 950.
Treatment of appendicitis, **lx**, 650, 651.
Treatment of dislocated semilunar cartilage, **lx**, 761.
Treatment of nerve injuries, **liii**, 291.
Treatment of prolapse of the rectum, **lx**, 644.
Treatment of wound after nephrectomy for tuberculosis, **lxii**, 510.
Tuberculous peritonitis, **lxii**, 95.
Two-stage operation in the treatment of cancer, **lx**, 109.
Ultimate results of operation for carcinoma of the stomach, **lxii**, 119.
KANAVAL, A. B.: Operations on the hypophysis, **lii**, 121.
KAPPIS, M.: Induction of splanchnic analgesia, **lxxx**, 163.
KAUSCH, DR.: Intestinal communications with the biliary passages and pancreas, **lv**, 166.
KAWAMURA, KYOICHI: Duodenectomy, **lxxv**, 208.

Keen on animal experimentation and medical progress, review of, **lxi,** 763.
KEEN, WILLIAM WILLIAMS: Anæsthesia by intratracheal insufflation, **liv,** 572.
Case in which for over thirty-five years fecal, urinary and menstrual discharges took place through the rectum, **lxix,** 606.
Some of the things that surgeons as a profession stand for, **lxxii,** 257.
Surgical English, **lxxi,** 402.
KEENE, FLOYD E.: Circumscribed panmural ulcerative cystitis, **lxxi,** 479.
Repair of the deep epigastric vein, **lxiii,** 245.
KEENAN, C. B.: Traumatic diaphragmatic hernia, **lxxv,** 620.
KEETLEY, CHARLES ROBERT BELL: Obituary memoir of, **lii,** 850.
KEILLER, V. H.: Lymphangioma of the neck, **lxxvii,** 385.
KELLER, WILLIAM L.: Chronic empyema in U. S. Army, **lxxvi,** 549, 700.
Combined extirpation and obliteration of varicose veins, **lxxix,** 907.
KELLOGG, EDWARD LELAND: Gall-bladder disease in childhood, **lxxvii,** 587.
Gall-bladder disease in youth, **lxxix,** 961.
KELLOGG, EDWARD LELAND AND WILLIAM A.: Duodeno-jejunostomy for duodenal obstruction, **lxxiii,** 578.
KELLOGG, JOHN HARVEY: Technic of operation for the repair of the ileocæcal valve, **lxvii,** 83.
Kelly on surgical diseases, of children, review of, **lxi,** 118.
KELLY, HOWARD A.: An operation for umbilical hernia, **li,** 694.
Chart to aid in treatment of cystitis by distention of the bladder, **lii,** 664.
Removal of wedge of skin and fat in the course of abdominal operations, **liii,** 364.
KELLY, JAMES A.: Acute intestinal obstruction due to impacted ascarides lumbricoides, **lxxviii,** 401.
Bullet wound of the thigh producing traumatic aneurism of femoral artery, **lxxviii,** 403.
Bullet wounds of the chest involving the lungs, **li,** 272.
Incised wound of the fourth and fifth cervical nerve, **lxxviii,** 402.
Treatment of lacerated and incised wounds of the extremities, **liv,** 696.
Keloid formation in the negro, lxi, 83.
Of both ears, recurrent, **lxxix,** 135.
Keloids in scars, prevention of, **lxi,** 605.
KENNEDY, FOSTER: Laminectomy for spinal tumor, **lx,** 521.
KENNELL, L. A.: Simple bandage for fracture of the clavicle, **lxx,** 506.
KENYON, JAMES H.: Bilateral recurrence of breast cancer in neck, **lxxix,** 941.
Bullet wound of knee and of popliteal vein, **lxiii,** 112.
Endothelioma of the brain three years after operation, **lxi,** 106.
Intestinal resection for obstruction following appendectomy, **lxxiii,** 249.
Observations on cerebral surgery, **lxi,** 17.
Siphon drainage for traumatic hæmothorax, **lxiv,** 728.
Tendon and nerve suture after wrist wounds, **lxiii,** 119.
Traumatic epilepsy relieved by trephining, **lxiv,** 731.
Trifacial neuralgia, **lxxix,** 939.
Keratin and Keratohyalin in tumors of the hypophysial duct, lxxiv, 501.
Kerr suture, lxv, 400.
KERR, HARRY HYLAND: Volvulus of the stomach, **lvi,** 697.
KERRISON: Diseases of the ear, review of, **lxxiii,** 517.
KESSEL, GEORGE: Osteophytic ankylosis of elbow, **lxxv,** 638.
KEYES, A. BELCHAM: Cholelithiasis, cholecystitis and cholangitis, **lxxvii,** 52.
Remarks on empyema thoracis, **lxix,** 509.

KEYES, EDWARD L., JR.: Functional diagnosis of renal disease, especially by experimental polyuria, **li**, 340.
KEYSER, LINWOOD D.: Mechanism of the formation of urinary calculi, **lxxvii**, 210.
KIDD, FRANK: Purpura of the bladder, **lviii**, 388.
Kidney (see also hydronephrosis, hypernephroma, nephrectomy, nephrolithiasis, nephropexy, nephrotomy, pyonephrosis, renal).
Abscess, **lix**, 779.
Abscesses, multiple, bilateral, **lxxvii**, 762.
Adenoma of the, fetal, **lxi**, 749.
And ureter, traumatic injuries of the, **lxiv**, 459.
Angioma of papillæ of the, **li**, 541.
Bleeding, unilateral, **lvii**, 923.
Calculi, **lxix**, 173; fibrinous, in the, **li**, 111; in, bilateral, **lxv**, 606.
Capsules, splitting, for chronic nephritis in a child, **li**, 947.
Carcinoma of the, **lxxiii**, 301, 310.
Cyst of, solitary, **lxxvi**, 656, 658.
Cystadenoma of, supernumerary, **liii**, 367.
Cystic, bilateral, **lv**, 623; congenital, **lxxvi**, 789.
Cysts, the etiology of, **lvii**, 940.
Damage done to the, by operation, **liii**, 373.
Diagnosis, chromo-ureteroscopy in functional, **lii**, 569; of traumatic injury of the, by pyelography, **lx**, 729.
Double, **lxxvii**, 450, 531.
Dumb-bell, **lvii**, 868.
Duplex, with pyonephrosis, **lxxix**, 602.
Echinococcus disease of the, **lxv**, 585; **lxvi**, 254.
Ectopic, surgery of the, **lxxviii**, 65.
Embryoma of the, **lxxviii**, 226.
Embryonal adenocarcinoma of, **lv**, 634.
Fused, stone in, **lxxi**, 217.
Gall-bladder and, co-existing lesions of the, **lix**, 679, 783.
Horse-shoe, gunshot wound of, **lxxv**, 253; single, surgery of, **lvii**, 511; suppuration in half of, **liv**, 355, 413.
Hydronephrosis of, primary congenital, **lii**, 626.
Hypernephroma of, **lv**, 634.
Infection of, acute hæmatogenous, **liv**, 577; **lxxv**, 759; excision of the infarct in, **lviii**, 226; of one, **lvi**, 305, 309; unilateral, **lvi**, 818; **lvii**, 760; septic, after infection of finger, **lxvi**, 247.
Infections, non-tubercular, **lxxv**, 478.
Influence of the venous collateral circulation of the, on hydronephrosis, **lxv**, 597.
Lumbar exposure of the, the incision for, **lv**, 63.
Malignant papillary adenoma of the, **liv**, 585.
Note on the mesotheliomata of, **lv**, 282.
Pelvic, report of case of, **lviii**, 809.
Pelvis, papillary epithelioma of, **lxxx**, 591; recent developments in dilating the, **lii**, 645.
Polycystic, bilateral, **lxv**, 580; decortication for, **liii**, 131; rupture of a, **li**, 116.
Sarcoma of the, in infancy, long lasting cure after removal of, **lvi**, 469; and embryoma, in infants, **lxxvii**, 306; spontaneous hæmatoma in, **lxxvii**, 311.
Secretory pressure of the, as an index of pathological conditions, **lxxiii**, 609.
Solitary, congenital, **lxxix**, 206.
Stone in, **lv**, 445, 450; **lxxi**, 123; bilateral, **lxiv**, 722; cases of, **liii**, 276; solitary, anuria, **lxvii**, 239.
Stone in, with perinephric abscess, **lxi**, 111.
Stones, ossification in, **lxxviii**, 239.
Supernumerary arteries to the, surgical importance of, **lxviii**, 53.
Suprarenal, and testicle, embryogenetic relationship of tumors of, **lvii**, 522.
Surgery, **lxxviii**, 250; notes on indications in, **lxv**, 573; the triangle of Petit in, **lxii**, 451.

Suturing, the experimental study of several methods, **lvii**, 860.
Tubercular, pathogenesis of, **lv**, 168.
Tuberculosis of the, **li**, 271; **lvi**, 521; **lvii**, 926; **lviii**, 404; **lxiv**, 628, 720; **lxv**, 346, 602; **lxviii**, 105; cystoscopic examination in, **lii**, 239; diagnosis of and indications for nephrectomy in its treatment, **lvi**, 292; fistula following nephrectomy, **lxvi**, 728; in a child, nephrectomy for, **lxii**, 494.
Tuberculous, removal of the ureter with, **liii**, 696, 733.
Tumor of, congenital, mixed, transperitoneal nephrectomy for, **lxiii**, 630; nephrectomy for, in infancy, **lx**, 504; mixed, **lxxiii**, 118.
Tumors in infancy and childhood, **lxxvi**, 52.
Tumors of the, malignant, in children, **lxxx**, 569.
Two-stage operation on the, with preliminary renal drainage, **lxv**, 593.
Ureter abnormalities, **lxviii**, 294; and bladder, tuberculosis of, **lvi**, 134; clinical diagnosis of congenital anomaly in the, **lvi**, 726; collargol radiographs of, **lvi**, 366; combined cystoscopic and röntgenographic examination of the, **li**, 546, 592; removal of stones from the, **lviii**, 286.
Utility of fatty capsule in the operation of nephropexy, **lxii**, 384.
With double pelvis and double ureter, **lxv**, 534.
Wound of, perforating, with secondary nephrectomy, **lxxvii**, 110.
Kidneys and liver, polycystic, **lxxiii**, 62.
Fused, contribution to the knowledge of, **lxviii**, 39.
Stones in both, **lxvii**, 755.
KILBANE, EDWARD F.: Contribution to echinococcus disease of the kidney, **lxv**, 585.
KILIANI, OTTO G. T.: An operation for paralytic shoulder-joint due to infantile paralysis, **li**, 79.
De Lorme-Schede operation for empyema, **liii**, 846.
Diverticulum of the œsophagus due to carcinoma, **lv**, 315.
Fracture of the odontoid process of the axis, **lix**, 297.
Gastric neurosis, **lix**, 134.
Isolated fracture of the transverse process of lumbar vertebræ, **lv**, 316.
Local blood injection for ununited fracture, **lv**, 314.
Membranous pericolitis, **lv**, 314.
Perforating typhoid ulcer, **lix**, 637.
Spastic hemiplegia with spontaneous recovery, **lv**, 317.
Symmetrical lipomatosis, **lix**, 637.
Treatment of trifacial neuralgia, **lv**, 906.
Tuberculosis of the skull, **liii**, 846.
Tumor of the brain, **lv**, 317.
Tumor of the spinal cord, **lii**, 411.
Ultimate results of plates used in treatment of fractures, **lvi**, 351.
KIMPTON, A. R.: Gall-stones, **lxi**, 535.
Glioma of the buttock, **lxx**, 582.
KIMURA, T.: Transverse ectopy of the testis with masculine uterus, **lxviii**, 420.
Kineplastic amputations, **lxvii**, 414.
KING, JOSEPH E. J.: Cranioplasty for cranial defects, **lxxv**, 115.
KIRCHNER, DR.: Pyloric exclusion, **lv**, 156.
KIRCHNER, WALTER C. G.: Treatment of wounds of the heart, **lii**, 96.
KIVLIN, CHARLES F.: Primary ovarian pregnancy, **liv**, 206.
KLAPP, DR.: Decompression of thorax, **lv**, 152.
KLEIN, EUGENE: Persistence of gastric ulcer after gastro-enterostomy, **lxxiv**, 740.
KLEINBERG, SAMUEL: Fracture of the acetabulum with central luxation of the hip, **lxxviii**, 806.
Spondylolisthesis, **lxxvii**, 490.
Supernumerary bones of the foot, **lxv**, 499.

KLOPP, EDWARD J.: Acute inflammation of Meckel's diverticulum, **lxxiii**, 644.
Amniotic hernia, **lxxiii**, 642.
Carcinoma of the sigmoid, with perforation of the cæcum, **lxxix**, 137.
Gall-stone ileus, **lxvii**, 124.
Non-rotation of colon, **lxxvi**, 281.
Patent urachus with sarcoma of wall, **lxxiii**, 643.
Sarcoma of sciatic nerve, **lxx**, 126.
Strangulated obturator hernia, **lxx**, 126.
KLOSE, HEINRICH: Experimental research in Basedow's disease, **lv**, 143.
Mobile cæcum, **lv**, 163.
KLOTZ, OSKAR: End results of arterial transplants, **lxxviii**, 305.
Knee or knees, arthritis, chronic, of the, arthrotomy for, **lxxvi**, 782; hypertrophic villous, **lxxviii**, 104; suppurative, **lxxix**, 302; villous, of the, **lvi**, 363.
Arthroplasty of the, **lxxx**, 88.
Arthrotomy of the, **lvi**, 645.
Bullet wound of, **lxiii**, 112.
Charcot, complicated by fracture of leg, **lxix**, 171.
Deformity of, jig saw osteotomy for, **lxiv**, 91.
Dislocation of the internal semilunar cartilage in, recurrent, **lxxiii**, 762.
Quadriceps tendon, rupture of, **lv**, 443.
Semilunar cartilages, removal of, from, **lvii**, 283.
Septic, treatment of, **liii**, 867; Willem's, **lxxvi**, 116.
Tumor of the, tuberculous, **lxxi**, 673.
Knee-joint, amputation, open, through the, **lxx**, 287.
Arthritis of, chronic, **lxxvi**, 126; suppurative, treated by incision and motion, **lxxx**, 622.
Arthroplasty of the, **lix**, 437.
Bodies in the, multiple, movable, **lxv**, 510.
Body in, loose, **lxi**, 80.
Bullet wound of, **lxiv**, 97.
Cartilage, floating, in recurrent, **lii**, 405.
Derangement of, internal, **lx**, 760; mechanical, **lxvii**, 738.
Dog's, experimental resection of the, **lxx**, 586.
Fractures involving the, diagnosis and treatment of, **lviii**, 27, 273.
Gunshot injuries of the, as met with in a base hospital, **lxx**, 290; wounds of the, **li**, 736; **lxiv**, 100.
In intercondyloid notch, longitudinal section of patella for, **lxxv**, 750.
Infection, cases of, **lxiv**, 99; complicated by old refracture of the patella, **lxv**, 755.
Injuries and their management, **lxxx**, 69; of the semilunar cartilages of the, **lxxi**, 658.
Non-operative treatment of displaced semilunar cartilages of the, **lxxvii**, 729.
Operation for stiffening the, **liii**, 404.
Perforation of by rusty nail, **lxiv**, 98.
Point of scissors embedded in, **lxv**, 794.
Pyoarthritis of, **lxxvii**, 230.
Relaxed internal ligament of, **lii**, 406.
Septic, drainage of, **liv**, 258.
Surgery of the, contribution of war to, **lxx**, 464.
Tuberculosis of the, **lix**, 138.
Tuberculous and luetic infection of, **lxiv**, 371.
War injuries, report of eighty-two cases, **lxx**, 257; wounds involving the, initial treatment of, **lxix**, 318.
Wounds of the, treatment of, **lxvii**, 170; **lxx**, 266.
KNIGHT, HARRY O.: Anomalous portal vein with its surgical dangers, **lxxiv**, 697.
Knot, surgical, the tying of, **lxvii**, 439.
KNOX, LEILA CHARLTON: Relationship of massage to metastasis in malignant tumors, **lxxv**, 129.
Kocher's method of gastro-duodenostomy after pylorectomy for carcinoma of the stomach, lxxix, 229.
KOCHER, THEODORE: Basedow's disease, **lv**, 142.

KOLISCHER, GUSTAV: Notes on indications in kidney surgery, **lxv**, 573.
KOLL, IRVIN S.: Non-gonorrhœal and non-tuberculous epididymitis, **lxv**, 646.
Polyp of urinary bladder in an infant, **liv**, 589.
Primary tuberculosis of the prostate gland, **lxii**, 473.
KOONTZ, AMOS R.: Rupture of the diaphragm, **lxxx**, 898.
KORNBLUM, K.: Echinococcus cyst of the omentum, **lxxx**, 608.
KORTE, WILHELM: Surgical treatment of acute pancreatitis, **lv**, 23.
KOSMAK, GEORGE W.: An artificial hand of the middle ages, **lvii**, 591.
KRETSCHMER, HERMAN L.: Acute dilatation of the stomach following prostatectomy, **lxvii**, 489.
Renal tuberculosis in twins, **lxxiii**, 65.
KREUSCHER, PHILIP H.: Knee-joint injuries and their management, **lxxx**, 69.
KROGER, W. P.: Acute pancreatitis complicating pregnancy, **lxxiii**, 115.
KROTOSZYNER, MARTIN: Observations on anomalies of the urinary tract, **lxv**, 560.
KRUKENBERG: Tumor of the ovary, **lxxiii**, 481.
KRUMBHARR, EDWARD B.: Observations on the nature of post-operative leucocytosis in the dog, **lxvi**, 133.
Kuemmel's disease of lumbar vertebra, lxxiii, 360.
KUEMMEL, HEINRICH: Intravenous ether anæsthesia, **lv**, 133.
Surgical treatment of aortic aneurism, **lx**, 116.
KURTZ, A. D.: Free transplantation of tendons, **lxix**, 450.
KUTTNER, H.: Basedow's disease, **lv**, 148.
Disinfection of the hands and site of operation, **lv**, 129.
KUTZMANN, ADOLPH A.: Cysts of the Wolffian body, **lxxix**, 762.
Malignant tumors of the testicle in children, **lxxviii**, 761.
Malignant tumors of the kidney in children, **lxxx**, 569.
KUZMIK, P. VON: Amputation of the hand, **lx**, 155.

L

LABAT, GASTON L.: Induction of splanchnic analgesia, **lxxx**, 161.
Local, regional and spinal anæsthesia, **lxxiv**, 673.
Regional anæsthesia, **lxxiii**, 165.
Lacteal cyst of breast, lviii, 428.
LA GARDE: On gunshot injuries, review of, **lxv**, 798.
LA GRANGE: Fractures of the orbit, review of, **lxvii**, 126.
LAHEY, FRANK H.: Carcinoma of the small intestine, **lxii**, 428.
Intracervical enucleation, **lxxviii**, 61.
Prolapsed spleen with acute torsion, splenopexy, **liv**, 612.
Transplantation of common duct fistula into duodenum, **lxxvii**, 767.
LAIRD, JOHN L.: High frequency current in papilloma of the bladder, **lx**, 407.
LAMBERT, ADRIAN V. S.: Dakin fluid, use of, in civil hospitals, **lxvii**, 757.
Dietetic treatment of gangrene in diabetes mellitus, **lix**, 176.
Fractures and dislocations treated by the open method, **liii**, 863.
Gastro-enterostomy to relieve duodenal ulcer, **lix**, 131.
Gunshot wound of the thorax, **lvi**, 362.
Hemorrhage following tonsillectomy, **li**, 575.
Non-parasitic cysts of the spleen, **lxix**, 15.
Œsophago-gastrostomy for cardiospasm, **lviii**, 415.
Pneumococcus peritonitis, **lxvii**, 247.

Preliminary ligation of the external carotid in operations for cancer of the upper jaw, **lxix**, 182.
Relation between intestinal damage and delayed operation in acute mechanical ileus, **lxxii**, 529.
Relations of hydrocephalus and spina bifida, **lxv**, 257.
Resection of superior maxilla, **lxix**, 179.
Tuberculosis of tongue, **lvi**, 361.
Laminectomies, observations upon a series of forty-three, **lv**, 217.
Laminectomy and regional anæsthesia, **lxviii**, 12.
Adhesive arachnitis, for, **lxv**, 267.
Bullet wound of spinal cord for, **lvi**, 60.
Decompressive, for multiple sclerosis, **lxv**, 266.
Exploratory, **liii**, 543.
Injury and tumor of spinal cord, for, **liii**, 754, 848.
Pachymeningitis for, **lxv**, 270; dorsal, for, **lxii**, 101.
Removal of tubercle from spinal cord, for, **lxv**, 269.
Tumor of spinal cord, for, **lv**, 608, 609; **lx**, 454, 519, 521.
Unilateral, **li**, 529; with dorsal root section for spastic conditions, **liii**, 281.
Varicose veins of the cauda equina, for, **lxv**, 268.
LAMSON, OTIS FLOYD: Certain aspects of surgery of the gall-bladder, **lxxvii**, 64.
Intrathoracic goitre, **lix**, 191.
Recurrent nephrolithiasis, **lxxi**, 16.
LANDON, LYNDON HOLT: Carcinomatous papilloma of the renal pelvis, **lxxv**, 605.
Osteitis fibrosa cystica, **lx**, 570.
Sarcoma of the lower lip, **lviii**, 545.
Lane plate and bone plastic splints, comparative merits of, **lxix**, 662.
Healed in place, **lxviii**, 534.
Use and value of, **lxix**, 161.
Lane's kink of the ileum, **lv**, 608; and pericolic membranes, **lix**, 28.
Operation for intestinal stasis, appendicostomy in, **liii**, 686.
Lankenau Hospital of Philadelphia, appendectomies performed at, **lxxix**, 854.
Laparotomy incision and closure, retrorectus, **lviii**, 828.
Transthoracic, **lxx**, 172.
LAROQUE, G. PAUL: An improved method of removing hernia from within, **lxxix**, 375.
Anatomic and physiologic principles concerning pyloric ulcer, **lviii**, 320.
Bullet wound of the femoral artery and vein successfully treated, **lxxv**, 705.
Intra-abdominal operation for femoral hernia, **lxxv**, 110.
Ligation of external iliac artery and vein, **lxxiii**, 265.
Laryngeal diverticula, **lxi**, 41.
Function in thyroid cases, **lxxiii**, 321.
Nerve, recurrent, paralysis of the, treatment of by nerve anastomosis, **lxxix**, 161; surgical trauma of the, with restoration of function, **lxxx**, 606; suture of the, **lii**, 287; **li**, 524.
Nerves, effect of trauma upon, **lxvii**, 257.
Laryngectomy for cancer, **lviii**, 164, 279.
Total, for carcinoma, **lvii**, 948, 950.
Larynx, cancer of, cure persisting five and one-half years after operation, **liii**, 546; excision of, under local anæsthesia, **lii**, 855; treatment of, **lxii**, 650; **lxxvii**, 1.
Carcinoma of, conservative surgery in, **lxii**, 372.
Foreign body in the, **lvi**, 485.
Fracture of, **lxxx**, 660.
Œsophagus and, resection of, for carcinoma, **lv**, 321.
Papillomata of the, cured by radium, **lvi**, 470.
LATHROP, WALTER: The sliding graft and the kangaroo suture in fresh fractures, **lxiv**, 68.
LAW, ARTHUR A.: Adventitious ligaments simulating cervical ribs, **lxxii**, 497.
Clinical status of the autograft, **lxii**, 602.

LAWS, GEORGE M.: Dislocation of shoulder and fracture of the surgical neck of the scapula, caused by muscular action due to electric shock, **lxxii**, 625.
Hæmolytic jaundice, treated by blood transfusions, **lxxvii**, 247.
Mesenteric thrombosis, **lxiv**, 378.
Relative merits of dichloramine-T and Dakin's solution as wound applications, **lxx**, 120.
Streptococcic peritonitis complicating erysipelas, **lxiv**, 379.
LAYNE, P. C.: Biliary calculi of large size removed from common duct, **lvi**, 504.
Lead poisoning, accompanied by obliterating thrombo-angiitis, **lxiii**, 750.
LEAR, MAXWELL: Amœbic liver abscess, **lxxix**, 730.
Regeneration of the meninges, **lxxx**, 536.
LEARY, THOMAS J.: Organization and operation of an evacuation hospital, **lxx**, 489.
Leather-bottle stomach, **lxii**, 33.
LECENE, P.: Ulcer of the stomach and duodenum, **lx**, 227.
LECONTE, ROBERT G.: Acute inflammation of the long bones, **lvi**, 150.
Case of acute pancreatitis, **lvi**, 336.
Chondrofibroma of the fibula, **lxxiv**, 794.
Chronic partial intestinal obstruction in an adult due to arrested development of large bowel, **lxxx**, 217.
Delayed or late extraction of intrathoracic projectiles by the method of Petit de la Villeon, **lxx**, 37.
Infection after implantation of ureter into intestine, **lviii**, 287.
Intraperitoneal hemorrhage from ruptured ovary, **lvi**, 340.
Preparedness, **lxiv**, 129.
Spinal anæsthesia, **lv**, 424.
Spinal cord anæsthesia, **liv**, 422.
Use of eserin in cases of paralytic ileus, **liii**, 129.
LEE, BURTON J.: Acromio-clavicular dislocation, **lx**, 506.
Acute operative dilatation of the stomach, **lxiii**, 418.
Acute post-operative dilatation of the stomach, **lxiv**, 112.
Collapse of a transfusion donor, **lv**, 892.
Contribution of war to surgery of the knee-joint, **lxx**, 464.
Effects of foreign bodies in the abdominal cavity, **lxiii**, 117.
Enterostomy and ileocolostomy for obstruction of the bowel, **lxiv**, 112.
Fascia flap to overcome tendon defect in injury of the forearm, **lxvi**, 120.
Fracture of the acromion process, **lix**, 456.
Fracture of the surgical neck of the humerus, **lix**, 782.
Mobilization of the wrist-joint following excision of fractured scaphoid, **lxxi**, 524.
Mortality of head wounds, **lxxii**, 400.
Multiple rupture of the small intestine and mesentery, **lvii**, 286.
Non-functioning pylorus following gastro-enterostomy without occlusion, **lxvi**, 119.
Osteomyelitis of the os pubis, **lx**, 507.
Pancreatic cyst, **lxi**, 485.
Partial excision of the bladder for urinary fistula after herniotomy, **lxv**, 261.
Partial resection of the transverse colon, **lxv**, 265.
Post-operative bursting of sutured abdominal wounds, **lxvi**, 244.
Report of 87 primary operable cases of carcinoma of the breast admitted to New York Hospital prior to April 1, 1919, **lxxx**, 400.
Results of treatment by radiation of primary inoperable carcinoma of the breast, **lxxvi**, 359.
Rupture of brachial artery and musculospiral nerve without fracture of humerus, **lvi**, 945.
Rupture of the liver, **lvi**, 944.
Rupture of the liver followed by subphrenic abscess, **lii**, 858.
Sarcoma of the breast, **lxxii**, 387.
Sliding hernia of the large intestine, **lix**, 641.

Subcutaneous rupture of the jejunum, **lxi**, 487.
Subhepatic abscess following appendicitis, **lix**, 457.
Traumatic fat necrosis, of the breast, **lxxvii**, 779; **lxxii**, 188.
Traumatic fat necrosis of the female breast and its differentiation from carcinoma, **lxxx**, 670.
Unusual result of X-ray radiation upon breast cancer, **lxxv**, 117.
Vicious circle relieved by entero-enterostomy, **lxvi**, 119.
War's contribution to civil surgery, **lxxii**, 758.
LEE, WALTER ESTELL: Cervical gland metastasis from tongue cancer, treated by radium, **lxxvi**, 651.
Chlorine antiseptics, **lxxi**, 772.
Chronic partial intestinal obstruction in an adult due to arrested development of large bowel, **lxxx**, 217.
Fatal anaphylaxis following blood transfusion, **lxxviii**, 1.
Fatal reaction after blood transfusion, **lxxvii**, 761.
Fractures involving joints, **lxxiii**, 378.
Intestinal obstruction due to gall-stone, **lxviii**, 73.
Osteitis fibrosa cystica of the femur, **lxxiv**, 796.
Perforation in utero of a gastric ulcer, **lxxviii**, 36.
Post-operative pulmonary complications, **lxxix**, 506.
Radical cure of inguinal hernia in infant, **lix**, 440.
Radical operation for hernia of umbilical cord in new born infant, **lix**, 441.
Recurrent double intussusception due to multiple fibromata of the ileum, **lxxv**, 738.
Resection of the small bowel following gunshot injury, **lxxvi**, 117.
Resuscitation by direct massage of the heart in cardiac arrest, **lxxx**, 555.
Transpleural œsophago-cutaneous fistula, **lxxviii**, 96.
Treatment of acute mechanical intestinal obstruction by high temporary jejunostomy, **lxxx**, 45.
Use of dichloramine-T in the treatment of infections and infected wounds, **lxvii**, 14, 120.
Leg amputations, **lx**, 160; **lxviii**, 235; **lxxi**, 698; **lxxiv**, 633; usefulness of ventral decubitus in some, **lxi**, 616.
And forearm fractures, comparative analysis of 213 cases, **lxxv**, 221.
Fracture, spiral, **lxxv**, 717; compound, comminuted, **lxviii**, 531; treated with chinosol, **liv**, 257; reduction of, traction bandage for, **lxiv**, 65; ununited, treated by bone graft, **lxix**, 337; treatment of, **lxxiii**, 124.
Fractures, end results in, **lxii**, 619, 632; gunshot, **lxxi**, 66.
Mowing machine cut of, **lxi**, 237.
Operation, plastic, on, **lxxvi**, 124.
Sarcoma of, **lxxx**, 790.
Stump, conical, of, **lxxii**, 379.
Ulcers, perforating and varicose, **lxiii**, 561.
Wound, lacerated of, **lxvii**, 229.
Legg's disease, **lxix**, 47.
LEHMAN, EDWIN P.: Peri-arterial sympathectomy, **lxxvii**, 30.
LEIGH, SOUTHGATE: Traumatic and industrial hernia, **lxxv**, 467.
LEISCHNER, H.: Prophylaxis of post-operative meningitis, **lv**, 140.
LEMAISTRE, HELEN J.: Intestinal obstruction due to gall-stones, **lxviii**, 73.
LEONARD, RALPH D.: Pathological gall-bladder, **lxxv**, 640.
LEONARD, VEADER NEWTON: Development of malignant disease of the cervical stump after supravaginal hysterectomy, **lviii**, 373.
Leontiasis ossea, **lx**, 375.
LERCHE, WILLIAM: Surgical treatment of diverticula of the urinary bladder, **lv**, 285.
LERICHE, RENÉ: Researches on the periarterial sympathetics, **lxxiv**, 385.
Lesions, traumatic, of the head, **lxxviii**, 26.
Leucocyte count, value of, in acute surgical diseases, **liv**, 721; in

the diagnosis and prognosis of acute appendicitis, **lxvi**, 143.
Counts in acute appendicitis, the clinical significance of the relation of total and differential, **lxxx**, 915.
Leucocytosis, post-operative observations on the nature of, in the dog, **lxvi**, 133.
Leukæmia, resembling pyonephrosis, **li**, 283.
Leucoplakia buccalis, **lxxviii**, 474.
Leukokeratosis linguæ, pathology and surgical treatment of, **lxxviii**, 469.
LEVERING, WALTER: Fractures involving joints, **lxxiii**, 378.
LEVIN, ISAAC: Pathogenesis and treatment of lymphosarcoma and Hodgkin's granuloma, **lxx**, 561.
Significance of skeletal metastases in carcinoma of the breast, **lxv**, 326.
Study of the etiology of cancer based on clinical statistics, **li**, 768.
Therapeutic value of radium and Röntgen rays in cancer, **lxvii**, 442.
LEVINE, MICHAEL: Bone regeneration following chronic suppurative osteitis of the distal phalanx, **lxxx**, 728.
Therapeutic value of radium and Röntgen rays in cancer, **lxvii**, 442.
LEVINGS, ALFRED HAMILTON: Typhoid spine, **lxv**, 747.
LEWALD, LEON T.: Acute post-operative dilatation of the stomach, **lxiv**, 110.
Foreign bodies in the respiratory tract, **lxiii**, 656.
Megacolon, **lxxviii**, 680.
Radiographic plates of non-rotation of the colon, **lxi**, 112.
Radiographs showing persistent embryonal type of large intestine, **lxi**, 116.
Tuberculosis of the colon, **lxxi**, 793.
Visualization of gall-stones by the X-ray, **lxxiii**, 132.
LEWIS, BRANSFORD: Prostatic obstruction and vesical atony, **lxi**, 276.
Treatise on cystoscopy and urethroscopy, review of **lxii**, 380.
LEWIS, DEAN: Electric burn causing necrosis of skull, **lxvii**, 149.
Excision of both pectoral muscles in operations for cancer of the breast, **lxviii**, 99.
Histological evidences of growth changes in transplants, **lxvi**, 102.
Laryngeal diverticula, **lxi**, 41.
Organization and operation of evacuation hospital, **lxx**, 489.
Pathology of tumors of the hypophysis, **lii**, 121.
Peripheral nerve injuries associated with fractures, **lxxvi**, 528.
LEWIS, PAUL A.: Chemical reaction of dichloramine-T in wounds, **lxvii**, 120.
LEWIS, RAYMOND W.: Conservative treatment of carbuncles, **lxxviii**, 649.
LEWISOHN, RICHARD: Blood transfusion, **lxxvii**, 503.
Duodenal ulcer, **lxxviii**, 546.
Importance of the proper dosage of sodium citrate in blood transfusion, **lxiv**, 618.
Intrahepatic cholelithiasis, **lxiii**, 535; **lxxvi**, 283.
Intussusception of stoma following gastro-enterostomy, **lxxvi**, 543.
New principle in œsophagoscopy and gastroscopy, **lvii**, 28.
Partial gastrectomy for penetrating ulcers of the stomach, **lxxv**, 247.
Penetrating ulcer of the lesser curvature of the stomach, **lxxviii**, 545.
Penetrating ulcer of the lesser curvature of the stomach, Billroth II, **lxxix**, 143.
Persistence of pyloric ulcers following simple suture of an acute perforation, **lxxii**, 597.
Resection of stomach for chronic gastric and duodenal ulcer, **lxxviii**, 507.
Resection of stomach for ulcer, **lxxvii**, 774.

Results of midgastric resection for hour-glass contracture of stomach, **lxxv**, 762.
Sarcoma of rib, **lxxvi**, 283.
Stenosis of gastro-enterostomy stoma, **lxxv**, 627.
Sub-total gastrectomy for recurrent gastric ulcer, **lxxx**, 150.
Transfusion in pernicious anæmia, **lxxv**, 123.
Urinary fistula following ureterotomy, **lxxvi**, 284.
Value of pyloric exclusion in the treatment of pyloric and duodenal ulcers, **lxvii**, 560.
LEXER, ERICH: Arthroplasty for ankylosis of the jaw, **lx**, 127.
Free transplantations, **lx**, 166; **lv**, 137.
Lice and their menace to man, Lloyd, L., review of, **lxix**, 678.
Life expectancy following operations for gastric and duodenal ulcer, lxx, 522; **lxxvi**, 405.
Ligatures, tying them with one one hand, **lvi**, 780.
Lightning, some of its effects, **lxv**, 401.
LILIENTHAL, HOWARD: Abscess of the lung, **lix**, 309; **lxxii**, 419; **lxxvii**, 373.
Ambulant treatment of fracture, **lxiii**, 634.
Appendicitis with diffuse pylephlebitis, **lvi**, 938.
Arteriovenous anastomosis, **liv**, 425.
Arteriovenous anastomosis for thrombo-angiitis obliterans, **lix**, 303.
Auricular fibrillation, **lx**, 119.
Avoidance of adhesions in stomach operations, **lix**, 793.
Bilateral multiple kidney abscesses, **lxxvii**, 763.
Bilateral temporomaxillary ankylosis, **liv**, 145; **lvii**, 921.
Branchial fistula, **lxxv**, 119.
Cancer of thoracic œsophagus, extrapleural resection, **lxxiv**, 259.
Carcinoma of thoracic œsophagus, **lxxvi**, 333.
Carcinomatous degeneration of the intestine, **lv**, 468.
Cases of recovery after operations for acute pancreatitis, **lvi**, 337.
Cases of two-stage pylorectomy for ulcer, **lxi**, 479.
Chronic biliary fistula, **lxxvii**, 765.
Closure of gastro-enterostomy opening, **lix**, 129.
Drainage of pelvic abscess in acute appendicitis, **lxxiv**, 653.
Duodenal tube as a means to diagnosis, **lxxiii**, 791.
Effect of splenectomy, **lxvii**, 233.
Empyema of the thorax, **lxii**, 309; **lxvi**, 290; **lxiv**, 509–510.
Experiences with Murphy button, **lxxiii**, 650.
Experiences with the mixed toxins, **lviii**, 560.
Extirpation of the right lower pulmonary lobe for septic bronchiectasis, **lxi**, 103.
Extrapleural thoracoplasty for pulmonary tuberculosis, **lxxvii**, 630.
First case of thoracotomy in the human being under anæsthesia by intratracheal insufflation, **lii**, 30.
Fracture-dislocation of head of humerus, **lxxiv**, 638.
Fracture of the anatomical neck of the humerus associated with dislocation, **lx**, 648.
Fracture of the femur treated by intramedullary splint, **liii**, 541.
Gaucher spleen, **lxxiv**, 635.
Gimlet and bar method of open operation in fractures, **lv**, 883.
Hair-pin in male bladder removed by the aid of a cystoscope, **li**, 115.
Hypernephroma, **lix**, 124.
Hypernephroma, with secondary growths, treatment of, **lxiii**, 633.
Injury to the common bile duct, **lxvii**, 619.
Indications after bronchoscopy, **lxiv**, 93.
Inoperable ulcer of the stomach, jejunostomy, **lxi**, 496.
Intestinal obstruction following operation for appendicitis, **li**, 115.
Intraperitoneal hemorrhage of unknown origin, **lvi**, 339.

Intratracheal insufflation anæsthesia, **liii**, 302; **liv**, 420.
Lane's kink of the ileum, **lv**, 608.
Late result of extirpation of colon for papillomatous disease, **lv**, 603.
Late result of resection of colon for carcinoma, **liii**, 542.
Lobectomy for bronchiectasis, **lxxi**, 787.
Management of recent empyemas, **lxxii**, 393.
Multiple ligation of varicose veins of the leg for thrombo-angiitis obliterans, **lix**, 796.
Myxochondroma-sarcoma of the humerus, **lxxi**, 788.
Nephro-ureterectomy, **liii**, 521.
Observations upon amputations, **lviii**, 276.
Operation for carcinoma of the rectum, **lxvi**, 597; abdomino-sacral, operation for, **lxix**, 669.
Operative fixation of infected fractures of the long bones, **lvi**, 185.
Operative relief for Volkmann's ischæmic paralysis, **lxv**, 271.
Perforating diverticulitis of the sigmoid, **lii**, 558.
Permanent colostomy, **lii**, 384.
Pneumococcus peritonitis, **lxvii**, 248.
Preliminary gastro-enterostomy, **lx**, 650.
Prevention of gastro-jejunal ulcer after gastro-enterostomy, **lxxiii**, 657.
Prevention of permanent bronchial fistula following lung resection, **lxvii**, 538.
Prostatectomy in a general surgical practice, **lix**, 373.
Pulmonary abscess and bronchiectasis, **lix**, 855.
Pylorectomy following pyloroplasty, **lviii**, 571.
Radical operation for chronic empyema, **lxxvii**, 379.
Relationship between intestinal obstruction, chronic peritonitis and multiple serositis, **lxxvii**, 636.
Resection of chest wall for sarcoma, **lxvi**, 110.
Resection of femoral vein for thrombo-angiitis obliterans, **lix**, 795.
Resection of the lung for suppurative infections, **lxxv**, 257.
Resection of rectum by combined method in two stages, **lii**, 855.
Results of pulmonary lobectomy, **lxvi**, 108.
Retrosternal goitre, **lxvii**, 231.
Review of Les Plaies de guerre du poumon, by Pierre Duval, **lxvii**, 251.
Sarcoma of the left superior maxilla, **lvii**, 950.
Sarcoma of the testis, **lxxviii**, 110.
Splenectomy for Gaucher's spleen, **lxxi**, 208.
Strangulated congenital hernia, with appendix in sac, **lxi**, 356.
Successful resection of cancer of the œsophagus, **lxxiv**, 116.
Subacromial bursitis, **lxvi**, 114.
Suppurative pyelitis, **lvii**, 925.
Syllabus of operative treatment for empyema, **lxxii**, 87.
Technic of arteriovenous anastomosis, **lviii**, 279.
Technic of craniotomy, **lxi**, 108.
Therapeutics of chronic non-tuberculous suppurative bronchiectasis, **lxiv**, 8.
Thoracic fistula and chronic empyema, **lxx**, 43.
Thyroid transplantation for myxœdema, **lxxi**, 519.
Transfusion in pernicious anæmia, **lxxv**, 121.
Transthoracic exploration of œsophagus for stricture, **lxiv**, 94.
Treatment of bronchial fistula, **lxxvi**, 794.
Treatment of cases of fracture-dislocation of shoulder, **lxiii**, 747.
Treatment of empyema thoracis, **lxix**, 665.
Treatment of epispadias in the female, **liv**, 404.
Treatment of prolapse of the rectum, **lx**, 643.
Treatment of undescended testis, **lii**, 860.
Tuberculous pyonephrosis, **lxii**, 506.
Tumor of the carotid body, **lix**, 132.

Two-stage operation in the treatment of cancer, **lx**, 108.
Two-stage principle in operative surgery, **li**, 30.
Two-stage pylorectomy, **lviii**, 272.
Unilateral renal hæmaturia, **lvii**, 925.
Use of metal plates in the treatment of fractures of the long bones, **lxxviii**, 110.
Vesical calculus and hypertrophied prostate, **liii**, 542.
Volkmann's ischæmic paralysis, **lxv**, 253.
Vosburg's method of strapping ulcers, **lxxii**, 400.
Limbs, artificial, and amputation stumps, by E. Muirhead Little, review of, **lxxvii**, 511.
LINCOLN, W. A.: Dangers of uterine curettage, **lxviii**, 638.
Influence of acidosis on surgical procedures, **lxv**, 135.
LINDEM, MARTIN C.: Fractures of the capitellum and trochlea, **lxxvi**, 78.
Linguæ, pathology and surgical treatment of leukokeratosis of, **lxxviii**, 469.
Linitis plastica, **liv**, 625; **lv**, 617; **lxxiii**, 551.
LINK, GOETHE: Treatment of chronic pancreatitis by pancreatostomy, **liii**, 768.
LINTZ, WILLIAM: Lack of operative indications in asthma and other forms of allergy, **lxxix**, 917.
Lip, double, **lxxvi**, 776.
Epithelioma, results of surgical treatment, **lxxiii**, 521.
Lower, bilateral congenital fistulæ of the, **lvi**, 400; cancer of the, plastic operation for, **liii**, 867; **liv**, 133; epithelioma of the, prophylaxis and treatment of, **lv**, 227.
Tuberculosis of the, **li**, 520.
Upper, basal-cell epithelioma of, **lxv**, 790.
Lipectomy in the treatment of obesity, **liv**, 706.
Lipoid deposit, in chronic catarrhal cholecystitis, **lxxvi**, 736.
Lipoma of cheek, congenital, **lxv**, 711.
Of the funiculus spermaticus, **lxviii**, 269.
Of the thigh, **lxviii**, 536.
Polypoid, of the intestinal tract, **lxxiv**, 230.
Lipomata, multiple, **lix**, 636.
Lipomatosis, multiple, symmetrical, **lxii**, 112.
Of the abdominal wall, **lxix**, 556.
Subperitoneal, relation of, to alcohol and work, **lxxviii**, 751.
LIPSHUTZ, BENJAMIN: A composite study of the cœliac axis artery, **lxv**, 159; hypogastric artery and its branches, **lxvii**, 584.
A contribution to the knowledge of fused kidneys, **lxviii**, 39; study of fistulæ and cysts of the neck, **lxxix**, 499.
Branchial fistula, **lxxvi**, 648.
Malignancy of the undescended testis, **lxxvi**, 260.
Lister ward and museum at Glasgow, **lvii**, 784.
Lithopedion, with ectopic gestation, **liv**, 251.
Lithotomy under spinal anæsthesia, **lv**, 422.
Liver abscess, **lxviii**, 88; amœbic, **lxxiv**, 254; **lxxix**, 730; discharging through bronchi, **lxvii**, 631; hepatotomy, **lxii**, 495; in a child, **liii**, 424; isolated, complicating appendicitis, **lxv**, 462; recurring tropical, **li**, 568; ruptured, acute diffuse peritonitis from, **lvi**, 803; single, **lxviii**, 110; tropical, with pleural and pulmonary complications, **lix**, 891.
Liver and kidneys, polycystic, **lxxiii**, 62; its relation to chronic abdominal infection, **lxxix**, 55, 305; pancreas operations, mortality after, **lxxviii**, 195.
Atrophy, acute yellow, from anæsthol poisoning, **lii**, 489.
Calculi in the substance of the, **lxiii**, 535.
Cirrhosis of the, **lxxii**, 384; and chronic pancreatitis, **lxix**, 36; modified Talma operation for, after three years, **li**, 256; surgical treatment of, **lxviii**, 183; treated by the Talma opera-

tion, result after nine years, **lii**, 560.
Cyst, solitary, of the, **lxxvii**, 237; **lvii**, 805.
Cyst, retention, of the, removal of, **lxxvii**, 68.
Echinococcus of the, **lviii**, 697; cyst of the, **lxi**, 241; **lxxvii**, 634.
Falciform ligament of, containing hypernephroma, **lxvi**, 318; **lxviii**, 395.
Gumma of the, as a sequel to yaws, **lv**, 111.
Hydatid cyst of the, **li**, 599.
Injuries of the, subcutaneous, **lxvi**, 50.
Intrahepatic gall-stones, **lxxvi**, 283.
Laceration, traumatic of the, recovery after, **lxx**, 251.
Operations, bloodless, on the, **lvi**, 333.
Rupture of the, **li**, 934; **lvi**, 944; **lxv**, 776; in a child, **lviii**, 686; following coasting, **lxxx**, 626; followed by left subphrenic abscess, **lii**, 858; traumatic, **lxxx**, 623.
LLOYD, L.: Lice and their menace to man, review of, **lxix**, 678.
LLOYD, SAMUEL: Observations upon the surgery of the lung, **lxxiv**, 557.
Lobectomy for bronchiectasis, **lxxi**, 785.
Pulmonary, **lxvi**, 108.
Removal of lobe, **lxvi**, 108.
LOBINGIER, ANDREW STEWART: Colo-colostomy, **lxi**, 176.
Localization and extraction of projectiles, lxiv, 151.
LOCKE, CHARLES EDWARD, JR.: Intracranial arteriovenous aneurism or pulsating exophthalmos, **lxxx**, 1, 272.
LOCKWOOD, A. L.: Early operative treatment in chest surgery, **lxviii**, 661.
Locomotion after impacted fracture of the neck of the femur, lxxix, 270.
LOEWEY, GEORGES: Effacement of activities in the treatment of fractures, **lxix**, 367.
LONG, JOHN WESLEY: Shirring the round ligaments, **lxiii**, 691.
Importance of preserving the gall-bladder in operations upon the gall-passages, **liii**, 349.
LONGENECKER, C. B.: Extensive cavernous angioma of the neck treated by radium, **lxviii**, 71.
Longevity in cancer, lxxvi, 9.
Longitudinal sinus, gunshot wound of the skull, with rupture of the, **li**, 738.
Lotheisen's operation for femoral hernia, lxix, 432.
LOTHROP, HOWARD A.: Acute cholecystitis, complicating typhoid fever, **lxii**, 152.
Frontal sinus suppuration, **lix**, 937.
Lower jaw, compound fracture of the, **lxv**, 379.
LOWER, WILLIAM E.: End results of operation for cancer of the rectum, **lxxvi**, 352.
Exstrophy of the urinary bladder with carcinoma, **lxxiii**, 354.
Problem of the "slightly wounded," **lxx**, 388.
Removal of bullet from pericardium, **lxiii**, 533.
Special points in the technic of operations on the thyroid gland, **lxxv**, 47.
Surgery of the kidney, **lxxviii**, 250.
Technic of shockless suprapubic prostatectomy, **lix**, 278.
LOWSLEY, OSWALD S.: Congenital malformation of the posterior urethra, **lx**, 733.
Prostate gland in old age, **lxii**, 716.
Surgical pathology of the human prostate gland, **lxviii**, 399.
LUCKE, BALDWIN: Multiple myeloma of the plasma-cell type, **lxxviii**, 14.
LUCKETT, WILLIAM H.: Ping-pong ball indentation of the skull without fracture, **li**, 518.
Pyelography in the diagnosis of kidney injuries, **lx**, 729.
Rupture or sprain fracture of the ligamentum patellæ, **lvii**, 122.
LUDINGTON, NELSON AMOS: Rupture of biceps flexor cubiti tendon, **lxxvii**, 358.

Lues of stomach, congenital, **lxii,** 349.
Luetic osteomyelitis of the ulna, **lxviii,** 87.
Lumbar exposure of the kidney, incision for, **lv,** 63.
Hernia, **lxiii,** 377, 548; **lxxiv,** 650.
Puncture as applied to craniocerebral surgery, **lxviii,** 549.
Vertebra, fracture-dislocation of, **lxxvii,** 243; of first without nerve symptoms, **lxiii,** 757.
Lumbricoides, ascarides, acute intestinal obstruction due to impacted, **lxxviii,** 401.
LUND, FRED B.: Arteriovenous anastomosis, **liv,** 425.
Cases of diverticulitis, **lvi,** 343.
Function of the gastro-enterostomy opening in cases of permeable pylorus, **lx,** 132.
Intratracheal insufflation apparatus in operations upon the chest, **lviii,** 279.
Obstruction of the ileum by a large gall-stone, **liv,** 321.
Open treatment of fractures, **liv,** 408.
Operative treatment of fractures, **lvi,** 351.
Remarks upon anæsthesia, **liv,** 420.
Sarcoma of the chest wall, **lviii,** 206.
Two-stage operations in the treatment of cancer, **lx,** 108.
Visceral pleurectomy for chronic empyema, **lx,** 126.
Lung abscess of, **lix,** 309; **lxx,** 539; **lxxvii,** 370; **lxiv,** 495; **lxvii,** 630; **lxxii,** 333, 419; and bronchiectasis, X-ray studies after direct injection of bismuth mixture, **lxxiii,** 362; cases of, at the Massachusetts General Hospital, **lx,** 120; choice of anæsthetic in operating for, **lx,** 36; complicated by diverticulum of the œsophagus, **lxi,** 360; and pyoneumothorax following tonsillectomy, **lxxix,** 607; Use of cautery in treatment of, **lxxix,** 639.
And œsophagus, bronchoscopic extraction of foreign bodies from the, **lxxv,** 1.
Adherent to subcutaneous tissue, **liii,** 847.
Bronchiectasis, resection of, for, **lxi,** 114; septic, extirpation of right lower lobe for, **lxi,** 103.
Bullet wounds of the chest involving the, **li,** 272.
Cancer of the, studied by Röntgen rays, **lxxi,** 472.
Congestion of the lower lobe of the, in appendicitis, **li,** 846.
Decortication of, for pachypleuritis, **lxviii,** 664.
Excision of, **lv,** 513.
Fistula of, **lxvii,** 366.
Foreign body in the, removed by bronchoscopy, **lxii,** 497; from, by posterior thoracotomy, **lxii,** 498; removal of, **lxxviii,** 673.
Gangrene of the, **lii,** 554; pneumotomy, **lviii,** 700.
Gunshot wound of, with removal of bullet, **lxviii,** 543.
Infections of, surgical intervention in, **lx,** 121.
Injuries, treatment of, **liii,** 730.
Missiles imbedded in the, late extraction of, **lxix,** 90.
Penetrating projectiles in the, removal by intercostal thoracopuncture, **lxxviii,** 501, 537.
Resection for suppurative infections, **lxxv,** 257, 382; prevention of permanent bronchial fistula following, **lxvii,** 538.
Resection with the application of both forms of differential pressure, investigations concerning the technic of, **li,** 320.
Suppuration, pathology of, **lxxv,** 321.
Surgery of the, observations upon, **lxxiv,** 557.
Tuberculosis of, and bronchiectasis, surgical treatment of, **lx,** 122; resection of ten ribs in the treatment of, **liii,** 539.
Wounds in war (les plaies de guerre du poumon) by Pierre Duval, review of, **lxvii,** 251.
LUSK, WILLIAM C.: Anatomy of spinal puncture, considerations on technic and paralytic sequels, **liv,** 449.
Chinosol as a disinfectant, **lxviii,** 105.

Chinosol and normal sodium chloride as wound dressing, **lxxiii**, 797.
Condition of two cases of thoracic aneurism four years after wiring, **lxiv**, 682.
Compound fracture of leg treated with chinosol, **liv**, 257.
Controllable artificial anus, **lxxii**, 383.
Disinfection of vitalized tissues and the healing of wounds with chinosol and salt, **lxix**, 181, 493.
Drainage of a septic knee-joint, **liv**, 259.
Effect of electro-magnet on scar tissue, **lxviii**, 92.
Effect of treatment of aneurism with antispecific remedies alone, **lxvi**, 212.
Electro-magnet radiator vibrator, **lxxi**, 387.
Endarteritis obliterans relieved by electric bath, **lviii**, 670.
Excision of segment of colon after excision of the rectum, **lvii**, 774.
Instrument for establishing fecal drainage in low seated intestinal obstruction, **lvii**, 106.
Lacerated wound of leg, **lxvii**, 230.
Late results of operation for cancer of the rectum, **lxxvi**, 797.
Lymph-nodes, hyperplastic post-operative development of, **liii**, 871.
Perforating typhoid ulcer, **lix**, 638.
Peritoneal drainage, **lxxiv**, 653.
Prolapse of the rectum, **lxviii**, 96.
Question of syphilitic nature of endarteritis obliterans, **lix**, 796.
Radical cure for direct hernia, **lxxii**, 644.
Resection of the male rectum for cancer by the combined method in two stages, **lii**, 836, 855.
Rôle of transversalis fascia in rupture of inguinal hernia, **lxvi**, 735.
Statistics of cases of removal of carcinoma of the rectum, **lv**, 901, 902.
Supracondyloid fracture of femur treated by Lane plate, **liv**, 256.
Technic of operation for recurrent hernia, **lxi**, 253.
Technic of rectus transplantation, **lviii**, 675.
Treatment of erysipelas with chinosol and sodium chloride, **lxxv**, 143.
Thoracic aneurism treated with gold wiring and galvanism, **lv**, 789, 890.
Thoracic aneurism treated with mercury and salvarsan, **lix**, 461.
Treatment of innominate aneurism by wire galvanism, **liii**, 545.
Treatment of prolapse of the rectum, **lx**, 644.
Treatment of thoracic aneurism with potassium iodide, **lx**, 535.
Unilateral wiring of fractured radius, **liv**, 255.
Use of chinosol and sodium chloride as a first aid, **lxxiv**, 640.
Use of tuberculin in a case of tuberculosis of the peritoneum, **lvii**, 935.
Wiring aneurisms of the thoracic aorta, **lvii**, 275.
Wiring of thoracic aneurisms, **lvii**, 285.
Luteum, corpus, intra-abdominal hemorrhage from ruptured, **lxxv**, 492.
Luxation, central of the femur, **lxxi**, 62, 226 (see dislocations).
Of midtarsal joint, **lvii**, 917.
Lyle, Henry H. M.: Acute dilatation of the stomach, **lv**, 616.
Alba's operation, **lii**, 720.
Aneurism of the palmar arches, **lxxx**, 347.
Angio-keratoma of scrotum, **lxxii**, 635.
Aperiosteal amputation through the femur, **lxi**, 246.
Aperiosteal stump, **lxiii**, 674.
Aperiosteal subtrochanteric amputation of the thigh, **lxxi**, 524.
Arthritis deformans of the hip, **lv**, 774.
Bilateral femoral adenolymphocele (filarial), **lvi**, 942.

Blood injections for cure of ununited fractures, **lviii,** 565; **lvii,** 284.
Bone graft and blood injections for ununited fracture of the clavicle, **lx,** 399.
Borchgrevinck's extension splint for fracture of the humerus, **lxiv,** 353.
Bottle operation for hydrocele, **lv,** 112.
Calcareous plaques in the abdominal aorta causing stenosis of the pylorus, **lxv,** 376.
Chronic perisigmoiditis with partial volvulus, **lv,** 113.
Congenital defect of the seventh cervical vertebra and fibrous ankylosis of right shoulder-joint, **lxxii,** 525.
Conservative amputation through upper thigh, **lxvi,** 250.
Cure of flail shoulder by ankylosing shoulder-joint, **lxxx,** 793.
Cystic hygroma of the neck, **lx,** 398.
Disabilities of the hand and their physiological treatment, **lxxviii,** 816.
Duodenal valve, **lv,** 910.
End bearing stump forty years after, **lxxii,** 526.
Extensive epithelioma of the cheek, **lv,** 470.
Formation of a new thumb from the metacarpus, **lix,** 767; **lxxiv,** 121; **lxxvi,** 121.
Fracture of the lower end of radius, with forward displacement of the lower fragment, **lxxii,** 524.
Fracture of the upper third of the left humerus complicated by fracture of the elbow, **lvii,** 440.
Gastrojejunostomy for cirrhosis of the stomach, **liv,** 244.
Goodwin's arthrometer, **lxxix,** 476.
Gumma of the liver as a sequel to yaws, **lv,** 111.
Gunshot wounds of the knee, **lxiv,** 100.
Gunshot wounds of the peripheral nerves, **lxv,** 384.
Hypernephroma, **lix,** 123.
Inguinal lymphocele, **lviii,** 683.
Injection of blood for old ununited fracture of leg, **lii,** 403.
Injury to shoulder-joint, **lxxx,** 794.
Intermittent hour-glass stomach, **lvii,** 287.
Intestinal adhesions following appendicitis, **lix,** 458.
Intractable brachial neuralgia, **lvi,** 475.
Jig-saw osteotomy for deformity of knee, **lxiv,** 91.
Left-sided appendicitis complicating transposed viscera, **lxiii,** 124.
Linitis plastica, **liv,** 625; **lv,** 618.
Mesenteric cyst, **liv,** 248.
Moschcowitz operation for prolapse of the rectum, **lx,** 774.
Necrosis of the head of the pancreas, **li,** 936.
Operation for cirrhosis of the liver, **lxxii,** 385.
Operation for thenar paralysis of thumb, **lxxix,** 933.
Osteitis fibrosa of fibula, **lxxii,** 526.
Perforated ulcer of the colon, **lvi,** 473.
Perforating duodenal ulcer, **liv,** 243.
Perineal excision of adenocarcinoma of the rectum, **liv,** 234.
Plastic operation on eye-lid, **lxxvi,** 656.
Portable suspension frames employed in the treatment of the wounded during the European war, **lxxi,** 760.
Ptosis of pylorus after gastroenterostomy, **lxi,** 490.
Radical cure of inguinal hernia, value of position in, **lxxii,** 645.
Radical operation for chronic empyema, **lxxvii,** 380.
Recurrent fibro-sarcoma of skin, **lxxii,** 634.
Relationship between intestinal obstruction, chronic peritonitis and multiple serositis, **lxxvii,** 636.
Rheumatoid arthritis of the hip, **li,** 937.
Shell fragment migration from femoral vein to heart, **lxiv,** 734.

Skin muscle flap in case of osteomyelitis of tibia, **lxxvi,** 655.
Steinmann's nail extension method in fractures, **lx,** 397.
Subacromial bursitis, **lxvi,** 113.
Sun cure for tuberculosis of the peritoneum, **lvii,** 935.
Technic of operation for inguinal hernia, **lxxviii,** 559.
Treatment and cure of carcinoma of the cervix by operation, **liv,** 243.
Treatment of compound joint fractures, **lxxi,** 526.
Treatment of dislocated semilunar cartilage, **lx,** 761.
Treatment of fracture of the neck of the femur, **lx,** 508.
Treatment of hand contracture, **lxxvi,** 121.
Treatment of impacted stone in the common bile-duct, **lvii,** 441.
Treatment of infected wound of the forearm, **lxxi,** 210.
Tubercular rheumatism, **lv,** 750.
Tuffier splint for drop wrist, **lxiii,** 120.
Ununited fracture of clavicle, **lx,** 399.
Ununited fracture of femur, **lxxviii,** 552.
Ureteral calculus, **liv,** 234.
Use of gluteus maximus to form sphincter after excision of the rectum, **lvi,** 476.
Voluminous cæca, **lv,** 769.
Wounds complicated by retained foreign bodies, **lxiii,** 113.
Lymphadenitis, lviii, 550.
Cervical, simulating tumor, **lxxix,** 133, 923; tuberculous, treatment of, **lviii,** 433.
Lymphangio-endothelioma of the peritoneum, lx, 356.
Lymphangioma of the great omentum, lx, 680, 793; **lxxiv,** 792; neck, **lxxvii,** 385.
Lymphangioplasty, Handley's method, **lvii,** 785, 941.
For elephantiasis, **lxii,** 359.
Of the upper extremity, **lvii,** 583.
Lymphangitis, pancreatic and peripancreatic, **lviii,** 151.
Lymphatic drainage of the peritoneal sac, lxi, 291.
Lymph glands in carcinoma of stomach, **lv,** 811; primary neoplasms of the, **lxiii,** 35.
Lymph-nodes, involvement of, in carcinoma of the rectum, **lxxvi,** 755.
Lymphocele due to filaria, lvi, 942.
Simulating femoral hernia, **lviii,** 682.
Lymph-œdema of arm, lxxix, 309.
induced by self inflicted ligature, **lxviii,** 101.
Lymphoid hyperplasia of the appendix in children; its relation to recurrent appendicitis, **lxxix,** 871.
Lymphoma, inguinal, **lxi,** 754.
Lymphosarcoma, lxxv, 507.
Of the breasts, bilateral, **lv,** 439; intestine, **lxxvi,** 229; primary, **lxix,** 537; jejunum, **lxii,** 367; of the mesentery, **lxxi,** 11; small intestines, **lxxx,** 704; tonsils with cervical metastases, **lxxviii,** 112.
Pathogenesis and treatment of, **lxx,** 561.
Primary axillary in a child, **lxxv,** 509.
Results of treatment by X-ray and radium, **lxv,** 686.
Treated by mixed toxins, **lxi,** 495.
Lynah, Henry L.: Röntgenographic studies of bronchiectasis and lung abscess after direct injection of bismuth mixture, **lxxiii,** 362.
Lynch on diseases of the rectum and colon, review of, **lxi,** 377.
Lynch, Jerome Morley: Cancer of rectum, **lxvii,** 504.
Developmental reconstruction of the colon based on surgical physiology, **lxi,** 166.
Surgical physiology of the colon, **lxii,** 441.
Lyons, John H.: Mortality after liver and pancreas operations, **lxxviii,** 195.
Resection of the body of the stomach for ulcer, **lxxvi,** 409.
White bile in the common duct, **lxxvii,** 281.
Lyon, Vincent: Pseudo-polycythemia, **lxxiii,** 223.

M

MacAusland, Andrew R., and W. Russell: Astragalectomy (Whitman operation) in paralytic deformities of the foot, **lxxx**, 861.
MacAusland, W. Russell: Fracture of the tarsal scaphoid, **lii**, 845.
Transplantation of fibula, **lxxvi**, 91.
MacCarty, William Carpenter: Frequency of adenomyoma of the uterus, **lxix**, 135.
Frequency of carcinoma of the appendix, **lix**, 675.
Frequency of strawberry gall-bladder, **lxix**, 131.
Involvement of the lymph-glands in cancer of the cæcum, **lxxvii**, 698.
Involvement of regional lymphatic glands in carcinoma of the stomach, **lv**, 811.
Life expectancy following radical amputation for carcinoma of the breast, **lxxv**, 61.
Longevity in cancer, **lxxvi**, 9.
Metaplasia in ovarian dermoids and cystadenomas, **lxxvi**, 238.
Papilloma of the gall-bladder, **lxi**, 725.
Pathology of the gall-bladder and some associated lesions, **li**, 651.
Relation between the appendix and disturbance in the physiological gastro-duodeno-hepatico-pancreatic system, **lii**, 801.
Tuberculosis of the breast, **lxiii**, 668.
MacDonald, Archibald L.: Anomalous renal arteries and relation to hydronephrosis, **lii**, 814.
Chronic inflammatory tumor of the omentum, **lxx**, 384.
Treatment of burns, **lxix**, 312.
MacEwen, John A. C.: Review of treatise on fractures, **lxxii**, 768.
Surgical treatment of aortic aneurism, **lvi**, 675.
MacGowan, Granville: Angioma of papillæ of the kidney, **li**, 541.
MacKenty, John Edmund: Tumors of the carotid body, **lviii**, 740.
MacKechnie, Hugh N.: Diverticula of the jejunum, **lxxiv**, 96.
MacKenzie, Kenneth A. J.: Double and anomalous forms of empyema, **lx**, 125.
Method of handling injuries on transportation systems, **lxiv**, 184.
Open treatment of fractures, **liv**, 410.
Surgical treatment of fistula in ano without mutilation of the sphincter, **liv**, 360, 415.
Treatment of fistula in ano, **lvi**, 344.
Tumor of horse-shoe kidney, **liv**, 414.
MacKenzie, William Colin: Treatise on the action of muscles, review of, **lxviii**, 565.
MacKinney, William H.: Carcinoma of the bladder, **lxxviii**, 254.
Combined cystoscopic and röntgenographic examination of the kidneys and ureter, **li**, 546, 592.
How shall the clinician interpret Wassermann reaction, **lx**, 309.
MacLaren, Archibald: Aneurism of the internal iliac, **lviii**, 269.
Cause of death after operation by acute appendicitis **lxxii**, 207.
Chronic appendicitis and its relation to visceroptosis, **lxiv**, 579.
Operation for the cure of aneurism, **lxxiv**, 306.
Operations during pregnancy, **lvi**, 339.
Pyloroptosis, gastric atony as the original cause of neurasthenia and its cure, **liv**, 306, 426.
Sarcomas cured by Coley toxins, **lx**, 105.
Tuberculosis of bladder, ureter and kidney, **lvi**, 134.
Wandering spleen, **li**, 834.
Macklin, C. C.: Madderized bone as material for bone grafts, **lxvii**, 454.
Macrodactylia, congenital, **lii**, 562.

Madelung's deformity of the wrist, lii, 229.
Madura foot, lxvi, 496.
MAGNUSON, P. B.: Approximation of the ends of fragments in fractures with contraction of the attached muscles, **liv,** 227.
MAGOUN, JAMES A. H., JR.: Appendectomies performed at the Lankenau Hospital, **lxxix,** 854.
Fibro-myoma of the cæcum, **lxxii,** 771.
Malignant neoplasms in the gall-bladder, **lxxiv,** 700.
Major and minor surgery, definition of, **lxv,** 799.
Major operations under local anæsthesia, **lxvii,** 753.
Major surgery under minor anæsthesia, **lxiv,** 589.
MAKINS, GEORGE HENRY: Retroperitoneal and mesenteric cysts of a simple nature, **liii,** 355.
Treatment of chronic osteomyelitis of traumatic origin, **lxix,** 76.
Malar bone and zygoma, injuries to, **lxvii,** 403.
Malarial spleens, spontaneous rupture of the, **lxxiv,** 13.
Male breast, papillary cystadenoma of the, **lxxv,** 652.
Malformation of the extremities, a symmetrical congenital, **lxiii,** 192.
Malformations, a child with multiple, **lxx,** 252.
Malignant degeneration of benign diseases of the breast, **li,** 212.
Tumors of the thyroid gland, **lxxiv,** 684.
Disease of the testis, end results in, **lxxviii,** 370; secondary manifestation of, **lxxvi,** 312; treatment of far-advanced, **liv,** 297.
Foci, multiple primary, in cancer of the colon, **lxxx,** 456.
Stricture of the œsophagus, **lvi,** 484.
Tumors of the mesentery, **lvi,** 694; testicle in children, **lxxviii,** 761. (See also cancer, carcinoma and sarcoma.)
Malleoli, old fracture of both, open operation and plating for, **lv,** 780.
MALONE, JULIAN Y.: Value of blood pressure in acute cerebral compression, **lxxv,** 732.
Mammary artery, internal aneurism of the, **lxxx,** 341.
Cancer, hypophysial disorder in, **lxiii,** 297.
Carcinoma, disappearance of, after removal of the ovaries, **lx,** 476.
Gland, fibro-epithelial tumors of, **liv,** 517 (see also breast).
Management of pelvic abscess in acute appendicitis, lxxiv, 652.
Mandible, bone transplant to, from crest of ilium, **lxxiii,** 375.
Bony defects of, treatment of, **lxv,** 283.
Dislocation of, recurrent, treatment of, **lxxiii,** 712.
Fracture of the, compound, **lxv,** 379; condyloid process of, **lxi,** 502; gunshot, **lxviii,** 245, 347; ununited, operative treatment of, **lxxi,** 363.
Necrosis of the, end results, **lxvii,** 377 (see also lower jaw and maxilla).
Mandibular joint, ankylosis of, **lxxviii,** 539.
MANDLEBAUM, F. S.: Diagnosis of bone sarcoma, **lvii,** 952.
Formation of bone in the human penis, **lvii,** 896, 955.
MANGES, WILLIS F.: Sprain-fracture, **lv,** 126.
MANGOLD, DR.: Pyloric exclusion, **lv,** 156.
MANN, ARTHUR T.: Free transplantation of fascia lata, **lx,** 481.
MANN, FRANK C.: Effect of trauma upon laryngeal nerves, **lxvii,** 257.
Experimental production of peptic uler, **lxxvii,** 409.
Duodenectomy, **lxxv,** 208.
Production by chemical means of a specific cholelithiasis, **lxxiii,** 54.
MANTZ, F. A.: Renal calculi, **lxix,** 173.
MARK, ERNEST G.: Primary sarcoma of the male urethra, **lv,** 416.
MARRO, ANDREA: Restoration of fecal continence after iliac colostomy, **liii,** 250.

MARSH, HAROLD E.: Chronic primary intussusception in young children, **lxxix,** 244.
MARTIN, EDWARD: Fracture-dislocation of vertebræ, **lvi,** 355.
Incisions for appendicitis, **lxvii,** 119.
Median bar formation in the urinary bladder, **lxv,** 520.
Method of overcoming shortening in old fractures treated by the open method, **lii,** 141.
Open treatment of fractures, **liv,** 404.
Technic of prostatectomy, **liii,** 440.
Treatment of acute appendicitis, **liii,** 877.
Treatment of fractures of the lower jaw, **lxviii,** 349.
MARTIN, FRANK: Intestinal obstruction due to gall-stones, **lv,** 725.
Perforating gastric and duodenal ulcers, **lix,** 563.
Repair by autogenous bone grafting in fractures of the long bones, **lxx,** 305.
Rôle of gastro-enterostomy in treatment of ulcers, **lxi,** 557.
MARTIN, SERGEANT PRICE: Dumb-bell stone in diverticulum of urinary bladder, **lxvii,** 94.
MARTIN, WALTON P.: Anomalous abdominal membranes, **lxxv,** 753.
Aperiosteal flaps, **lxiii,** 753.
Arrested development of the forearm following osteomyelitis in childhood, **lvii,** 259.
Bullet retained in brain, **lxiii,** 111.
Carcinoma of bladder and uterus; hysterectomy, cystectomy and double lumbar ureterostomy, **li,** 126.
Carcinoma of the gall-bladder and ductus choledochus, **lx,** 401.
Carcinoma of rectum, combined operation for, **lv,** 900, 903.
Carrel-Dakin treatment, **lxvii,** 757.
Cholelithiasis with perforated duodenum, **lx,** 402.
Chronic empyema of the thorax treated by the Delorme-Schede operation, **lvi,** 472.
Chronic suppurative osteomyelitis, **lxvi,** 254.
Composite tumor of the parotid, **lxvii,** 749.
Disease of the nipple, **lxiv,** 725.
Ectopic gestation, lithopedion, **liv,** 251.
Etiology of chronic empyema, **lxxii,** 70.
Exophthalmic goitre, **lxvii,** 750.
Fecal fistula, **lxxx,** 149.
Fistula following nephrectomy for tuberculosis, **lxvi,** 728.
Gall-stones in the young, **lix,** 781.
Hæmolytic jaundice with cholelithiasis, **lx,** 400.
Hair-ball in the stomach, **lx,** 764.
High enterostomy for ileus; jejunostomy, **lxxix,** 619.
Impacted stone in the common duct, **lx,** 403.
Infections occurring about retained foreign bodies, **lxiii,** 118.
Intestinal anastomosis by invagination; union of colon with rectum, **li,** 125.
Intra-abdominal adhesions, **lv,** 911.
Large intrathoracic cysts of the thyroid gland causing dyspnœa, **liii,** 737.
Late result after thoracoplasty for empyema, **lxvi,** 729.
Lateral accessory thyroid, **lx,** 379.
Ligation of carotids as preliminary to operations of the maxilla, **lvii,** 953.
Management of recent empyemas, **lxxii,** 395.
Mesenteric thrombosis, **liv,** 252.
Nephrotomy for suppurative nephritis following lumbar ureterostomy, **liii,** 423.
Partial enterocolectomy for carcinoma, **lv,** 466.
Partial gastrectomy for carcinoma, **lxiii,** 111.
Partial thyroidectomy for exophthalmic goitre, **liii,** 422.
Perforated gastric ulcer; pneumococcus subphrenic abscess, **liii,** 420.
Physical factors influencing infection, **lxviii,** 436.
Progressive fibrino-purulent peritonitis, **lxxix,** 616.

Recent controversial questions in gall-bladder surgery, **lxxix,** 424, 477.
Relative merits of jejunostomy and gastrostomy in ulcer of the stomach, **lxxv,** 748.
Remote results of operations for hyperthyroidism, **lvi,** 460.
Removal of drainage tubes left in the pleural cavity, **liv,** 250.
Removal of stone from the common duct, **liv,** 249.
Resection of the hip for tuberculosis, **lix,** 773.
Results of the staphylococcus infections of the face and lips, **lxxv,** 768; **lxxvi,** 13.
Rupture of the ureter, **lv,** 468.
Significance of bacteria in the blood stream from a surgical standpoint, **lxxvi,** 421.
Significance of foreign bodies in the tissues, **lxiii,** 24.
Sub-acute duodenal perforation, **lxv,** 773.
Treatment of bone cavities, **lxxi,** 47.
Treatment of hand infections by active mobilization, **lxxviii,** 425.
Tubercular rheumatism, **lv,** 776.
Tuberculosis of the chest wall, **lxxi,** 517.
Tuberculosis of the shaft of the ulna, **lvii,** 260.
MARTLAND, H. S.: Clinical and pathological observations on giant-cell medullary bone tumors, **lxiii,** 454.
Masculine uterus with ectopy of the testis, lxviii, 420.
MASLAND, HARVEY C.: Bone-saw equipment, **lxix,** 175.
Cutting the bone flap in cranial surgery, **lxxii,** 511.
New mechanics in bone injuries, **lxxvi,** 110.
Power driven to-and-fro saw, **lxxvii,** 122.
Self-retaining bone grafts, **lxx,** 750.
Splint for fractures of the neck of the femur, **lxxi,** 501.
Traction providing splint for vicious fractures of the femur, **lxxiii,** 495.
MASON, JAMES MONROE: Influence of hemorrhage on the mortality in gunshot wounds and other injuries of the abdomen, **lxxviii,** 364; **lxxix,** 382.
MASON, VERNE R.: Penetrating war wounds of the chest, **lxxii,** 352.
Massage, relationship of, to metastasis in malignant tumors, **lxxv,** 129.
MASSON, J. C.: Exposure in gall-bladder surgery, **lxix,** 422.
MASTIN, WILLIAM M.: Principle of the Teale flap applied to amputation of the penis, **li,** 563.
Mastitis, bilateral pneumococcus, **liii,** 726.
Chronic, cystic, **lx,** 595, 658; **lxiv,** 699, 739; **lxv,** 382; epithelial changes in, and their relation to the development of mammary carcinoma, **lviii,** 399; with carcinoma, **lviii,** 395.
Simulating cancer, **li,** 114.
Mastitoides, carcinoma, **lvii,** 733.
A study of, **liv,** 69.
Mastoid operation, the complete, **lxvi,** 640.
MATAS, RUDOLPH: Artificial anæmia by Momburg's method, **lii,** 144.
Continued intravenous drip, **lxxix,** 643.
Determination of the efficiency of the collateral circulation, before occlusion of the great arteries, **lii,** 126.
Fibromatosis of the stomach, **lviii,** 272.
Filling of bone cavities, **lii,** 122.
Misplaced spleen, **lii,** 138.
Reducing the calibre of the thoracic aorta by plication, **lviii,** 304.
Resection of pancreas, **lii,** 135.
Testing the efficiency of the collateral circulation, preliminary to the occlusion of the great surgical arteries, **liii,** 1.
Treatment of arteriovenous aneurisms by the intrasaccular method of suture (endo-aneurismorrhaphy) with special reference to the transvenous route, **lxxi,** 403.
Matas aneurismorrhaphy for popliteal aneurism, **liii,** 538.
Operation for aneurism, **lxxix,** 370.

Matas's method, aneurism of the internal carotid treated by, **li**, 76.
MATHEWS, FRANK S.: Abdominal lipomatosis, **lxix**, 556.
Annular carcinoma of the pelvic colon, **lx**, 396.
Brain injury by contrecoup, **liii**, 428.
Branchial fistula, **lxxv**, 120.
Bronchiectasis from foreign body in lung, **lxi**, 254.
Calculi in the submaxillary gland and Wharton's duct, **lxiii**, 140.
Carcinoma of auxiliary breast tissue, **lvii**, 280.
Carcinoma of the cæcum with obstruction, **lx**, 395.
Carcinoma of the papilla of Vater, **lvii**, 280.
Carcinoma of the stomach on an ulcer base, **lx**, 395.
Carcinoma of tongue, **lxxix**, 458.
Chondroma of anterior surface of ilium, **lxvii**, 247.
Composite odontome, **lvii**, 277.
Cyst of the humerus, **lxii**, 625.
Double acute non-tuberculous coxitis, **liii**, 426.
Effect of dichloramine-T in the treatment of wounds, **lxvii**, 757.
Epididymectomy for tuberculosis, **li**, 121.
Excision of ulcer of stomach, **lxiv**, 363.
Foreign body in the mediastinum, **lv**, 109.
Fracture of anatomical neck of humerus, **lxiv**, 105.
Fractures of the femur in children, **lxxviii**, 422.
Gall-stones in the young, **lix**, 781.
Giant-cell tumor of the clavicle, **lxxix**, 317.
Hernia of the diaphragm, **lxxii**, 668.
Hernia through the conjoined tendon, **lxxviii**, 300.
Hygroma of the neck, **lix**, 753.
Hypernephroma, **lix**, 123.
Ligation of innominate artery for aneurism of the subclavian, **lxxx**, 948.
Liver abscess in a child, **liii**, 424.
Mechanical factors in the management of recent empyemas, **lxxii**, 393; **lxxiii**, 735.
Melanosarcoma of shoulder, **lxii**, 114.
Myeloma of the clavicle, **lxxvii**, 778.
Myeloma or giant-celled tumor of the tibia, **lvii**, 278.
Myeloma of the long bones, **lii**, 388.
Myeloma of the tendon sheath, **liii**, 847.
Myoma of small intestine, **lxix**, 663.
Observations on cholecystitis, **lxxiii**, 133.
Old ununited fracture of femur; pseudoarthrosis, **li**, 579.
Operation for cleft palate, **lv**, 771.
Post-operative care of cases of torticollis, **lxv**, 772.
Question of gastro-enterostomy in cases of perforated duodenal ulcer, **lx**, 498.
Reconstruction of common bile duct, **lxxv**, 378.
Responsibility of the tonsil in tuberculous adenitis, **lii**, 753.
Retention of urine due to adherent appendiceal stump, **lv**, 773.
Retroperitoneal myxolipofibroma, **lxvii**, 246.
Retroperitoneal sarcoma, **lv**, 108.
Sarcoma of the breast, **lxxii**, 388.
Sarcoma of the meso-sigmoid, **lx**, 396.
Sarcomatous transformation of uterine fibroids, **lii**, 401.
Separation of the lower femoral epiphysis, **lxi**, 99.
Skin grafting, **lv**, 892; **lxv**, 389.
Sub-phrenic abscess and accumulations of fluids, **lxxx**, 159.
Traumatic stricture of small intestine, **lxxix**, 461.
Tubercular synovial gonitis, **li**, 946.
Tuberculosis of breast, **lxxix**, 459.
Tuberculosis of the shaft of the long bones, **lvii**, 133.
Tuberculosis of the tonsil, **li**, 577.
Tumor of the carotid body, **lix**, 752.

Ulcer of stomach with carcinomatous degeneration, **lxvii,** 107.
Value of blood in the peritoneal cavity, **lxxiv,** 249.
MATLACK, GRANVILLE T.: Surgical treatment of exophthalmic goitre, **lxiv,** 487.
MATTHEWS, A. C.: Retroperitoneal hernia of the pericæcal type, **li,** 682.
MAURY, JOHN M.: Ureteral injuries during pelvic operations, **lxxvii,** 314.
Maxilla, inferior, ankylosis of the, **lxii,** 102; partial resection of the, **lxii,** 348; treatment of defects occasioned by partial excision of the, **lvi,** 70.
Superior, cancer of the, surgical treatment of, **lxix,** 8; chondroma of, **lx,** 377; condition twelve years after resection for sarcoma of the, **lxii,** 102; excision of the, **lxii,** 348; resection of, **lxix,** 178, 334; sarcoma of left, **lvii,** 950; late condition after excision, **lv,** 439; treated by mixed toxins, **lxii,** 504; tumors of the, treatment of, **lxviii,** 353 (see also jaw).
Maxillary bones, neoplasms and other tumors involving the, **lii,** 186.
MAYER, ERWIN E.: Gangrene of an extremity as a complication of pneumonia, **lxxiv,** 565.
MAYLARD, A. ERNEST: Glasgow Lister Ward and Museum, **lvii,** 784.
Mistake of adopting the Fowler position after operation of gastro-jejunostomy, **lvi,** 507.
Primary sarcoma of the stomach, **lii,** 506.
Skin asepsis in surgery, **lxviii,** 350.
MAYO, CHARLES H.: Adenoma with hyperthyroidism, **lxxii,** 134.
Cancer of the stomach and its surgical treatment, **lxx,** 236.
Carcinoma of the thyroid, **lviii,** 281.
Choice of operative procedure in cancer of the rectum and pelvic colon, **lxv,** 129.
Diagnosis and surgical treatment of œsophageal diverticula, **li,** 812.
End results in cancer as influenced by type, reaction, location and age, **lxxvi,** 308.
Enterostomy and the use of the omentum in the prevention and healing of fistula, **lxvi,** 568.
Exclusion of the bladder, **lviii,** 133.
Extirpation of tumors of the vomer through the roof of the mouth, **liv,** 302, 426.
Fistula of the colon, **lxviii,** 211.
Gastric and duodenal ulcers, **lxxiii,** 328.
Occlusion of common carotid for arteriovenous aneurism of orbit, **lii,** 130.
Papillomas of the gall-bladder, **lxii,** 193.
Parathyroids and their surgical relation to goitre, **lv,** 185.
Preparation of dry bony areas for skin grafting, **lx,** 371.
Repair of small vesico-vaginal fistula, **lxiii,** 106.
Stone in kidney, **lxxi,** 123.
Surgery of the single and horseshoe kidney, **lvii,** 511.
Surgery of the thymus gland, **lvi,** 77.
Surgery of the thyroid and its mortality, **lxxviii,** 146.
Treatment of diverticulum of the œsophagus, **lxxvii,** 267.
Visceral pleurectomy for chronic empyema, **lix,** 884.
MAYO, WILLIAM J.: A question of size, **lxxviii,** 140.
Calloused ulcer of the posterior wall of the stomach, **lxxii,** 119.
Chronic ulcers of the stomach and duodenum, **lx,** 220.
Incision for lumbar exposure of the kidney, **lv,** 63.
Management of the opening in the transverse mesocolon in completing the operation for posterior gastro-jejunostomy, **lv,** 398.
Pathologic data obtained from ulcers excised from the anterior wall of the duodenum, **lvii,** 691.
Peritoneal manifestations of chronic multiple serositis, **lxxvi,** 432.

Pernicious anæmia with special reference to the spleen and the large intestine, **lxxiv**, 355.
Prophylaxis of cancer, **lix**, 805.
Radical operation for cancer of the rectum and recto-sigmoid, **lxiv**, 304; **lvi**, 240.
Removal of rectum for cancer, **li**, 854.
Resections of rectum for cancer, **lii**, 139.
Results of splenectomy in the anæmias, **lxx**, 22.
Suppuration in one-half of a horse-shoe kidney, **liv**, 413.
Surgery of the pancreas, **lviii**, 145.
Surgical considerations, of splenectomy, **lxii**, 172.
Surgical treatment of cirrhosis of the liver, and their complications, **lxviii**, 183.
Surgical treatment of hepatic cirrhosis, **lxxx**, 419.
Transgastric excision of calloused ulcer of the posterior wall of the body of the stomach, **lii**, 797.
Transperitoneal sigmoidostomy for the removal of tumors in the mucous membrane, **lxvi**, 64.
Ulcer of the stomach and duodenum with special reference to the end results, **liv**, 313, 427.
Unsatisfactory results of operation in cases of atonic stomachs, **liv**, 426.
Mayo clinic, complications following surgical operations in the, **lvii**, 719.
Collected papers of the staff of, review of, **liv**, 718; **lxi**, 765; **lxx**, 503.
McArthur, Lewis L.: Multiple diverticula of the colon, **lvi**, 343.
Operative cure of internal hydrocephalus, **liv**, 411.
Repair of the common bile duct, **lxxviii**, 129.
Surgery of the gall-bladder and bile ducts, **liv**, 428.
McCally, W. C.: Defects of the patellar border, **lxxiv**, 775.
McCarthy, Joseph F.: Sidelights on prostatic abscess, **lxv**, 642.
McCarty, Franklin B.: Use of warmed ether vapor for anæsthesia, **lxiii**, 305.
McClure, R. D.: Transfusion by Carrel's end-to-end suture method, **lii**, 433.
McCoy, John C.: Splenopexy for rupture of the spleen, **liv**, 597.
McCracken, J. C.: Rupture of the spleen, **lxxix**, 80.
McCrae, Donald: Intestine perforated by tooth-pick, **lxvii**, 381.
Total removal of scapula with reformation, **lxvii**, 378.
McCreery, John A.: Acute perforation of the gall-bladder, **lxxix**, 316.
Acute perforated ulcer of the stomach and duodenum, **lxxix**, 91.
Dislocation of scaphoid of tarsus, **lxxviii**, 544.
McCurdy, Stewart L.: Neoplasms and other tumors involving the maxillary bones, **lii**, 186.
McDill, John R.: Bloodless operations on the liver, **lvi**, 333.
Cyst of the fifth metacarpal bone, **lviii**, 533.
McDouagh, I. E. R.: Venereal diseases, review of, **lxxiii**, 519.
McDowell, Ephraim: Biography, by August A. Schachner, review of, **lxxv**, 125.
McEachern, John D.: Hepatico-duodenostomy for injury of the bile ducts, **lxxv**, 344.
Method of repairing inguinal hernia with living sutures taken from the external oblique tendon, **lxxix**, 758.
Uretero-ureteral anastomosis, **lxxiv**, 92.
McGill, E. C.: An experimental consideration of the infection of permanent hydronephroses, **lxxx**, 519.
McGlannan, Alexius: Carcinoma of the pelvis of the kidney, **lxxiii**, 310.
Intermittent hydronephrosis with gastro-enterologic symptoms, **lxxv**, 372.
Treatment of anthrax infections, **lxxvii**, 263.

McGrath, Bernard Francis: Frequency of carcinoma of the appendix, **lix**, 675.
Parathyroids and their surgical relation to goitre, **lv**, 185.
Relation between appendicitis and disturbance in the physiological gastro-duodeno-hepatico-pancreatic system, **lii**, 801.
McGraw, Theodore A.: Carcinoma of colon, **lviii**, 272.
McGuigan, Hugh: A suggestion for the treatment of air embolism, **lii**, 471.
McGuire, Edgar R.: Carcinoma of the duodenum, **lxxii**, 602.
McGuire, Francis William: Dislocation of the metatarsal bones without fracture, **lxxi**, 112.
McIver, Monroe Anderson: Teratoid mixed tumors of the breast, **lxxvii**, 354.
McKay, W. J. Stewart: The life and work of Lawson Tait, review of, **lxxviii**, 122.
McKenna, Donald E.: Orthopædic surgery, review of, **lxxviii**, 128.
McKenty, F. E.: Appendix tumor, **lvi**, 419.
Blastomycosis, **lxi**, 513.
McKittrick, L. S.: End results of operations for carcinoma of the rectum, **lxxvi**, 386.
McKittrick, O. F.: Ligature of common carotid artery for secondary hemorrhage, **lxv**, 715.
McKnight, Doctor: Treatment by tongs extension, **lxxiii**, 124.
McKnight, H. A.: Fracture of the lower extremity of the radius, **lxiii**, 240.
Fracture of the skull, **lxxvii**, 624.
Multiple fractures of the pelvis, **lxxvii**, 623.
Perforating wound of kidney with secondary nephrectomy, **lxxvii**, 110.
Recurring perforations of stomach and duodenum, **lxxvii**, 108.
McLean, Angus: Post-operative ileus, **lix**, 407.
McLean, John D.: Treatment of exophthalmic goitre, **lxiv**, 489.
McLean, W. S.: Observations upon shock as seen in war surgery, **lxvi**, 280.
McMahon, Charles G.: Obturator hernia, **lxii**, 710.
Traumatic avulsion of scapula, **lxxix**, 959.
McMechan, F. Hoeffer: Medico-legal aspects of anæsthesia, **lviii**, 956.
McMullen, C. G.: Aneurism of the internal carotid treated by Matas's method, **li**, 76.
McVay, James Robert: Involvement of the lymph-nodes in carcinoma of the rectum, **lxxvi**, 755.
McWhorter, John E.: Transplantable chondro-osteosarcoma in a dog, **lxiv**, 58.
McWilliams, Clarence A.: Actinomycosis of phalanx of finger, **lxvi**, 117.
Acute spontaneous perforation of the biliary system into the free peritoneal cavity, **lv**, 235.
Arteriovenous anastomosis, **lix**, 307.
Arteriovenous femoral anastomosis for threatening gangrene, **lviii**, 411.
Bilateral lympho-sarcoma of the breasts, **lv**, 439.
Bone graft for osteomyelitic defect of lower jaw, **lxi**, 623.
Bone grafting for saddle nose, **lxxiv**, 665.
Bone grafts for defects in the lower jaw, **lxxiv**, 664.
Bone transplantation and the use of a rib as a graft, **lvi**, 377, 468.
Cancer of the breast, **lxxv**, 635.
Carcinoma in perforated appendix, **li**, 939.
Carcinoma of the thyroid, **lxv**, 787.
Central bone abscess, **lxxiv**, 568.
Complete rhinoplasty by cartilage transplant and pedicled temporal forehead flap, **lxxvii**, 116.
Compound fracture of the humerus, **lv**, 441.
Diverticula of the jejunum, **lxxiii**, 135.
Efficient treatment of acute and chronic, simple traumatic synovitis by repeated aspirations and immediate active mobilizations without splinting, **lxxvii**, 120.

Exophthalmic goitre with partial thyroidectomy after preliminary ligation, **lvi**, 789, 791.
Fracture of femur, **lxxviii**, 108.
Fractures of the olecranon, **lv**, 437.
Goitre with pneumococcus abscess, **lxvi**, 115.
Homoplastic transplantation of a boiled radius, **lxiii**, 185.
Hypernephroma, **lix**, 121.
Hysterectomy for sloughing fibroid; spinal anæsthesia; blood transfusion, **li**, 730.
Ileus following gangrenous appendicitis, **lviii**, 413.
Late condition after excision of the superior maxilla, **lv**, 439.
Late results of operation for tubercular peritonitis with cancer of the ovary, **lxxiii**, 661.
Method of free bone grafting, **lxxiii**, 253.
Methods of bone transplantation, **lix**, 766, 465.
Nephrectomy for congenital tumor in infancy, **lx**, 504.
Operations upon the appendix at the Presbyterian Hospital, New York, **li**, 909.
Osteomyelitis with multiple foci, **lxii**, 112.
Perforating gastric ulcer, **liii**, 140.
Perineal ectopic testis with hernial sac, **li**, 729.
Plastic flap from abdomen for burn of hand, **lxvi**, 598.
Recurrent pancreatic cyst, **lv**, 434.
Report of eighty-two cases of knee-joint war injuries, **lxx**, 257.
Restoration of lumen of the duodenum after partial excision and suture, **lx**, 498.
Review of Brophy's "Cleft Lip and Palate," **lxxix**, 154.
Rhinoplasty by finger, **lviii**, 408.
Rib graft for saddle nose, **lxv**, 789.
Spina bifida with post-operative hydrocephalus, **lxv**, 55.
Stomach, dilatation of, requiring gastro-enterostomy two weeks after operation for perforated gastric ulcer, **lxi**, 621.
Subscapular exostosis, **lxi**, 619.
Suppurative arthritis and osteomyelitis, **lxxvii**, 499.
Total avulsion of the scalp, **lxxix**, 613.
Transplantation of costal cartilages for depressed fracture of frontal bone, **lxxvii**, 115.
Transverse abdominal incision, **lxvi**, 240.
Treatment of bony defects of the lower jaw, **lxv**, 283.
Treatment of hand infections by active mobilization, **lxxviii**, 424.
Treatment of traumatic synovitis, **lxxvi**, 677.
Typhoid perforation with cholecystitis, **lv**, 437.
Values of the various methods of bone grafting, **lxxiv**, 286.
McWilliams, Hugh: Arthroplasty upon the temporomandibular joint, **lxxix**, 485.
Meagher, John F. W.: Concussion of the brain, **lxx**, 143.
Means, John W.: Cysts of the urachus, **lxiv**, 53.
Meatus urinarius in the female, tumor at the, **lx**, 359.
Meckel's diverticulum, acute inflammation of, **lxxiii**, 644.
Acute intestinal obstruction caused by, **lxxviii**, 92; **lxxiii**, 765.
Adherent, **li**, 134.
And malignant myomata, **lxx**, 183.
Hemorrhagic ulcer of, **lxxx**, 222.
Inversion of, **lv**, 404.
Perforated, **lviii**, 708; **lxxvii**, 622.
Strangulation of small intestine by, **lxxiii**, 568.
Median bar formation in the bladder, gross pathology of, **lxv**, 471.
Median nerve, cyst of the, **lxi**, 761.
Injury of, through pistol shot wound, **liii**, 292.
Mediastinal infections and emergency abdominal surgery, **lvi**, 565.
Mediastinal tumors in children, **lxxix**, 687.
Mediastinotomy, **lvi**, 797.
Mediastinum, foreign body in the, **lv**, 109.
Notes on surgery of the, **lxxv**, 53.

Posterior, surgical treatment of suppurations in, **lxiii**, 523.
Medical sciences, reference hand book of the, review of, **lxvii**, 125.
Medicine and surgery of the war, abstracts of the, review of, **lxvii**, 126.
Medicolegal aspects of anæsthesia, **lviii**, 956.
Mediotarsal subluxation, **lvi**, 883.
MEEKER, WILLIAM R.: Instrumentarium for local anæsthesia, **lxxix**, 124.
Sacral nerve block anæsthesia, **lxxx**, 739.
Megacolon, **lv**, 455; **lxiii**, 349; **lxvi**, 441.
Colectomy for, partial, **lxxviii**, 680.
Hirschsprung's disease, **lxvii**, 734.
Operation for, **lxxiii**, 783.
Surgical treatment of, **lxxiv**, 468.
Melancholia, relieved by trephining, **lxi**, 497.
Melanoma of the nail bed, **lxxx**, 839; foot, **lx**, 88.
Melanosarcoma of the foot, **lx**, 88; retro-orbital tissue, **lxiv**, 726; upper jaw, **lxi**, 491.
Melanotic cancer, **lxiv**, 206.
MELENEY, FRANK L.: A metastasizing malignant tumor of the thyroid gland, **lxxvi**, 684.
A study of ante-operative and post-operative blood counts in non-infective surgical conditions, **lxvii**, 129.
MELTZER, S. J.: Experiments with intratracheal insufflation, **lii**, 716.
Intratracheal insufflation as a method of anæsthesia, **liv**, 417.
Thoracotomy under differential pressure, **liii**, 304.
Meltzer-Lyons test in the diagnosis of gall-bladder disease, **lxxviii**, 604.
Membranes, anomalous abdominal, their influence upon the digestive tract, **lxiv**, 513, 753.
Membranous pericolitis, surgical aspects of, **lv**, 1.
And allied conditions of the ileocæcal region, **lvii**, 374.
MENCKE, J. BERNHARD: Appendix in sac of inguinal hernia, **lxvii**, 376.
End results in extensive necrosis of the jaw, **lxvii**, 377.
Frequency and significance of injuries to the acromion process, **lix**, 233.
Nephrolithiasis with perinephritic abscess, **lxvii**, 376.
MENCKEN, HARRY P.: Gunshot wounds of the chest, **lxxi**, 257.
Meninges, the regeneration of the, **lxxvii**, 129; **lxxx**, 536.
Meningitis, post-operative, prophylaxis of, **lv**, 140.
Septic, **lxi**, 482.
Meningocele, traumatic, **liii**, 268.
MENNINGER, WILLIAM C.: Clinical significance of the relation of total and differential leucocyte counts in acute appendicitis, **lxxx**, 915.
Mercury bichloride poisoning, cholecystostomy and cæcostomy for, **lxiii**, 127.
Mercury salicylate, treatment of syphilis by hypodermic injections of, **li**, 552, 595.
MERENESS, HARRY E., JR.: Stovaine spinal analgesia in prison surgery, **lviii**, 947.
MERRILL, EARL S.: Amœbic liver abscess, **lxxix**, 730.
MERRILL, WILLIAM JACKSON: Cases of infectious arthritis, **lxv**, 122.
Osteo-arthritis from focal infection, **lxvii**, 613.
Stabilization of wrist-joint by bone graft in spastic paralysis, **lxxvii**, 246.
Mesenteric arterioles, septic emboli of, **lxxviii**, 672.
Artery, superior, embolism and thrombosis of the, **lviii**, 459; **lxxiv**, 797.
Cysts, **liv**, 115, 248; **lxi**, 481; in a child, **li**, 572; of a simple nature, **liii**, 355.
Embolism in an hæmophiliac, **lxxiii**, 229.
Gland, calcified deposit in, **liii**, 853; tuberculosis, **lvii**, 260.
Stasis, congenital, **lx**, 793.
Thrombosis, **liv**, 253; **lxii**, 513; **lxiv**, 378; **lxxii**, 121; **lxxvii**, 299; resection of intestine for, **lv**, 458.

Vein, acute obstruction of, **lxxvi**, 666; stab wound, of, **lxv**, 516.
Vessels, thrombosis of the, **lvi**, 687.
Mesenteriolum, cyst of the, **lxxiii**, 784.
Mesentery and omentum, sarcoma of the, **liii**, 139.
Cirrhosis of, relation of to alcohol and work, **lxxviii**, 751.
Cysts of the, chylous, **liii**, 692.
Lymphosarcoma of the, **lxxi**, 11.
Tumors of the, malignant, **lvi**, 694; solid, **lxxiii**, 211.
Mesosigmoid, sarcoma of the, **lx**, 396.
Metacarpal bone, cyst of the fifth, **lviii**, 533.
Extra epiphysis of, **lxi**, 374.
Separation of the epiphysis of the first, **lvi**, 450.
Metacarpals, epiphyses, disjunction of, **lxi**, 374.
Metal plates in fractures of the long bones, **lxxviii**, 75.
Metaplasia in dermoids and cystadenomas of ovary, **lxxvi**, 238.
Metastasis, cervical lympho-sarcoma of the tonsils with, **lxxviii**, 112.
In malignant tumors, relationship of massage to, **lxxv**, 129.
Of œsophagus carcinoma, **lxxvii**, 272.
Thyroid, pathological fracture of the neck of the femur due to **lxxvii**, 689.
Metatarsal bones, dislocation of the, without fracture, **lxxi**, 112.
Fracture of the, **lxxiv**, 214, 251; bloodless reductions, **lxxv**, 124; eggshell of the head of, **lxi**, 371.
Fractures, stave, of the first, **lxxiii**, 215.
METCALF, CARLETON R.: Application of war lessons in fracture of the femur, **lxx**, 603.
Initial treatment of war wounds involving the knee-joint, **lxix**, 318.
METCALF, R. F.: Ruptured spleen, **lxxv**, 186.
MEYER, WILLY: A typical chronic empyema, **lxxvii**, 375.
Abbe string method for dilating a stricture of the œsophagus, **lxxiv**, 124.
Abscess of the lung, **lxxvii**, 373.
Acute hæmatogenous infection of the kidney, **lxxv**, 760.
Additional posterior incision in certain cases of operation for the inflamed retrocæcal appendix, **lxxx**, 511.
Advisability of totally excising both pectoral muscles in the radical operation for cancer of the breast, **lxviii**, 17, 99, 100.
Anæsthesia in operations upon the lung, **lxi**, 103.
Ankylosis of inferior maxilla, **lxii**, 103.
Antispecific treatment of aneurism in combination with wiring, **lxvi**, 218.
Anuria from ureteral obstruction, **lxvii**, 240.
Aperiosteal amputation stump, **lxvii**, 765.
Appendicostomy for chronic colitis, **lxxvi**, 792.
Bilateral nephrolithiasis, **lxvii**, 755.
Bile duct obstruction, **lxxi**, 207.
Brain cyst, **lvi**, 482.
Bronchiectasis, **lx**, 7.
Bronchiectasis treated by ligation of branch pulmonary artery, **lxvi**, 602.
Cancer of prostate, **lxxvii**, 628.
Carcinomatous degeneration of adenofibroma of breast, **lxi**, 351.
Cases of bullet retained in brain, **lxiii**, 114.
Cases of non-rotation of the cæcum, **lxi**, 116.
Chronic empyema thoracis, **lxix**, 556; **lxxiii**, 648.
Colopexy for prolapse of the rectum, **lxviii**, 96.
Congenital cystic kidney, **lxxvi**, 789.
Conservative treatment of gangrene of the extremities due to thrombo-angiitis obliterans, **lxiii**, 280.
Craniotomy for fibrosarcoma of the auditory nerve, **lv**, 323.
Cyst of brain due to gunshot wound, **lxi**, 101.
Development of cancer on stomach ulcer, **lxvii**, 238.

Diagnosis and treatment of chronic cholecystitis without stones, **lxxiv**, 439.
Diagnosis of common duct stones, **lxviii**, 109.
Diagnosis of lung abscess, **lxvii**, 630.
Drainage after an appendectomy, **lxxiv**, 653.
Drainage after intrathoracic operations, **lv**, 327; **lvi**, 100.
Duodenal fistula, **lxxii**, 376.
Duodenal tube as a means to diagnosis, **lxxiii**, 790.
Echinococcus of the liver, **lviii**, 697.
Effect of artificial arterial hyperæmia in threatening gangrene of the foot, **lii**, 713.
Effect of radium upon carcinoma of the breast, **lxix**, 555.
Effects of mixed toxins on sarcoma, **lx**, 107.
Effects of permanent biliary drainage, **lxix**, 58.
Extirpation of fibrosarcoma of auditory nerve, **lxi**, 101.
Extrapleural thoracoplasty for pulmonary tuberculosis, **lxxvii**, 630.
Final result of arteriovenous anastomosis for gangrene of foot, **lxii**, 630.
Fistula following nephrectomy for tuberculosis, **lxvi**, 729; **lxxvii**, 629.
Gangrene of retrocæcal appendix, **lxxii**, 379.
Gastrogastrostomy for hourglass stomach, **lxviii**, 97.
Gastrostomy and œsophagoplasty, **lxi**, 480.
Giant mucocele of the appendix, **lvii**, 271.
Hemorrhage in pyelo-nephrolithotomy, **lxix**, 556.
Hypernephroma, **lix**, 124.
Ideal cholecystotomy, **lviii**, 694.
Implantation of silver filigree for intractable abdominal hernia, **lv**, 321.
Injury to the common bile duct, **lxvii**, 620.
Intestinal obstruction due to iliac spasm, **lxi**, 113.
Intra-intestinal fibroma, **lxviii**, 98.
Intrathoracic cardioplasty for cardiospasm, **lviii**, 699.
Jianu's gastrostomy and œsophagoplasty for cancer of the œsophagus, **lviii**, 700.
Kidney, echinococcus cyst of, **lxii**, 628.
Late recurrence after operation for carcinoma of the breast, **lxiv**, 742.
Late results after radical operation for cancer of the breast, **lxxii**, 177.
Late results after resection of the stomach for carcinoma, **lxxiii**, 652.
Management of post-operative thoracic infections, **liv**, 568.
Mediastinotomy, **lvi**, 797.
Mikulicz operation for colostomy, **lxxi**, 391.
Murphy button in intestinal work, **lxxiii**, 649.
Nephrectomy for hypernephroma, **lviii**, 692.
Obstruction of the duodenum, **lxviii**, 94.
Œsophagoplasty, **lviii**, 289.
Œsophagoplasty after gastrostomy, **lvii**, 586.
Operation in case of obstructive jaundice, **lxvii**, 370.
Operation for cancer of the rectum, **lxxvi**, 795.
Operation for carcinoma of the penis, **lxiv**, 719.
Operation for duodenal ulcer, **lxi**, 481.
Operation for empyema with bronchial fistula, **lxxvi**, 793.
Operation for total ankylosis of lower jaw, **lviii**, 698.
Operations for carcinoma of the rectum; abdomino-sacral operation for, **lxix**, 669.
Operations for femoral hernia, **lxix**, 672.
Operative treatment for carcinoma of the œsophagus, **lxi**, 357.
Osteoplastic resection of the skull for intracranial hemorrhage, **lxi**, 101.
Outcome of the staphylococcus infections of the face and lips, **lxxv**, 766.

Partial gastrectomy for carcinoma in a twenty-four year old patient, **lv**, 324.
Partial thyroidectomy for exophthalmic goitre, **lii**, 713.
Pericardiotomy, **lv**, 321.
Pneumotomy for bronchiectasis, **lxvi**, 603.
Pneumotomy for gangrene of the lung, **lviii**, 700.
Polya-Balfour resection of stomach, **lxvii**, 761.
Posterior gastro-enterostomy for gastroptosis, **lxviii**, 97.
Post-operative thoracic drainage, **lxviii**, 156.
Prevention of gastro-jejunal ulcer after gastro-enterostomy, **lxxiii**, 657.
Prevention of peritoneal adhesions, **lxviii**, 85.
Preventive injection of human blood in operation in a hæmophiliac, **lviii**, 695.
Prosthesis in cases of defects of the face, **lxvii**, 623.
Pulmonary fistula, **lxvii**, 368.
Pulmonary lip fistula, **lxxvii**, 777.
Pulmonary lobectomy, **lxxv**, 382.
Pyloric adhesions and appendicitis, **lviii**, 695.
Pyloric exclusion of duodenal ulcer, **lviii**, 697; **lix**, 127.
Radical operation for chronic empyema, **lxxvii**, 380.
Radium burn of foot, **lxxvii**, 628.
Rare pathognomonic symptom of cholecystitis, **lxix**, 671.
Rectus transposition in hernia, **lxvii**, 625.
Regional anæsthesia in thoracic operations, **lxvi**, 404.
Removal of foreign body from bronchus by bronchoscopy, **lxiv**, 93.
Resection of cardia for carcinoma, **lxii**, 693.
Resection of chest wall for endothelioma, **lxvi**, 604.
Resection of colon for carcinoma, **lv**, 322.
Resection of femoral vein for thrombophilia, **lxvi**, 600.
Resection of lung for bronchiectasis, **lxi**, 114.
Resection of the œsophagus, **lxxiv**, 117.
Resection of the pancreas, **lii**, 135.
Resection of the stomach for benign pyloric stenosis, **lvii**, 272.
Resection of the stomach for carcinoma, **lvi**, 799.
Resection of ulcerated pylorus, **lvii**, 585.
Resection of upper rectum for carcinoma, **lxxix**, 930.
Result of the Polya-Balfour operation for carcinoma of the stomach, **lxix**, 548.
Results of trephining for traumatic epilepsy, **lxiv**, 733.
Rupture of quadriceps femoris tendon, **lxii**, 625.
Sehrt's metal tourniquet, **lxxii**, 386, 763.
Silver filigree in the treatment of umbilical hernia, **lxviii**, 104.
Simultaneous removal of renal and ureteral calculus, **lv**, 324.
Simultaneous resection of stomach and transverse colon for cancer, **lxxix**, 939.
Siphon drainage of the thorax, **lxiv**, 729.
Some observations regarding thoracic surgery in human beings, **lii**, 34.
Splenectomy for splenic anæmia, **lv**, 323.
Subhepatic abscess, drainage of, **lxvi**, 602.
Subphrenic abscess following acute appendicitis, **li**, 590.
Surgery of intestinal growths, **lxxiv**, 509.
Surgery of the pulmonary artery, **lviii**, 188.
Surgical treatment of duodenal ulcer, **lxxix**, 958.
Technic of radical operation for umbilical hernia, **lxviii**, 90.
Technic of removal of advanced cancer of stomach, **lxxix**, 930.
Thoracoplasty, **lviii**, 701.
Thoracoplasty for pulmonary tuberculosis, **lxix**, 557.
Thoracotomy for diffuse dilatation of thoracic aorta, **lvii**, 274.
Thoracotomy for impermeable cardiospasm, **lv**, 326.
Thoracotomy and œsophageal plication for cardiospasm, **liii**, 293.

Transduodenal choledochotomy, **lv**, 325.
Transthoracic laparotomy, **lxx**, 172.
Transverse abdominal incision, **lxii**, 573.
Traumatic epilepsy, craniotomy for, **lxvi**, 601.
Traumatic fat necrosis of female breast, **lxxix**, 944.
Treatment of cardiospasm, **lviii**, 417.
Treatment of fractures of the elbow-joint, **lviii**, 274.
Treatment of fractures of the spine, **lxvii**, 108.
Treatment of spreading peritonitis, **liii**, 153.
Treatment of thoracic aneurism, **lvii**, 285.
Treatment of traumatic hæmothorax from penetrating gunshot wounds of the chest, **lxvii**, 707.
Trophic and circulatory disturbances of the extremities, **lx**, 775.
Tuberculosis of mesenteric gland, **lvii**, 261.
Tuberculosis of sheaths of flexor tendons, **lxxvi**, 791.
Tuberculous tenosynovitis, **lxxii**, 376.
Use of elastic ligature for gastroenterostomy; condition after ten years, **lix**, 126.
Value of intratracheal insufflation for thoracic surgery, **lii**, 715.
Wiring of aortic aneurism, **lviii**, 698.
Wiring of fractured olecranon, **lxvii**, 762.
Wiring thoracic aneurism, **lxii**, 629.
Microphone, the use of, for removal of needles in the hand, **lxvi**, 19.
Mikulicz operation for carcinoma of the sigmoid, **lxxi**, 388.
Tampon, the rubber dam, **lxxiii**, 470.
Two-stage operation of partial colectomy, advantages of the, **lxxi**, 155, 390.
Military surgery, **lx**, 137; **lxii**, 1.
MILLER, ALBERT G.: Combined cystoscopic and röntgenographic examination of the kidneys and ureter, **li**, 546, 592.
MILLER, A. M.: Note on isolated abscesses of long bones, **lxvii**, 460.
MILLER, C. JEFF: Gastrocolic fistula, **lxxviii**, 687.
MILLER, EDWIN M.: Peripheral nerve injuries associated with fractures, **lxxvi**, 528.
Surgical aspects of xanthoma tumors, **lxxx**, 256.
MILLER, MERRILL: Radiolucent shadow in certain cases of headache, **lxviii**, 521.
MILLER, MORRIS BOOTH: Abscess, **li**, 382.
Anterior luxation of the tendons of the peroneus longus and brevis, **lvi**, 493.
Bougie nucleus of vesical calculus, **lv**, 924.
Carcinoma mastitoides, **lvii**, 733.
Epigastric hernia, **lxxii**, 630.
Fracture of base of fifth metacarpal, **lxi**, 375.
Frontal encephalocele, **liv**, 283.
Interparietal hernia, **lvii**, 740.
Luxation of the patella, **lvii**, 737.
Perforated ulcer of stomach, **lx**, 802.
Perforation of intestine by foreign bodies, **lviii**, 707.
Posterior gastrojejunostomy subsequent to operation for perforating gastric ulcer, **liv**, 278.
Primary tuberculosis of the tendons of the peroneus longus and brevis, **lvi**, 494.
Retained drainage tube after cholecystotomy, **lxxii**, 627.
Sporotrichosis, **lviii**, 540.
Stab wound in abdomen, evisceration through, **liv**, 279.
Stab wound in chest, **liv**, 281.
Stab wound in the diaphragm and stomach, **lxxi**, 108.
Symmetrical odontoma of both superior maxillæ, **lvii**, 905.
Thrombo-angiitis obliterans, **lix**, 445.
Use of dichloramine-T in the treatment of wounds, **lxx**, 119.
Use of eserin in cases of paralytic ileus, **liii**, 129.
Willem's treatment of septic knees, **lxxvi**, 116.

MILLER, ROBERT T., JR.: Cancer of the colon, **lxxviii**, 210.
Coincidence of volvulus and real or simulated strangulated hernia, **liii**, 232.
Multiple primary malignant foci in cancer of the colon, **lxxx**, 456.
MILLER, ROBERT TALBOTT: Acute suppurative pancreatitis, **lxiv**, 329.
Retroperitoneal rupture of the duodenum by blunt force, **lxiv**, 550.
MILLIKEN, SETH M.: Appendicitis with deceptive symptoms, **lxiv**, 510.
Complete dislocation of ankle without fracture of leg bone, **lxix**, 650.
Compound fracture of both bones of the leg, with amputation, **lxvii**, 754.
Epithelialization under Vosburgh's method of strapping, **lxxii**, 399.
Exostoses of scapula, **lxxiii**, 648.
Hip dislocation mistaken for fracture, **lxiii**, 638.
Immediate treatment of fractures, **lxiii**, 637.
Inguinal herniotomy under novocaine, **lxvi**, 112.
Isolation of erysipelas cases, **lxvi**, 246.
Large strangulated ventral hernia, **lxviii**, 100.
Major surgery under minor anæsthesia, **lxiv**, 631.
Method of treating erysipelas patients, **lxvi**, 129.
Post-operative ventral hernia with prolapse of excluded ileocæcum, **lxviii**, 535.
Repair of inguinal hernias, **lxix**, 659.
Self inflicted injuries, **lxviii**, 101.
Thrombo-angiitis obliterans, **lxiv**, 105.
Treatment of cholelithiasis wound, **lxxiii**, 133.
Treatment of burns, **lxv**, 784.
MILLS, RALPH G.: Post-operative catheterization in the Johns Hopkins Hospital, **lxxix**, 813.
Mirror for operating room, lvi, 454.
MITCHELL, A. B.: Gastric and duodenal ulcer, **liv**, 806.
MITCHELL, CHARLES F.: Bullet in the bladder, **lxxviii**, 668.
Foreign body in the abdomen, **lxxv**, 737.
Ileus due to gall-stone, **li**, 133.
Methods of recording surgical operations at the front, **lxx**, 253.
Suture of wound of heart with recovery, **lvii**, 296.
MITCHELL, JAMES F.: Mesenteric thrombosis, **lxxvii**, 299.
Surgical aspects of purpura, **lviii**, 258.
MITCHELL, O. W. H.: Germicidal and osmotic actions of picric acid, **liv**, 230.
Picric acid as a skin disinfectant, **lvi**, 331.
MITCHELL, LOUIS J.: Incidence of calculi in the gall-bladder, **lxviii**, 289.
Mixed tumors of the salivary glands, lxvii, 67.
MIXTER, CHARLES G.: Sarcoma of the bladder in a child, **lxv**, 628.
Tumors of the kidney in infancy and childhood, **lxxvi**, 52.
MIXTER, SAMUEL J.: Conservatism in surgery, **lxvi**, 257.
Laparotomy in typhoid fever, **lxii**, 143.
Operative treatment of acute pancreatitis, **lvi**, 337.
Surgical treatment of œsophageal diverticula, **lii**, 124.
Traumatic lesions of the atlas and axis, **li**, 193.
Tumor of the hypophysis, **lii**, 15, 120.
MIXTER, W. JASON: Operative treatment of fracture of the spine uncomplicated by cord injury, **lxvii**, 513.
Mobilization in the treatment of intra-articular fractures, lxix, 212.
In the treatment of joint injuries, active, immediate, **lxxii**, 425.
Modern surgery, review of Da Costa's book on, **lxi**, 379.
MOHR, F. W. C.: Gall-bladder filled with calcium carbonate putty, **lxv**, 800.
Momburg's method of artificial anæmia, **li**, 878; **lii**, 143.

MONKS, GEORGE H.: Dislocation of the hip complicated with fracture of the femur, **liv**, 393.
Tying the knots of ligatures and sutures with one hand, **lvi**, 780.
MONTGOMERY, ALBERT H.: Fractures through the neck of the astragalus, **lxv**, 495.
MONTGOMERY, DOUGLASS W.: Prophylaxis and treatment of epithelioma of the lower lip, **lv**, 227.
MONTGOMERY, ED. E.: Value of radium in treating pelvic tumors, **lxxi**, 781.
MOORE, EDWARD C.: Intra-abdominal hemorrhage from ruptured corpus luteum, **lxxv**, 492.
MOORE, JAMES E.: Chloroform anæsthesia, **liv**, 416.
Damage done to the kidney by operation, **liii**, 373.
Experimental study of several methods of suturing the kidney, **lvii**, 860.
Osteomyelitis involving the hip-joint, **lxiii**, 473.
Surgery of the long bones, **lvi**, 155.
Treatment of joint fractures, **lviii**, 275.
Two-stage operation in the treatment of cancer, **lx**, 108.
MOORE, SHERWOOD: An error in interpretation of röntgenograms of the skull, **lxix**, 4.
MOORE, WILLIAM J.: Transverse abdominal incision, **lxxv**, 70.
MOORHEAD, JOHN J.: Fracture of the skull in children, **lxxiv**, 72.
Retrorectus laparotomy incision and closure, **lviii**, 828.
Moorhof bone plug, results of the use of, at the University of Minnesota, **liii**, 699.
Bone wax, treatment of bone abscess by, **liii**, 67.
MORESTIN, DOCTOR: Prognosis in cases of cancer of the tongue, **lx**, 131.
MORGAN, M. B.: Blastomycosis, **lxi**, 513.
Morphœa or scleroderma, case of, **lxvii**, 632.
MORRIS, DUDLEY H.: Importance of spleen in resistance to infection, **lxx**, 513.
MORRIS, ROBERT T.: Adhesions of the upper abdomen, **lv**, 804, 910.
Biliary surgery, **lx**, 765.
Cæcosigmoid anastomosis, **lviii**, 691.
Chinosol in the treatment of wounds, **lxxii**, 634.
Diagnosis of lung abscess, **lxvii**, 630.
Diffuse adeno-carcinoma of the stomach, **lxvii**, 106.
Dislocation of the carpal semilunar bone, **liii**, 847.
Drainage in cases of acute pancreatitis, **lxv**, 397.
Drainage of pelvic abscess in acute appendicitis, **lxxiv**, 654.
Elbow, movable, after suppuration, **lviii**, 571.
End-to-end anastomosis of the popliteal vessels, **lx**, 777.
Etiology of intussusception, **lxxviii**, 681.
Excision of superior maxilla, **lxii**, 348.
Fistulæ associated with renal calculus, **lvi**, 793.
Fracture of the tibia pinned with aid of fluoroscope, **lvi**, 793.
Gangrene in diabetes mellitus, **lix**, 313.
Gas bacillus infection, **lv**, 625.
Injuries to the common bile duct, **lxvii**, 620.
Injury of musculo-spiral nerve, **lxix**, 338.
Inversion in the treatment of ulcer of the stomach, **lix**, 128.
Lung adherent to subcutaneous tissue, **liii**, 847.
Melancholia relieved by trephining, **lxi**, 497.
Musculospiral nerve repair, **lxxv**, 628.
Nerve distribution in inguinal hernia, **lxi**, 485.
Notes on four kinds of appendicitis, **lxvi**, 560.
Notes on the use of rubber gloves in surgical operations, **lxix**, 52.
Observations on cholelithiasis, **lxxiii**, 131.
Occlusion of the pylorus, **lxi**, 488.
Operative treatment of cancer of the upper jaw, **lxix**, 182.

Osteoplastic operation on the foot, **lviii**, 690.
Osteoplastic repair of skin defect, **lxi**, 740.
Perforated gastric ulcer, **lvii**, 588.
Pinning of fracture of the radius, **lxv**, 393.
Recurrent peritoneal adhesions without evident peritonitis, **lxviii**, 84.
Relative hyperthyroidism, **lv**, 909.
Remarks on appendicitis, **li**, 942.
Results of follow-up system in a surgical service, **lxxi**, 212.
Retrosternal goitre, **lxvii**, 231.
Serial plication of hernial sac, **lx**, 766.
Spiked hip fracture, **lvi**, 793.
Subperiosteal resections, **lxxii**, 398.
Surgical treatment of gastrocoloptosis, **lxi**, 633.
Tolerance of foreign bodies by tissues, **lxiii**, 115.
Travels of a wire in the abdomen, **lxxi**, 238.
Treatment of perforating diverticulitis, **lii**, 559.
Treatment of spreading peritonitis, **liii**, 151.
Treatment of traumatic hæmothorax, penetrating gunshot wounds of the, chest, **lxvii**, 707.
Treatment of traumatic synovitis, **lxxvii**, 120.
Treatment of tuberculous ureter, **lxi**, 473.
Treatment of undescended testis, **lii**, 860.
Trifacial neuralgia, **lv**, 906.
Tuberculous peritonitis, **lxii**, 97.
Unilateral hypertrophy of the arm, **lvii**, 268.
Use of tibial graft for skull defect, **lviii**, 690.
Value of blood in the peritoneal cavity, **lxxiv**, 249.
Wound treatment with chinosol, **lxix**, 181.
MORROW, ALBERT S.: Recurrence of inguinal hernia after operation, **lxxviii**, 524, 558.
Mortality after liver and pancreas operations, lxxviii, 195.
Statistics of acute intestinal obstruction, **lxi**, 238.
MORTON, HENRY H.: Genito-urinary diseases and syphilis, review of, **lxviii**, 453.
MORTON, JOHN J.: Sublingual fibroma, **lxxx**, 187.
MOSCHCOWITZ, ALEXIS V.: Access to the pancreas, technic of, **lxv**, 399.
Acute gangrenous perforated diverticulitis of the cæcum, **lxvii**, 624.
Anatomy and treatment of undescended testis, **lii**, 821, 860.
Aneurism in radial artery, **lxxii**, 391.
Bacteriology of appendicitis, **lx**, 651.
Bacteria present in peritonitis, **liii**, 154.
Bile duct obstruction, **lxxi**, 207.
Biliary fistula, **lxxvii**, 768.
Biliary fistula of very long duration, **lxxx**, 795.
Breast carcinoma with late metastasis in opposite axilla, **lxiv**, 737.
Cæcum mobile, **lv**, 770.
Cancer of thyroid, **lxxii**, 382.
Carrel-Dakin treatment, **lxvii**, 758.
Cases of hernia with unusual features, **liv**, 263.
Cellulitis of the space of Retzius, **liii**, 436.
Choice of anæsthesia for thyroidectomy, **lxxiii**, 664.
Cholecystoduodenal communication, operation for the relief of, **lv**, 612.
Complete cast of the stomach due to burn, **lxxv**, 756.
Cure of carcinoma of the larynx persisting five and one-half years, **liii**, 546.
Cyst of the cerebellum, **lvii**, 264.
Dermoid cyst of tongue, **lxxx**, 796.
Diagnosis of perforated typhoid ulcer, **lvii**, 588.
Drainage in operation upon the œsophagus, **lxi**, 363.
Dry iodine catgut, **liii**, 110.
Echinococcus cyst of the liver, **lxi**, 241.
Encysted hernia of Cooper, **lxvi**, 234.

Epigastric hernia without palpable swelling, **lxvi**, 300.
Excision of penetrating ulcer of the stomach, **lxi**, 493, 494.
Exclusion of colon with complications, **lxii**, 360.
Fascial transplant for herniotomy, **lxvii**, 243.
Fistula following nephrectomy for tuberculosis, **lxvi**, 729.
Fracture of the patella, **lvi**, 467.
Gall-stone ileus, **lxi**, 242.
Gastromesenteric ileus for cholecystectomy, **lv**, 614.
Hernia of the large intestine, **lix**, 610.
Hernia recurring after Macewen operation, **lxvii**, 245.
Hernia strangulated by a congenital ring, **lxvi**, 233.
Hydrocele of the tunica vaginalis recurring after operation, **lviii**, 561.
Ileus secondary to separation of the small intestine from its mesentery, **lvii**, 262.
Injuries of the bladder during herniotomy, **lxv**, 264.
Intussusception of the appendix, **lx**, 641.
Isolation of erysipelas cases, **lxvi**, 245.
Ligation of carotids as preliminary of operations on the maxilla, **lvii**, 954.
Linen thread as a cause of ulcer following gastro-enterostomy, **lxxii**, 639.
Lumbar hernia, **lxxiv**, 651.
Lymphangioplastic for elephantiasis, **lxii**, 359.
Marginal incision for extirpation of tumors of the breast, **lxiv**, 736.
Mechanical factors in recent empyemas, **lxxii**, 395.
Melanosarcoma of the upper jaw, **lxi**, 491.
Multiple cartilaginous exostoses, **lxiii**, 749.
Multiple osteomyelitis cured by autogenous vaccines, **lix**, 451.
Nephrectomy for congenital tumor in infancy, **lix**, 505.
Nerve distribution in inguinal hernia, **lxi**, 485.
Neuralgia of second division of fifth nerve: Kocher's operation, **lii**, 257.
Occlusion of the pylorus, **lxi**, 490.
Omental grafting, **lviii**, 562.
Operation for prolapse of rectum, **lx**, 774.
Operation for the relief of cholecystectomy, **lv**, 612.
Operative treatment of acute pancreatitis, **liii**, 436.
Orthostatic albuminuria, **lxiv**, 365.
Osteo-chondritis of patella, **lxxx**, 794.
Paget's disease, **lx**, 375.
Partial gastrectomy for lymphosarcoma of the stomach, **lv**, 907.
Partial resection of the stomach for ulcer, **lxi**, 492.
Pathogenesis of umbilical hernia, **lxi**, 570.
Phlegmon of the space of Retzius, **liii**, 291.
Pigmented odontoma of the upper jaw, **lxi**, 353.
Prevascular femoral hernia, **lv**, 848.
Prolapse of the rectum, **lvii**, 130; **lxxvii**, 770.
Recklinghausen's disease, **lv**, 903; **lx**, 498.
Radical cure of direct hernia, **lxxii**, 643.
Rectus transplantation in certain cases of hernia, **lviii**, 678; **lxvii**, 624.
Recurrence after operations for inguinal hernia, **lxvi**, 733.
Reëstablishment of connection between stomach and duodenum after pylorectomy, **lvii**, 942.
Relation of the iliohypogastric nerve to the radical cure of inguinal hernia, **lxvi**, 79.
Remarks upon appendicitis, **li**, 945.
Resection of common duct for carcinoma, **lv**, 610.
Result of operation for melanosarcoma, **lxii**, 115.
Results of a follow-up system in a surgical service, **lxxi**, 213.
Results of bottle operation for hydrocele, **lv**, 113.

Sarcoma of the ethmoid, **lxvii,** 621; **lxxii,** 390.
Schlatter's disease, **lx,** 374.
Septic secondary hemorrhage after amputation of breast, **lvii,** 946.
Simultaneous ligation of both external iliac arteries, **liii,** 547.
Stewart incision for removal of carcinoma of the breast, **lxiv,** 736, 744.
Strangulated hernia "En W," **lxvi,** 234.
Subacromial bursitis, **lxvi,** 114, 230.
Suppurative portal pylephlebitis, **liii,** 549.
Tear in the gastrohepatic omentum, **lxi,** 632.
Technic of operation for preservation of the iliohypogastric nerve in operation for inguinal hernia, **lxi,** 250.
Tetanus following a compound fracture of the skull, **liii,** 548.
Tetanus following upon a fracture of the ulna and dislocation of the head of the radius, **lxvii,** 245.
Thrombo-angiitis obliterans, **lix,** 797; **lxiv,** 104.
Transverse abdominal incision, **lxvi,** 242.
Transverse incisions in the upper abdomen, **lxiv,** 268.
Traumatic rupture of the gastrohepatic omentum, **lvii,** 261.
Treatment of chronic empyema, **lxxvi,** 794.
Treatment of diseases of the costal cartilages, **lxviii,** 168.
Treatment of gastric and duodenal ulcer, **lxxviii,** 548.
Treatment of prolapse of the rectum, **lv,** 319.
Trifacial neuralgia, **lv,** 904; Hartley-Krause operation, **lii,** 258.
True perineal hernia, **lxvi,** 235.
Tuberculosis of the costal cartilages, **lvii,** 129.
Tuberculosis of thyroid gland, **lxxix,** 315.
Tuberculous kidney, **lxii,** 509.
Tumors of the breast, **lxxv,** 632.
Ultimate results of operation for carcinoma of stomach, **lxii,** 118.
Ventral hernia, **lxiv,** 364.
MOSCHCOWITZ, ELI: Pathologic diagnosis of diseases of the appendix, **lxiii,** 697.
MOSETIG-MOORHOF: Indications for the iodoform wax bone filling of, **lxv,** 227, 245.
MOULLIN, C. MANSELL: The cancer problem, **lxi,** 1.
The classification of tumors, **lxiii,** 257.
Mouth, and nose, loss of mucous membranes to be replaced by free skin grafts, **lxxi,** 390, 396.
Bacterial flora of the, **lxix,** 172.
Cancer of the floor of, and lower jaw, removal of, **liv,** 570.
Carcinoma of the floor of, **lxi,** 637.
Mowing machine cut of legs, lxi, 237.
Moynihan method of resection of stomach, lxxiv, 121.
MOYNIHAN, BERKELEY: Abdominal operations, review of, **lxi,** 765.
Mucocele of the appendix, lvii, 271.
Mucous membrane lined organs, bridging defects of, **lv,** 139.
MULLEN, THOMAS F.: Fracture of the larynx, **lxxx,** 660.
Recording surgical operations at the front, **lxx,** 252.
Splenectomy for gunshot wound, **lxii,** 121.
MULLER, GEORGE P.: Abscess of the lung, **lxxii,** 419.
Arteriovenous anastomosis for gangrene of the foot, **li,** 280.
Bone cysts, **lxv,** 513.
Bullet removed from left lung, **lxviii,** 543.
Carcinoma of the rectum, **lxxvii,** 626.
Cases of perforation of stomach and duodenum, **lx,** 804.
Cases of recurrent bilateral fractures of the patella, **liii,** 584.
Chronic cystic mastitis, **lx,** 595.
Enteroptosis, **lii,** 566.
Excision of astragalus for fracture-dislocation, **lv,** 121.
Foreign body removed from abdominal cavity, **lxvii,** 380.
Fracture of the os calcis, **lxxiv,** 107.
Fracture of the pelvis, **lxxi,** 399.
Fracture of the sesamoid bones, **lv,** 101.

Gunshot wounds of the femoral artery, **lxxvi**, 651.
Impacted fracture of the upper end of the fibula and tibia, **lxxiv**, 107.
Incised wounds of wrist and forearm, **lvii**, 906.
Inguinal hernia with ovary and tube in sac, **lxvii**, 380.
Laminectomy for injury and tumor of the spinal cord, **liii**, 754.
Objections to vertical right rectus incision in appendicitis, **lxvii**, 118.
Open operation for dislocation of the humerus, **lvi**, 488.
Operation for prolapse of the rectum, **lxvii**, 375.
Perforated duodenal ulcer in a child, **lxxvii**, 757.
Perforated gastric and duodenal ulcer without previous pain, **lxxiv**, 223.
Periarterial sympathectomy for scleroderma, **lxxix**, 611.
Periarterial sympathectomy for trophic ulcer, **lxxix**, 611.
Prolonged relief from colostomy for inoperable carcinoma of sigmoid colon, **lxxvi**, 646.
Results of operation for prolapse of the rectum, **lxxvii**, 770.
Sepsis after tonsillectomy, **lxxvii**, 761.
Splenic anæmia, **lviii**, 714.
Stab wound of mesenteric vein, **lxv**, 516.
Stricture of the common biliary duct, **lxxvii**, 768.
Surgical relations of the sympathetic nervous system, **lxxvii**, 641.
Tetanus following herniotomy, **lxxvi**, 646.
Thrombo-angiitis obliterans, **lix**, 446.
Tongs extension in treatment of fractures, **lxxiii**, 124.
Treatment of acute appendicitis, **liii**, 879.
Treatment of acute pancreatitis, **lxviii**, 349.
Treatment of burns, **lxxii**, 632.
Treatment of fracture of the femur, **lxiv**, 122.
Treatment of gangrene of the foot by arterial anastomosis, **li**, 246.
Treatment of goitre, **lvi**, 492.
Treatment of hyperthyroidism, **lx**, 662.
Treatment of tuberculous cervical lymphadenitis, **lviii**, 433.
Tuberculous tendovaginitis, **lvi**, 496.
Upper end of humerus in epiphysial separation, **lxxiv**, 106.
Use of eserin in cases of paralytic ileus, **liii**, 129.
Multiple gunshot wound of ileum, lxxvi, 651.
MUMFORD, JAMES G.: Blood in surgery, **li**, 1.
Surgical aspects of bronchiectasis, **lx**, 29.
MUMMERY, P. LOCKHART: Treatise on diseases of the rectum and colon, review of, **lxxix**, 157.
Congenital absence of cæcum and ascending colon, **lv**, 844.
MUNS, WALDEN E.: Blood pressure graphic vasomotor changes in the periphery during ether anæsthesia, **lxiv**, 645.
Murphy button in intestinal surgery, lxxiii, 251, 649.
Use of to effect duodenojejunostomy, **lvii**, 81.
MURPHY, EUGENE C.: Results of treatment of intracapsular fracture of the femur by abduction and plaster fixation, **lxxiii**, 752.
MURPHY, E. R.: Lung abscess and pyoneumothorax following tonsillectomy, **lxxix**, 607.
MURPHY, FRED T.: Choice of anæsthetic in operating for abscess of the lung, **lx**, 36.
MURPHY, JOHN B.: Acute osteomyelitis, **lvi**, 353.
Arthroplasty, **lvii**, 593.
Border-line pathological lesions, **lviii**, 285.
Bronchiectasis, **lx**, 123.
Effects on sarcoma of the Coley toxins, **lx**, 107.
Epispadias in the female, **liv**, 403.
Evolution of new bone and its relation to the reproduction of new joints after ankylosis, **lvi**, 344.

Fractures of the elbow-joint, **lviii,** 275.
Hygroma cysticum colli, **lviii,** 281.
Surgical treatment of œsophageal diverticula, **lii,** 125.
Temporomandibular arthroplasty, **lx,** 127.
MURRAY, FRANCIS W.: Aspiration of peritoneal fluids, **liii,** 575.
Cancer of breast remaining well twenty-two years after first operation, **lv,** 618.
Cyst of the pancreas, **liii,** 558.
Foreign body in the œsophagus, **lv,** 620.
MURRAY, R. W.: Etiology of cysts connected with hernial sacs, **lxiii,** 544.
Is the sac of femoral hernia of congenital origin, or acquired? **lii,** 668.
Muscle grafting for gunshot wound of shoulder, liv, 679.
Rhomboideus minor, sprains of, **lxxvi,** 641.
Muscles, action of, by William Colin Mackenzie, review of, **lxviii,** 565.
Muscular violence, fracture of the anterior superior spine of the ilium by, **lxxix,** 551.
Musculospiral nerve, injury of, **lxix,** 338; **lxx,** 226.
Late suture of the, **lxxiii,** 665; **lx,** 511.
Primary neurorrhaphy of, from stab wound, **li,** 740.
Repair, **lxxv,** 628; **lxxviii,** 406.
Rupture of the, without fracture of humerus, **lvi,** 945.
Musculospiral paralysis, lvi, 371; **lxxiii,** 781.
Following fracture of the humerus, **lx,** 646.
Mustard gas, skin lesions produced by, **lxviii,** 562.
MUTSCHLER, LOUIS H.: Oblique subtrochanteric fracture of femur, **lx,** 528.
Threatening symptoms after injection of fibrolysin, **lx,** 527.
Myeloma of the clavicle, **lxviii,** 92.
Of the long bones, **lii,** 388.
Of the plasma cell type, multiple, **lxxviii,** 14.
Of tendon sheath, **liii,** 847.
Of tibia, **lvii,** 278.
Myelomata and their liability to metastasize, lxvii, 687.
Multiple, **lvii,** 163.
Myocarditis, acute, with dilatation of the heart after abdominal operations, **lxvi,** 295.
Myoma of the rectum, **lxxiv,** 236.
Small intestine, **lxix,** 663.
Stomach, **lviii,** 812.
Myomata, malignant, and Meckel's diverticulum, **lxx,** 183.
Of the uterus, treatise on by Kelly-Cullen, review of, **li,** 446.
Myositis, contribution to the study of, **lxviii,** 485.
Gonococcus, **lxxvii,** 782.
Of chest wall, **lxvi,** 105.
Ossificans, **lxxvi,** 672; progressiva, **lxviii,** 591; traumatic, **lvii,** 305.
Myxochondro-endothelioma of occipital bone, lviii, 427.
Myxochondro-sarcoma of the humerus, lxxi, 787.
Myxœdema, treatment of, by thyroid transplantation, **lxxi,** 518.
Myxofibromata of the abdominal wall, lxvi, 555.
Myxolipofibroma, retroperitoneal, **lxvii,** 246.
Myxoma of bones, **lxxii,** 712; **lxxx,** 817.
Breast, **lxi,** 126.
Metastasis to lungs of a, **lxxvii,** 106.
Myxosarcoma of thigh involving the femoral vessels, lxxviii, 422.

N

Nail bed, melanoma of the, **lxxx,** 839.
NAKAMURA, T.: A study on focal infection and elective localization in ulcer of stomach and in arthritis, **lxxix,** 29.

Bacteriology of extirpated tonsils and its relation to epidemic tonsillitis, **lxxix**, 24.
NANCREDE, CHARLES B. G. DE: Anæsthetics in military surgery, **liv**, 423.
Bilateral congenital fistulæ, **lvi**, 400.
NARAT, JOSEPH K.: Experimental study upon the use of intra-abdominal injections of hypertonic glucose solution in the treatment of peritonitis, **lxxviii**, 357.
Narcosis by nitrous oxide and oxygen, **lviii**, 917.
Nasal fossa sarcoma, **liii**, 856; **lxxvi**, 662.
Osteochondroma, **lxi**, 757.
Nasolachrymal passages, variations in the anatomy of, **liv**, 148.
Nasopharynx, carcinoma of the, cured by mixed toxins, **lxii**, 353.
NASSAU, CHARLES F.: Carcinoma of undescended testicle, **lxiii**, 627.
Endothelioma of frontal lobe, **lxiii**, 380.
Excision of the colon, **lvii**, 749.
Excision of upper end of humerus for fracture-dislocation, **lvi**, 487.
Exophthalmic goitre, **lxxvi**, 649.
Fracture-dislocation of shoulder, **lv**, 432.
Infection following tonsillitis, **lv**, 914.
Interparietal hernia, **lvii**, 743.
Observations on the radical cure of hernia, **lv**, 857.
Radical cure of hernia, **lv**, 916.
Silver wire in the treatment of fractures, **lxii**, 124.
Spinal anæsthesia, **lv**, 424.
Suture of patellæ under local anæsthesia, **lv**, 638.
Stab wound into the right auricle of the heart, **lxv**, 119.
Traumatic lesions of the head, **lxxviii**, 94.
Nature's cure of cholecystitis, **lxxx**, 800.
Navicular, carpal, the fate of the fractured, **lxxx**, 532.
Neck, broken, **lxxiii**, 761.
Cancer, end results of treatment in certain forms of, **lxxvi**, 335; of lymph-nodes of, **lxiv**, 355.
Carbuncle of the, skin grafting for, **lxv**, 387.
Carcinoma of the, **lvi**, 455.
Cysts and fistulæ of the, a contribution to the study of, **lxxix**, 499.
Hygroma of the, **lxvii**, 71; **lix**, 753; cystic, **lx**, 398; late post-operative result of, **lxxiii**, 781.
Lymphangioma of the, **lxxvii**, 385.
Preservation of the submaxillary branch of the facial nerve in operations on the, **lii**, 487.
Sarcoma of the, melanotic, inoperable, **lxxviii**, 414.
Tonsil, responsibility of the, in tuberculous glands of the, **lii**, 753.
Tuberculous glands of the, treatment of, **lii**, 758.
Tumors of the, cystic, **lviii**, 112.
Necrosis, ischæmic fat, **lxxvii**, 513.
Needle, aneurism, double-eyed, **lxix**, 440.
Holder, new, **lxiii**, 766.
Needles in the hand, a method of precision for the removal of, **lxvi**, 19.
NEFF, JAMES M.: Ligation of the first portion of the left subclavian artery, **liv**, 503.
Negro, keloid formation in the, **lxi**, 83.
NEILSON, THOMAS R.: Selection of cases for prostatectomy, **liii**, 441.
Neisser coccus infection, genital canal block following, **li**, 416.
Neoplasms, simulation of, by inflammatory processes, **li**, 782.
Neoplastic diseases, endothermy in the treatment of accessible, **lxxix**, 9.
Review of James Ewing's textbook on, **lxix**, 342.
Neo-salvarsan, intravenous injection, **lvi**, 753.
Nephrectomy, **li**, 260; **lvi**, 1, 256.
Abdominal, for hypernephroma, **lxv**, 392.
Drainage after, **lxi**, 365.
Fetal adenoma, for, **lxi**, 749.
Hydronephrosis, for, **li**, 125; congenital, relieved by, **li**, 129.

Hypernephroma, for, **lviii,** 692; **lxiii,** 630–631.
Lumbar, the incision for, **lv,** 63.
Pyonephrosis with sacculation of the kidney due to valve action, **lvi,** 663.
Secondary in perforating wound of kidney, **lxxvii,** 110.
Stone, for, duodenal fistula following, **lii,** 259.
Transperitoneal, for congenital mixed tumor of the kidney, **lxiii,** 630.
Tuberculosis, for, fistula following, **lxxvii,** 629; renal, treatment of, **lvi,** 292.
Unilateral, followed by anuria, **lxix,** 286.
Nephritis, chronic, splitting kidney capsules for, in a child, **li,** 947.
Nephrolithiasis, li, 723; **lv,** 445, 450; **lxi,** 475; **lxvii,** 376.
And ureterolithiasis, co-existent, on opposite sides, **lxxx,** 62.
Bilateral, **lxiv,** 722.
Double, **lxvii,** 755.
In childhood, **lxi,** 506.
Recurrent, **lxxi,** 16.
Suppurative pyelitis, **lvii,** 925.
Nephrolithotomy, followed by primary closure of the renal pelvis, **lxxiv,** 85.
Nephropexy in nephroptosis, ultimate results following, **lxvi,** 479.
Ultimate results of, **lxvi,** 504.
Utility of the fatty capsule in the operation of, **lxii,** 384.
Nephro-pyelo- and ureterolithotomy, the technic of, **lviii,** 232.
Nephrotomy following lumbar ureterostomy, liii, 423.
Nephro-ureterectomy, liii, 521.
For papilloma of ureter, **lxxiv,** 247.
Nerve and nerves anastomosis, a clinical study of, **lxx,** 157; for relief of paralysis of trapezii muscles, **lxvi,** 619; use of vein cuff to protect, **liii,** 580.
Block, a method of, for appendectomy, **lxviii,** 397; for abolishing pain after operations, **lvii,** 730.
Cervical, incised wound of the fourth and fifth, **lxxviii,** 402.
Distribution, relation of, to inguinal hernia, **lxi,** 483.
Divided ends connected by transplanted vein, **lvi,** 371.
Facial, sutures of, rapid regeneration after, **lxxix,** 141.
Implantation, **liii,** 555.
Injuries treatment of, **liii,** 292.
Laryngeal, recurrent, anastomosis of the, for paralysis, **lxxix,** 161.
Lesions of the, treatment and restoration of, by Athasassio-Benisty, review of, **lxvii,** 126.
Median, cyst of the, **lxi,** 761; large fibroneuroma of the, **lxvi,** 503.
Musculospiral, injury of, **lxix,** 338; late suture of the, **lxxiii,** 665; repair of the, **lxxviii,** 406.
Peripheral, functional results of operations upon, **lxix,** 190; gunshot wounds of the, **lxv,** 56, 383; injuries associated with fractures, **lxxvi,** 528; reconstruction of, **lxxi,** 1; results of bridging defects in, **lxxii,** 408; operations upon, **lxix,** 206.
Surgery, technic of, **lxxiv,** 37.
Suture after wrist wound, **lxiii,** 119; for rupture of the brachial plexus, **liii,** 858; use of veins as a reinforcement and support of, **lxx,** 509.
Traction to secure approximation, objections to, **lxxiii,** 668.
Ulnar, late suture of, **lxxiii,** 667.
Nervous system, central, Tilney's treatise on the form and functions of the, review of, **lxxiii,** 390; **lxxviii,** 124.
Sympathetic, surgical relations of the, **lxxvii,** 641.
NEUBAUER, B. B.: Plan of management of cranial injuries, **lxxviii,** 674.
Plan of management of cranial injuries based on a new grouping of such injuries, **lxxix,** 481.
Traumatic lesions of the head **lxxviii,** 95.
NEUDORFER, ARTHUR: Duodenal ulcer, **lv,** 158.
NEUHOF, HAROLD: Arthrotomy for chronic arthritis of knee, **lxxvi,** 782.
Bronchostomy for bronchiectatic suppuration, **lxxx,** 945.

Craniotomy for congenital craniocerebral defect, **lxxvi,** 784.
Craniotomy for epilepsy, **lxxvi,** 784.
Excision of adventitia of brachial artery (Leriche operation), for Raynaud's disease, **lxxviii,** 428.
Excision of bilateral paraffinoma of face, **lxxx,** 946.
Excision of retroperitoneal angiosarcoma, **lxxix,** 311.
Exposure of spinal cord for hemi-laminectomy, **lxxiii,** 775.
Fascia transplant for recurrent ventral hernia, **lxxi,** 225.
Gastrojejunal ulcer, **lxxi,** 673.
Inefficiency of pyloric exclusion by fascial bands, **lxiii,** 438.
Intramuscular administration of sodium citrate, **lxxvi,** 1.
Late suture of brachial plexus, **lxxvi,** 782.
Methods and results of treatment of craniocerebral wounds, **lxxii,** 400, 538.
Myxosarcoma of thigh, involving the femoral vessels, **lxxviii,** 422.
Operations for carcinoma of the œsophagus, **lxxiv,** 118.
Osteo-arthritis, **lxxi,** 676.
Pyoarthrosis of the knee, **lxxvii,** 230.
Relation of the iliohypogastric nerve to the radical cure of inguinal hernia, **lxvi,** 74.
Some observations in spinal cord surgery, **lxv,** 410.
Spinal cord tumor, **lxxi,** 675.
Thyroid tuberculosis, **lxxix,** 313.
Transplantation of toe, **lxxvii,** 228.
Transplantation of toe for congenital absence of finger, **lxxx,** 944.
Traumatic intra-acetabular separation of the pelvic bones, **lx,** 367.
Tuberculosis of capsule of knee, **lxxi,** 673.

Neuralgia, brachial intractable, excision of posterior nerve roots for, **lvi,** 475.
Of fifth cranial nerve, **lxvi,** 287.
Supraorbital, operation for, under local anæsthesia, **lxxiii,** 779.
Trifacial, **lv,** 904, 905; **lxxix,** 939; diagnosis and treatment of, **lxiv,** 242; operative treatment of, **lxviii,** 371.
Trigeminal, **lii,** 257, 258.

Neurasthenia, caused by pyloroptosis and gastric atony, **liv,** 306, 426.

Neuritis and perineuritis of arm, **lxxviii,** 89.

Neurofibroma in cerebello pontine angle, **lxvi,** 509.

Neuro-fibroma-myxoma, treated by conservative operation, **lxxv,** 181.

Neuropathic affections of the joints, nature of, **lxvi,** 201.

Neuroplasty, end results of, **lxxii,** 408.

Neurorrhaphy, result of late, **lxii,** 631.
Of musculospiral nerve for stab wound, primary, **li,** 740.
Of the ulnar nerve, **lv,** 765.

Neuropathologic cystology of anæmia, infections, Graves' disease and surgical shock, **li,** 753.

New, G. B.: Effect of trauma upon laryngeal nerves, **lxvii,** 257.

New York Hospital, results of operations at the, for inguinal hernia in the male, **lxvi,** 702.

New York Surgeon, recollections of a, by Arpad G. Gerster, review of, **lxvii,** 384.

New York Surgical Society, transactions of, **li,** 113, 121, 254, 566, 723, 934, 946; **lii,** 257, 397, 415, 553, 710, 855; **liii,** 131, 268, 291, 420, 538, 551, 722, 843, 854; **liv,** 234, 255, 567, 859; **lv,** 106, 314, 434, 457, 598, 617, 764, 881, 895; **lvi,** 359, 455, 469, 785, 938; **lvii,** 127, 259, 277, 438, 582, 757, 921, 944; **lviii,** 395, 402, 553, 662, 686; **lix,** 121, 297, 449, 631, 752, 768, 784; **lx,** 374, 387, 497, 511, 637, 756, 766; **lxi,** 97, 109, 349, 472, 491, 619, 740, 241; **lxii,** 92, 108, 348, 359, 404, 619; **lxiii,** 111, 119, 486, 491, 530, 743, 750; **lxiv,** 91, 102, 107, 353, 495, 503, 624, 719, 725; **lxv,** 250, 370, 387, 761, 775; **lxvi,** 105, 203, 212 228, 247, 506, 594, 605, 728; **lxvii,** 106, 364, 619, 629, 747, 753, 761;

lxviii, 84, 92, 100, 531; **lxix,** 56, 178, 331, 548, 652, 663; **lxxi,** 87, 200, 216, 387, 517, 671, 785; **lxxii,** 376–387–396, 524, 634; **lxxiii,** 128, 233, 254, 504, 659, 773, 792; **lxxiv,** 116, 245, 506, 635, 655; **lxxv,** 113, 246, 376, 627, 746, 756; **lxxvi,** 121, 283, 655, 666, 782; **lxxvii,** 115, 228, 370, 628, 754, 771; **lxxviii,** 104, 414, 544, 549, 677; **lxxix,** 143, 299, 309, 455, 470, 613, 615, 930, 945; **lxxx,** 135, 617, 631, 786, 944.

New York University Laboratory, studies in surgical pathological physiology, review of, **lxiii,** 508.

New York Urological Society, tribute to the memory of Paul Monroe Pilcher, **lxv,** 531.

NEWTON, FRANCIS C.: Uterus didelphys, **lxxix,** 102.

NEY, GROVER C.: Mesenteric cysts, **liv,** 115.

NEY, K. WINFIELD: Technic of nerve surgery, **lxxiv,** 37.

NIAS, J. B.: Sketch of the "Life of Dr. John Radcliffe," review of, **lxix,** 561.

NICHOLS, F. H.: Thrombosis of the mesenteric vessels, **lix,** 319.

NICHOLSON, G. W.: Tumors of the salivary glands, **lxvii,** 640.

NICOLAYSEN, JOHAN: Value of Gluzinski's test in the diagnosis of gastric ulcer, **lix,** 821.

NICOLL, JAMES H.: Operative treatment of harelip and cleft palate, **lxix,** 12.

Nipple, Paget's disease of the, **lxii,** 212; **lxiv,** 725; **lxv,** 175.

Nitrous oxide and oxygen narcosis, lviii, 917.

Oxygen, anæsthol sequence in oral surgery, **lxvii,** 462.

NIXON, PATRICK I.: Inflammatory tumors of the abdomen, **lxvii,** 306.

Retroperitoneal hernia into the duodenal fossæ, **lxv,** 456.

NOBLE, T. P.: Adolescent coxa vara, **lxxx,** 773.

NOEL, H.: Anæsthetic effects of the intravenous injection of paraldehyde, **lvii,** 64.

No-flap or guillotine amputation, lxx, 111.

NOLAND, LLOYD: Embolism and thrombosis of the superior mesenteric artery, **lviii,** 459.

Spontaneous rupture of the malarial spleen, **lvii,** 72.

Stovaine spinal anæsthesia, **li,** 449.

Non-rotation of the intestine, lviii, 822.

Non-tubercular kidney infections, lxxv, 478.

Non-union in compound fractures, treatment of, **lxxi,** 182, 231.

NORRIS, HENRY: Solitary cysts of the liver, **lvii,** 805.

NORRIS, RICHARD C.: Technic of pelvic floor repair, **lxv,** 249.

Nose, throat and ear, applied pathology in diseases of the, by Joseph C. Beck, review of, **lxxx,** 959; Ballanger's treatise on diseases of the, review of, **lxii,** 766; olfactory organ, review of Schaeffer on, **lxxi,** 800; Coakley's manual of diseases of the, review of, **lxii,** 766; Thompson's text-book of the diseases of the, review of, **lxiv,** 635; Wright's text-book of the diseases of the, review of, **lxii,** 767.

Carcinoma of the, rhinoplasty for, **lxix,** 667.

Catarrhal and suppurative diseases of accessory sinuses of the, by Ross Hall Skillern, M.D., review of, **lxv,** 526; **lviii,** 861.

Epithelioma of the, extensive, rhinoplasty for, **lxxix,** 466; removal under intratracheal insufflation anæsthesia, **liii,** 291.

Repair of loss of bridge of, **lxxviii,** 538.

Suggestions for the operative correction of syphilitic and other deformities of the saddle, bone grafting for, **lxxiv,** 665; rib bone graft for, **lxv,** 789.

Novocaine-adrenalin injected intravenously, toxicity of, **lxiii,** 619.

NYULASY, ARTHUR J.: Looping the cardinal ligaments in uterine prolapse, **lix,** 621.

O

Obesity, the surgical treatment of, by lipectomy, **liv,** 706.
Obstruction, of bowels, acute, **lxi,** 238; **lxxv,** 81; due to iliac spasm, **lxi,** 113; tubercular lymph-nodes, **lxiv,** 353; experimental, **lxxiv,** 584; ileo-sigmoidostomy for, **lx,** 637; mortality statistics of 276 cases, **lxi,** 198; post-operative, **lii,** 131; treated by high temporary jejunostomy, **lxxx,** 45, 148.
Chronic, partial, in an adult, due to arrested development of large bowel, **lxxx,** 217.
Intestinal, acute, cause of high mortality in, **lxxii,** 201.
Intestinal, an experimental study, **lxvii,** 210; caused by mesenteric cyst, **lxxx,** 636; tumor of retained testis, **lix,** 419; chronic, variability of the pathology and symptoms of, **lxix,** 21; implantation of ileum into colon, **lvi,** 480; post-operative, **lxiii,** 442; prevention of, **lxxx,** 42.
Of the ureter, **lxvi,** 654.
Obstructive pelvic lesions associated with chronic diverticulitis, lix, 422.
Obturator hernia, lxii, 710.
Strangulated, **lxx,** 126.
Ochsner, Albert J.: Cancer infection, **lxxiii,** 294.
Clinical observations concerning malignant tumors of the jaws, **lxviii,** 136.
Drainage of abscess of pancreas, **lxxiv,** 434.
Elimination of colon for relief of uncontrollable intestinal stasis, **lxvi,** 443.
End results of goitre operations, **lxxx,** 388.
Exophthalmic goitre, **lxiv,** 385.
Extension after fractures, **lii,** 142.
Fatal post-operative pulmonary thrombosis, **lxxii,** 91.
Important points relating to the surgical treatment of prostatic hypertrophy, **lxviii,** 522.
Sarcoma of the ilium, **lviii,** 280.
Surgical treatment of goitre, **lxiv,** 491.
System of surgical diagnosis and treatment, review of, **lxxvi,** 128.
Treatment of cancer of the jaws, **lxxvi,** 328.
Ochsner treatment in peritonitis, lxxvii, 194.
O'Conor, Sir John: Abdominal wound technic, **lxvii,** 183.
Acute intestinal obstruction, **lxxv,** 81.
Crippled joints and flat feet, **lxxix,** 158.
Diet after gastro-enterostomy, **lxxviii,** 118.
Fixation of simple fractures, **lxi,** 88.
Gastro-jejunostomy for perforated gastric and duodenal ulcers, **lxxvii,** 254.
Hepatic abscess evacuating via bronchus, **lxxvi,** 591.
Natures cure of cholecystitis, **lxxx,** 800.
Operating rooms and body warmth of patients, **lxxvii,** 123.
Relation of cirrhosis of mesentery and subperitoneal lipomatosis to alcohol and work, **lxxviii,** 751.
Skin asepsis in surgery, **lxvii,** 510.
Surgical treatment of cholelithiasis, **lxxvi,** 201.
Ventrofixation of the uterus for relief of prolapsus, **lxii,** 479.
O'Day, J. Christopher: Cholecystostomy versus cholecystectomy, **lxxvii,** 48.
Interrelation of stasis, ptosis and inertia of the intestinal tract, **lxviii,** 27.
Surgery of the ductus communis choledochus, **lxxi,** 293.
Oden, Rudolph J. E.: Diaphragmatic hernia, **lxxviii,** 660.
Odontoma of the upper jaw, pigmented, **lxi,** 353.
Odontome, composite, **lvii,** 277.
Symmetrical, of both superior maxillæ, **lvii,** 905.
Odontoid process of axis, fracture of, **lvi,** 876; **lix,** 297.
Œdema, intestinal, angioneurotic, surgical significance of, **lxi,** 324.

Œsophageal diverticula, diagnosis and surgical treatment of, **li,** 812; radical extirpation of, **li,** 300; surgical treatment of, **lii,** 124.
Diverticulum, **lv,** 632; **lxxvi,** 659.
Obstruction by dental plate, **lxxiv,** 120.
Plication for cardiospasm, **liii,** 293.
Surgery, intrathoracic, and artificial respiration, **lii,** 58.
Œsophago-cutaneous fistula, transpleural, **lxxviii,** 96.
Œsophagogastrostomy for cardiospasm, lviii, 415.
Œsophagoplasty, lviii, 289, 700.
And gastrostomy, **lvii,** 586; **lxi,** 480.
Œsophagotomy, for foreign bodies in the œsophagus, **lxxx,** 375.
Œsophagoscope, lix, 195.
Œsophagoscopic and gastroscopic examination, liv, 567.
Œsophagoscopy, a new principle in, **lvii,** 28.
Œsophagus, cancer of the, gastrostomy for, **lxvii,** 750; œsophagoplasty for, **lviii,** 700.
Carcinoma of the, **lx,** 510; metastases of, **lxxvii,** 272; operative treatment of, **lxi,** 357–385.
Cardia, and, cancer of the, **lii,** 67.
Cicatricial stricture of the, **lvi,** 482; **lxvii,** 231.
Coin lodged in the, **lv,** 457.
Dental plate in the, **lxiii,** 672.
Diverticulum of the, complicated by abscess of the lung, **lxi,** 360.
Diverticulum of the, **lxxiv,** 123; due to carcinoma, **lv,** 315; treatment of, **lxxvii,** 267.
Drainage after intrathoracic operation upon, **lvi,** 100.
Foreign body in, **lv,** 620; **lvi,** 484; **lxiv,** 495.
Hemorrhagic erosions of the, **lxi,** 261.
Larynx, and, resection of for carcinoma, **lv,** 320.
Reconstruction, experimental, of the, **lxxvi,** 157.
Resection of the, a study of methods of procedure in, **lxxiv,** 546; experimental, results of, **lxi,** 359.
Sarcoma of the, primary, **lxxviii,** 577.
Stenosis, benign, of the, **lxxiii,** 724; **lxxiv,** 124.
Stricture, malignant, of the, **lvi,** 484; non-malignant, gastrostomy as a curative measure *per se,* **liii,** 318; transthoracic exploration of, for, **lxiv,** 94.
Thoracic, cancer of the, **lxxvi,** 333; successful resection of, **lxxiv,** 116.
Olecranon, fracture of the, **lv,** 437; wiring of, **lxvii,** 762.
Olive oil in blood-vessel suturing, lxvii, 468.
OLIVER, JOHN CHADWICK: Congenital hypertrophic stenosis of the pylorus in the adult, **lxxvi,** 444.
OLIVIER, R.: Late extractions of missiles imbedded in the lung, **lxix,** 90.
OLLERENSHAW, ROBERT: Sacrococcygeal tumors, **lviii,** 384.
OLMSTEAD, INGERSOLL: Cancer of the lower part of sigmoid in a boy, **lxxiv,** 464.
Omental grafting, lviii, 562.
Grafts, free, use of, in abdominal surgery, **lxiii,** 83.
Omentum, cysts of the, **liv,** 617.
Echinococcus cyst of the, **lxxx,** 608.
Gastrohepatic rupture of the, **lxi,** 631; traumatic, **lvii,** 261.
Lymphangioma of the, **lx,** 680, 793; **lxxiv,** 792.
Sarcoma of the, **lii,** 399; **liii,** 139; **lxxvii,** 721.
Torsion of the, **lvi,** 498; **lix,** 777; **lxiii,** 248; **lxix,** 451; with acute appendix, **lxxiii,** 252; suppurative pancreatitis, **liv,** 269; of lesser, **lxi,** 626.
Tumor of, chronic inflammatory, **lxx,** 384.
Use of the, in the prevention and healing of intestinal fistula, **lxvi,** 568.
Omphalomesenteric duct producing intestinal obstruction, lxvii, 575.
Opening up of gunshot wounds, lxix, 95.
Operating rooms, lxxvii, 123.

Room mirror, **lvi,** 454; three table military, **lxx,** 497.
Table, electric lighting of, **lvii,** 124; for use in animal research, **lvii,** 435.
Operation for decompression under local anæsthesia, lxii, 749.
Operations in the Mayo Clinic, complications following, **lvii,** 718.
Operative surgery, aids to, by H. C. Orrin, review of, **lxxiv,** 672.
By J. Shelton Horsley, review of, **lxxx,** 286.
By Warren Stone Bickham, review of, **lxxix,** 628.
The two-stage principle in, **li,** 30.
Treves-Hutchinson's Manual on, review of, **li,** 435.
Oppel, W. A.: Operative treatment of the diseases of the large intestine, **lx,** 409.
Oral diseases and malformations, the surgery of the, by George Van Ingen Brown, review of, **lxviii,** 447.
Oral surgery, nitrous oxide, oxygen anæsthol sequence in, **lxvii,** 462; by Truman W. Brophy, review of, **lxiii,** 639.
Orbit, fractures of the, by Felix La Grange, review of, **lxvii,** 126.
Orbital tissue, primary melanosarcoma of the deep, **lxiv,** 726.
Orr, Thomas Grover: Fracture of great toe sesamoid bones, **lxvii,** 609.
Guillotine amputation, **lxix,** 543.
Pressure as a factor in skin grafting, **lxxvi,** 799.
Technic for leg amputation, **lxxiv,** 633.
Organoscopy, liii, 764.
Orthopædic surgery by Jones and Lovett, review of, **lxxviii,** 128.
Newton M. Shaffer, review of, **lxxix,** 630.
Relation of, to general surgery, **lxviii,** 133.
Technic of, **lxviii,** 646.
Treatise on, by Royal Whitman, review of, **liii,** 444; **lxxiii,** 139.
Text-book of, by A. H. Tubby, review of, **lvii,** 446.
Os calcis, fracture of the, **lxiii,** 237; **lxiv,** 480.
Osgood, Robert B.: Traumatic lesions of the atlas and axis, **li,** 193.
Osseous cysts and so-called giant-cell sarcoma, lxvii, 312.
Ossification in kidney stones, lxxviii, 239.
Ossium fragilitas, lxxx, 115.
Osteitis deformans, **lii,** 415; fibrosa, **lii,** 122, 145; **lxxv,** 171; cystica, **lx,** 570; of the femur, **lxxiv,** 796; of fibula, **lxxii,** 526.
Osteo-arthritis, lxxi, 676.
From focal infection, **lxvii,** 613.
Osteochondritis deformans juvenilis, **lxiii,** 372; of patella, **lxxx,** 794.
Osteochondroma, nasal, **lxi,** 757; of vertebra, **lxxx,** 637.
Osteochondromata, multiple, congenital, **lxi,** 142.
Osteogenetic power of a free bone transplant, lxix, 113.
Osteogenic sarcoma errors in X-ray diagnosis of (report of two cases with autopsy findings), **lxxx,** 730.
Osteogenic power of periosteum, **lxi,** 672.
Osteoidchondroma, recurrent intramedullary, of femur, **lxxi,** 200.
Osteoma of humerus, liii, 300.
Osteomyelitis, acute hæmatogenous, **lxxiii,** 681.
And arthritis, suppurative, **lxxvii,** 497.
Bone regeneration after, **lix,** 789.
Carrel irrigations following operation treated by, **lxv,** 762.
Chronic (non-suppurative), hemorrhagic, **lvii,** 244; of a traumatic origin, **lxix,** 72; suppurative, cases of, **lxvi,** 254.
Dakin's solution in the treatment of, value of, **lxxv,** 708.
Extensive, **lvii,** 277.
Femur, of, **lxxvi,** 289; acute suppurative, **lvi,** 359; chronic, **lvi,** 358.
Fibula, **lix,** 786.
Forearm, in childhood, arrested development following, **lvii,** 259.
Involving the hip-joint, **lxiii,** 473.

Long bones, of the, **lv,** 375.
Luetic, of the ulna, **lxviii,** 87.
Multiple, cured by autogenous vaccines, **lix,** 451.
Multiple foci, with, **lxii,** 112.
Pubic-bone, of the, **lx,** 507.
Sacro-iliac bone, of the, **liii,** 115.
Scapula, of the, **lx,** 502; acute suppurative, **lvii,** 758.
Sinus, epithelioma in, **lxxiii,** 247.
Spine, of the, **lxxviii,** 119.
Subperiosteal resections for, **lxxii,** 396.
Suppurative, due to colon bacillus, **lxxvi,** 695; of the tibia, **lix,** 784.
Syphilitic, of the femur, **lxxiv,** 661.
Tibia, of, **lvi,** 360; **lxxvi,** 655.
Treated by a new method, **lv,** 106.
Treatment of, with aluminum-potassium nitrate, **lxxvii,** 38, 784.
Typhoidal, **lxxvii,** 319.
Ulna, of, resection, **lxix,** 335.
Osteophytic ankylosis of elbow, lxxv, 638.
Osteoplastic craniotomy, clamp for, **lxx,** 21.
Operation on the foot, **lviii,** 690.
Repair of skin defect, **lxi,** 740.
Osteopsathyrosis, hereditary, **lxviii,** 221.
Idiopathic, fragilitas ossium, **lxxx,** 115.
Otoplasty, corrective, **lxii,** 488.
OTT, WILLIAM O.: Results of treatment in sciatica, **lxxvi,** 272.
Results of twenty-one cases of surgical treatment of aneurism, **lxxiv,** 513.
Oudin high-frequency current in the treatment of tumors of urinary bladder, liv, 208.
OUTERBRIDGE, GEORGE W.: Carcinoma of the papilla of Vater, **lvii,** 402.
Cystic lymphangioma of the great omentum, **lx,** 680.
Lymphangioma of the omentum, **lxxiv,** 794.
OUTLAND, JOHN H.: Myoma of the stomach, **lviii,** 812.
Ovarian cancer, treatment of, **lxviii,** 338; cyst complicated by uterine myoma undergoing malignant change, **li,** 137; cyst, large, in infant, **lxxiii,** 134; dermoids and cystadenomas, metaplasia in, **lxxvi,** 238.
Ovarian cyst, hemorrhage into, **li,** 255.
Cyst, with twisted pedicle; chronic appendicitis, **li,** 136.
Ovarian pregnancy, primary, **liv,** 206.
Ovaries, removal of the, followed by disappearance of breast cancer, **lx,** 476.
Ovary, cancer of the, **lxxii,** 218.
Carcinoma of the, solid, **lxxvi,** 768.
Cystadenoma of the, **liii,** 136.
Fibroma of the, **lxxiii,** 772.
Hypernephroma of, in a child, **lxxvii,** 758.
Rupture, accidental, of the, causing hemorrhage into peritoneal cavity, **lvi,** 125, 338.
Tumor of the, with twisted pedicle in infant, **lxxix,** 879; Krukenberg, **lxxiii,** 481.
OWEN, HUBLEY R.: Arthroplasty, **lix,** 426.
Bone transplantation, **lxiii,** 242.
Bullet wound of thigh producing traumatic aneurism of femoral artery, **lxxviii,** 405.
Fat transplant for painful stump, **lxxvi,** 650.
Heat stroke after operations, **lxxiii,** 115.
Hernioplasty, **lxxviii,** 410.
Painful subcutaneous tubercle, **lxi,** 451, 506.
Pleural epilepsy, **lxxviii,** 6.
Recurrences after operations for inguinal hernia, **lxxiii,** 641.
Thyroid toxæmia, **lxxv,** 740.
Traumatic popliteal aneurism, **lxxvii,** 108.
Treatment of acute traumatic synovitis, **lxxix,** 293.
Treatment of burns, **lxxii,** 631.
OWEN, L. J.: Endothelioma of intercarotid body, **lxi,** 382.
Multiple fibroids in the male pelvis, **lxxi,** 755.
Oxford loose-leaf surgery, review of, **lxix,** 109.
Oxygen, nitrous oxide and, narcosis, **lviii,** 917.
Oxycephaly, lxxi, 113.
Oxyuris infection, chronic, cure of, by appendectomy, **lv,** 927.

P

Pachymeningitis, dorsal, cured by laminectomy, **lxii,** 101.
Hemorrhagica, interna, **lxi,** 628.
Laminectomy for, **lxv,** 270.
Pachypleuritis, total pleurectomy for, **lxviii,** 664.
PACINI, AUGUST J. P.: Splenectomy in splenomegalies, **lxvii,** 299.
PACKARD, HORACE: Eversion of the bladder, **lix,** 555.
PADGETT, EARL C.: Histology of auto grafts of skin, **lxxx,** 321.
Paget's disease, of the nipple, **lx,** 375; **lxii,** 212; **lxiv,** 725; **lxv,** 175.
Pain, abdominal, surgical significance of, **lxxix,** 1.
After operations abolished by nerve block, **lvii,** 730.
Palate, cleft, **lv,** 771; technic in operations for, **lxxiv,** 394; wide bilateral, operative suggestions for, **lxvii,** 112.
Soft, endothelioma of the, **liii,** 283.
Palm, avulsion of the, **lxxv,** 744.
Palmar arches, aneurism of the, **lxxx,** 347.
Bursitis, acute, with removal of rice bodies, **lvi,** 463.
Hand infections, deep, **lxvi,** 24; **lxvii,** 152.
PALMER, DUDLEY W.: Duodenal ulcer in infancy, **lxxiii,** 545.
Hyperplastic pyloric stenosis, **lxvi,** 428.
Panama Canal Zone, incidence of gall-stones and other calculi among laborers in the, **lix,** 107.
PANCOAST, HENRY K.: Fracture of the floor of the acetabulum, **lv,** 92.
Seminal vesiculitis, **lx,** 313.
Value of radium in treating pelvic tumors, **lxxi,** 782.
Pancreas, abscess of, drainage of, **lxxiv,** 434.
Accessory, causing intussusception, **lxvii,** 293; surgical significance of, **lvii,** 653.
And liver operations, mortality after, **lxxviii,** 195.
Considerations relating to the pathogenesis and diagnosis of surgical diseases of, **liv,** 798.
Cystadenoma of the, **lxi,** 759.
Cyst of the, retention, **lv,** 436; **lx,** 673.
Cysts of the, **liii,** 558; **lviii,** 563.
Diseases of the, and biliary tract, **lxviii,** 107; by Eugene L. Opie, review of, **liv,** 430.
Infections of the, use of the duodenal tube in the pre-operative study of, **lxxiii,** 556.
Intestinal communications with, **lv,** 166.
Necrosis of the head of, **li,** 936.
Resection of the, **li,** 818; **lii,** 134.
Subcutaneous laceration of the, **lxxx,** 636.
Surgery of the, **lviii,** 145; experiments on, **lxi,** 308.
Pancreatic asthenia, **lxxviii,** 177.
And gastric carcinoma, relationship between, **lviii,** 326.
Calculi, **lxii,** 351.
Cyst, **lxi,** 485; **lxxix,** 455; recurrent, **lv,** 434.
Hemorrhage and acute pancreatitis, **li,** 670.
Peri-pancreatic lymphangitis, and, **lviii,** 151.
Stones, surgical removal of, **lxxiv,** 380.
Pancreatitis, acute, **lvi,** 111, 335; **lviii,** 688; **lxviii,** 281, 349; **lxxvi,** 786; **lxxx,** 193; and subacute, **lxvii,** 278; complicating pregnancy, **lxxiii,** 115; hemorrhagic, **liii,** 432; **lxv,** 393; suppurative, **lxiv,** 329; **lxv,** 395; surgical treatment of, **lv,** 23.
And cirrhosis of the liver, **lxix,** 56.
Chronic, **lix,** 841; effect of cholecystectomy upon, **lxxiii,** 131; treatment of, **liii,** 768.
Experimental production of, **lxxiv,** 426.
Followed three years later by peritonitis of undetermined etiology, **lxxix,** 620.
Hemorrhagic, recurrent, **liii,** 566.
Reaction of Cammidge, and the studies of, **li,** 89.
Recovery after operations for, **lvi,** 336.

Traumatic, **lxxiv,** 435; **lxxvi,** 488.
Pancreatostomy in the treatment of chronic pancreatitis, liii, 768.
Papaverin, experience with, in the treatment of ureteral calculus, **lxv,** 611.
Papilloma and adenoma of gall-bladder, **lxxvii,** 276.
Carcinomatous, of the renal pelvis, **lxxv,** 605.
Papillomas of the gall-bladder, lxii, 193.
Papillomata of the urinary bladder, benign, treatment of with high frequency current, **lx,** 319, 404; **lxi,** 735.
Papillomatosis of urinary bladder, lxii, 496.
Paracelsus, by Stillman, review of, **lxxiii,** 516.
Paraduodenal hernia, left, **lxvii,** 195.
Paraffin hernia, **lxvi,** 308.
Mixture in the treatment of burns, **lxv,** 781.
Paraffine, removal of from inguinal canal in case of inguinal hernia, **lviii,** 710.
Paraffinoma of face, bilateral, excision of, **lxxx,** 946.
Paraldehyde, the anæsthetic effects of the intravenous injection of, **lvii,** 64.
Paralysis agitans following breast amputation, **lv,** 898.
Erb's, traumatic, **lviii,** 577, 683.
Infantile, tendon fixation in, **lxii,** 481; surgery of, **lxxiv,** 61.
Musculospiral, **lxxiii,** 781.
Of facial nerves, hypoglossal-facial anastomosis for, **lxvii,** 627.
Spastic, stabilization of wrist-joint by bone graft in, **lxxvii,** 246; surgery of, **lxvii,** 529, 616.
Volkmann's ischæmic, **liii,** 578; **lxv,** 250.
Paralytic deformities of the foot, astragalectomy in, **lxxx,** 861.
Paraplegia, spastic, due to abnormality of the posterior spinal vessels, **lxi,** 244.
Parathyreopriva tetania, parathyroid implantation in the treatment of, **liii,** 305.
Parathyroid glands, surgical anatomy of the, **lxiii,** 71, 124.
Implantation in the treatment of tetania parathyreopriva, **liii,** 305.
Protection of, during thyroidectomy, **lxiii,** 125.
Transplantation, post-operative tetany, **lvi,** 804; **lxxv,** 418.
Their surgical relation to goitre, **lv,** 185.
PARCE, A. D.: Improved method of skin grafting, **lxxv,** 658.
PARÉ, AMBROISE: Life and times of, review of, **lxxiv,** 668.
PARHAM, DUNCAN: Colloid carcinoma, **lxxvii,** 90.
Parietal bones, congenital perforations of the, **lx,** 807.
PARK, ROSWELL: Selected papers of, memoir, review of, **lxi,** 767.
Parker-Kerr suture, lxv, 400.
Parotid gland, atrophy and inactivity of; after obliteration of Stenson's duct, **lxxiv,** 331; post-operative infections of the, **lxix,** 172.
Tumor, composite, of the, **lxvii,** 749; mixed, of the, **lix,** 308.
Parotiditis, post-operative, **lxix,** 128; **lxx,** 713; **lxxviii,** 568.
PARSONS, CARL G.: Reflex action during general surgical anæsthesia, **lviii,** 891.
Partial occlusion of aorta by bands of fresh aorta and of fascia lata, lviii, 183.
PASCHAL, FRANK: Encysted foreign bodies, **lxxix,** 114.
Patella, bilateral congenital absence of, **lxxvi,** 280.
Dislocation of the, complete, outward, **lxxix,** 415; habitual, **lx,** 767.
Fracture of the, **liii,** 508, 581; **lxii,** 623; after arthrotomy, **lxxviii,** 106; Blake operation for, **lvii,** 582; compound, **lxv,** 753; longitudinal, **lxxx,** 635; old, **lvi,** 467; old, operation for, **lxi,** 754; old, treated by fascia lata transplant, **lxii,** 746; operation for, **lxix,** 647; review of 99 arthrotomies for, **lix,** 975; subcutaneous fixation of, **lxxiv,** 105; treated by autogenous bone grafting, **lix,** 483: treated by bone transplant, **lix,** 765;

treated by subcutaneous purse-string suture, **lii**, 267.
Ligament, sesamoid bone in, **lxv**, 794.
Longitudinal section of, for joint mouse, **lxxv**, 750.
Luxation of the, **lvii**, 737.
Old refracture of, with infection of knee-joint, **lxv**, 755.
Osteo-chondritis of, **lxxx**, 794.
Statistics about fractures and refractures of the, **lii**, 707.
Patellæ, fracture of both, suture of under local anæsthesia, **lv**, 638; transverse, bony union without suture, **lxiv**, 116.
Ligamentum, rupture or sprain fracture of the, **lvii**, 122.
Simultaneous fracture of both, **lviii**, 510.
Patellar border, defects of the, lxxiv, 775.
PATTERSON, ELLEN J.: Finger elevation of the hyoid bone in general anæsthesia, **lviii**, 660.
PAUL, EUGENE H.: Gastro-enterostomy in cases of perforated duodenal ulcer, **lxxvii**, 757.
PAYNE, R. L.: Chorio-epithelioma following hydatiform degeneration, **lxxiv**, 219.
PEABODY, CHARLES W.: Secondary foci of tuberculosis in Pott's disease, **lxxv**, 95.
PEACOCK, ALEXANDER HAMILTON: Blood pressure and prostatectomy, **lxiv**, 659.
PEARCE, RICHARD MILLS, and others: Experimental and clinical studies on the spleen and anæmia, review of, **lxviii**, 448.
PECK, CHARLES H.: Abscesses of kidney, **lxxvii**, 763.
Acute hæmatogenous infection of the kidney, **lxxv**, 759.
Acute hemorrhagic pancreatitis, **liii**, 433.
Acute pancreatitis with necrosis, **lxv**, 396.
Biliary surgery, **lx**, 765.
Bone cyst of humerus, **lxi**, 742.
Brachial plexus, neurorrhaphy, for rupture of the, **liii**, 858.
Carcinoma of the cæcum, **liii**, 298.
Carcinoma of the colon, **lxxx**, 450.
Carcinoma of the neck, **lvi**, 455.
Cases of acute pancreatitis, **lxv**, 398.
Chronic ulcer of the lesser curvature of the stomach, **lvii**, 771.
Colectomy, partial, for carcinoma of the splenic flexure, **liii**, 297.
Collargol radiographs of kidney and ureter, **lvi**, 366.
Diverticulitis, **lxxi**, 795.
Drainage in empyema, **lxix**, 667.
Effect of iodine in producing adhesive peritonitis, **lix**, 459.
Effect on sarcoma of the Coley toxins, **lx**, 107.
Endo-aneurismorrhaphy for popliteal aneurism, **liii**, 861.
Erb's paralysis, **lviii**, 684.
Excision of the rectum for cancer by the perineal route, **lii**, 556; **li**, 242.
Exophthalmic goitre; partial thyroidectomy, **lvi**, 456.
Factors bearing on the mortality in operation for biliary obstruction by calculus, **lxvi**, 225.
Fetal adenoma of the kidney, **lxi**, 749.
Fibroma of abdominal muscles, **lxix**, 651.
Gangrenous appendicitis in young infant, **lx**, 756.
Gastric and duodenal ulcer, **lxi**, 406.
Gastro-enterostomy for chronic duodenal ulcer, **li**, 950.
Gastro-enterostomy, radiographs for, **liii**, 863.
Hospitals of the American Expeditionary Force, **lxviii**, 463.
Intratracheal anæsthesia in operations upon the upper jaw, **lxix**, 182.
Intratracheal insufflation anæsthesia, **lvi**, 192.
Large colloid goitre of the neck, **lvi**, 457.
Laryngotomy for syphilitic perichondritis, **liii**, 859.
Mikulicz operation for colostomy, **lxxi**, 393.
Necrosis of the head of the pancreas, **li**, 936.

Non-calculous obstruction of the upper ureter, **lxii**, 252.
Œsophageal diverticulum, **lxxvi**, 659.
Operation for megacolon, **lxxiii**, 783.
Operations for carcinoma of the rectum: abdomino-sacral operation for, **lxix**, 670.
Operative treatment of hour-glass stomach, **lxv**, 378.
Partial gastrectomy for carcinoma, **li**, 947; **liii**, 294.
Perinephritic abscess of intestinal origin, **lvii**, 770.
Plastic operation for hydronephrosis, **lxix**, 181.
Present status of surgical treatment of chronic duodenal and gastric ulcer, **lxxx**, 31.
Protection of parathyroid glands in thyroidectomy, **lxiii**, 125.
Question of gastro-enterostomy in cases of perforated duodenal ulcer, **lx**, 497.
Repair of inguinal hernias, **lxix**, 661.
Repair of ventral hernias, **lxix**, 658.
Results of the staphylococcus infections of the face and lips, **lxxv**, 766.
Sarcoma of the nasal fossa, **liii**, 856; **lxxvi**, 662.
Splenectomy in hæmolytic jaundice, **lxxvii**, 765.
Treatment of chronic gastric and duodenal ulcer, **lxxviii**, 547.
Treatment of extensive comminution of bone, **lxviii**, 534.
Treatment of spreading peritonitis, **liii**, 153.
Tumors of the breast, **lxxv**, 631, 641.
Two-stage operation for carcinoma of the rectum, **lvii**, 772.
Use of plate in fracture of the acromion process, **lix**, 456.
Pectoral muscles, advisability of totally excising both, in the radical operation for cancer of the breast, **lxviii**, 17, 99, 100.
PEDERSEN, V. C.: Treatise on urology, review of, **lxxii**, 532.
Pediatric practice, use of X-ray in, by Thomas M. Rotch, review of, **liii**, 159.
Pedunculated flap, use of in reconstructive surgery, **lxviii**, 221.
PEET, MAX MINOR: Experimental colonic stasis, **lxiii**, 729.
Fracture of the acetabulum with displacement of the femoral head, **lxx**, 296.
High intestinal stasis, **lxiii**, 720.
Technic of Eck fistula, **lx**, 601.
PEHU, M.: Late results of gunshot wounds of the chest, **lxviii**, 659.
PELS-LEUSDEN, DR.: Pathogenesis of renal tuberculosis, **lv**, 168.
Pelvic abscess, management of in acute appendicitis, **lxxiv**, 480.
Bones, traumatic intra-acetabular separation of the, **lx**, 367.
Floor repair, technic of, **lxv**, 247.
Kidney, report of case of, **lviii**, 809.
Operations, ureteral injuries during, **lxxvii**, 314.
Organs, tumors of the, relative values of radium and surgery in the treatment of, **lxxi**, 683.
Surgery, apparatus designed to facilitate, **liv**, 160.
Pelvis, fractures of the, **lxi**, 703; **lii**, 143; **lxxi**, 347, 397; multiple, **lxxvii**, 623; multiple, complicated, **lxx**, 115; suspension treatment in, **lxxiii**, 125; with rupture of the bladder, **lxv**, 222.
Giant-cell sarcoma of, **lxii**, 636.
Male, multiple fibroids in the, **lxxi**, 755.
PEMBERTON, JOHN DE J.: Surgery of the thyroid and its mortality, **lxxviii**, 146.
Penis, cancer of the, **lvi**, 471; **lxvi**, 613; **lxviii**, 74.
Carcinoma of the, amputation of, condition four and one-half years after, **lxiii**, 755; total extirpation, for, **lxiv**, 719.
Epithelioma of the, **lx**, 388.
Formation of bone in the human, **lvii**, 896, 955.
Fracture of the, **lix**, 402.
Plastic operation for the relief of an incurvation of the, **li**, 557.

Primary tuberculosis of the, **lv**, 305; glans, **lvii**, 894.
Teale flap applied to amputation of the, principle of the, **li**, 563.
PENNINGTON, J. RAWSON: Aluminum-potassium nitrate in osteomyelitis, **lxxvii**, 784.
Pennsylvania University Hospital, results of treatment of fracture of the shaft of the femur, **lxxiv**, 206.
PEPPER, O. H. P.: Hæmolytic jaundice of the Hayem Widal type, **lxxvii**, 248.
Peptic ulcer, **lxxvi**, 473.
Experimental production of, **lxxvii**, 409.
Operative treatment of, **lxx**, 526.
Primary and secondary, **lxxiv**, 579.
Subsequent to gastro-enterostomy, **lxxiii**, 434.
Use of the cautery in, **lxxviii**, 206.
PERCY, JAMES FULTON: Technic for radical cautery operation in breast cancer, **lxvi**, 397.
Perforating gastric and duodenal ulcer, **lxxiv**, 721; **lxxvi**, 38; recurring, **lxxvii**, 108.
Perforation acute of duodenal ulcer, **lxxviii**, 342; of the stomach with transposition of viscera, **lxxviii**, 680; of the stomach, **lxxviii**, 678; in utero of a gastric ulcer, **lxxviii**, 36.
Of bowel, in typhoid fever, **lxii**, 539.
Peri-arterial decortication, healed trophic ulcer of amputation stump following, **lxxviii**, 428.
Sympathectomy, **lxxvii**, 30.
Pericardial infections and emergency abdominal surgery, **lvi**, 565.
Pericardiotomy, **lv**, 321; for suppurative pericarditis, **lxxiii**, 393; **lxxix**, 293; for hemorrhagic pericarditis, **lvii**, 768.
Pericarditis, suppurative, **lxii**, 660; **lxxvii**, 236; pericardiotomy for, **lxxix**, 293; incision for, followed by temporary arrest of the heart beats, **lvii**, 367.
Pericardium, bullet in the, **lix**, 852; removal of, **lxiii**, 533.
Hemorrhage in the, traumatic, **lxvi**, 44.
Pericolic membrane, anatomy of and surgical technic in, **lx**, 113; Lane's kink, **lix**, 28.
Films, membranous, and bands, a further contribution to the study of, **lix**, 1.
Pericolitis sinistra, **lix**, 41.
Membranous, **lv**, 314, 764; **lvi**, 582, 656; **lvii**, 374; surgical aspects of, **lv**, 1.
Perienteritis membranosa, **lxii**, 74, 103.
Perineal hernia, **lxvi**, 235.
Prostatectomy, **lxix**, 331; technic of median, **liii**, 390.
Testicle, congenital, **lxxx**, 716.
Perinephric abscess, **li**, 382, 421.
Of intestinal origin, **lvii**, 770.
Perinephritis, double, with hydronephrosis, **lx**, 639.
Perineuritis and neuritis of arm, **lxxviii**, 89.
Periosteal sarcoma of femur, **lxxviii**, 417; fibula, **lxxviii**, 415.
Periosteum, artificial, for fixation of shaft fractures, **lxiii**, 182.
Osteogenic power of, **lxi**, 672.
Peri-renal hæmatoma, **lvii**, 303.
Peri-sigmoiditis, chronic, with partial volvulus, **lv**, 113.
Perithelioma of the carotid gland, **lxxx**, 789.
Peritoneal adhesions, prevention of by citrate solutions, **lix**, 101; **lxiii**, 198, 205; **liv**, 758; recurrent without evident peritonitis, **lxviii**, 84.
Cavity, distention with air for skiagraphy, **lxx**, 378; prevention of post-operative adhesions in the, **lxi**, 297, 365.
Pleural and, absorption, with reference to postural treatment, **lix**, 587.
Sac, lymphatic drainage of, **lxi**, 291.
Tuberculosis, **lxxiii**, 786.
Peritonei, pseudomyxoma, **lxxi**, 619.
Peritoneum, insufflation of, by oxygen gas in the Röntgen examination of the abdominal organs, **lxx**, 95.
Lymphangio-endothelioma of the, **lx**, 356.
Primary sarcoma of the, **lvi**, 681.

Peritonitis, acute diffuse, of undetermined etiology, three years after acute pancreatitis, **lxxix,** 620.
As a complication of prostatectomy, **lxxv,** 668.
Chronic, causing intestinal obstruction, **lxxvii,** 635.
Fibrino-purulent, progressive, **lxxix,** 616.
Idiopathic, of pneumococcus origin, **lx,** 387.
Intestinal obstruction and chronic multiple serositis relationship between, **lxxvii,** 423.
Malignant, of ovarian origin, treatment of, **lxviii,** 338.
Ochsner treatment in, **lxxvii,** 194.
Of undetermined origin, acute intestinal obstruction caused by, **lxxviii,** 116.
Pneumococcic, **lii,** 274; **lxvii,** 247, 263.
Primary, **lxxix,** 418; pneumococcal, **lxxx,** 958.
Spreading, treatment of, **liii,** 146.
Streptococcic, complicating erysipelas, **lxiv,** 379.
Suppurative, treatment of, **lxxix,** 622, 710.
Treatment of diffuse progressive free, **li,** 490.
Tuberculous, **lxii,** 95; **lxxvii,** 632; with cancer of ovary, **lxxiii,** 661.
Typhoid fever, in, **liii,** 651.
Use of intra-abdominal injections of hypertonic glucose solution in the treatment of, **lxxviii,** 357.
PERKINS, JOSEPH A.: Preliminary report of a method for estimating the germicidal activity of antiseptics, **lxviii,** 241.
PERMAR, HOWARD H.: End results of arterial transplants, **lxxviii,** 305.
Pernicious anæmia, splenectomy for, **lxxv,** 121.
Surgical treatment of, **lxxv,** 31.
With special reference to the spleen and the large intestine, **lxxiv,** 355.
Perobrachium, **lv,** 421.
Peroneus longus and brevis tendons, dislocation of the, **lvi,** 493; primary tuberculosis of the, **lvi,** 494.
Perthes' disease, **lxiii,** 372.
PETERKIN, G. S.: Calcareous degeneration of the prostate gland, **lxiii,** 681.
PETERSON, EDWARD W.: Blood transfusion, **lxxvii,** 364, 503.
Duodenal diverticula, **lxxvi,** 125.
Intussusception in infants, **lxxviii,** 682.
Sepsis following tonsillectomy, **lxxvii,** 760.
Solitary cyst of liver, **lxxvii,** 237.
Suppurative pericarditis, **lxxvii,** 236.
Petit, the triangle of, in kidney surgery, **lxii,** 451.
PETREN, GUSTAF: Retroperitoneal perforation of duodenal ulcer, **lxi,** 414.
PFAHLER, GEORGE E.: Combined cystoscopic and röntgenographic examination of the kidneys and ureter, **li,** 546, 592.
Malignant disease of the lungs as studied by the Röntgen rays, **lxxi,** 472.
Union of greatly overlapped fragments in fractures of the femur, **liii,** 588.
PFEIFFER, DAMON B.: Abscess of the prostate, **lxxi,** 233.
Anaphylaxis following blood transfusion, **lxxviii,** 88.
Appendicular obliteration, **lxi,** 438.
Case of supernumerary extensor of the digitis, **lxiv,** 380.
Chronic pancreatitis, **lix,** 841.
Congenital pyloric stenosis, **lxv,** 759.
Fractures of the pelvis, **lxxi,** 400.
Gastro-enterostomy in acute perforated ulcer of the stomach and duodenum, **lxxiii,** 441.
Gunshot fracture of the femur and wounds of the femoral vessels requiring amputation, **lxxviii,** 405.
Infection following tonsillitis, **lv,** 916.
Intra-abdominal hemorrhage from ruptured corpus luteum, **lxxix,** 296.

Late results of splenectomy for traumatic rupture of the spleen, **lxxx**, 562.
Ochsner treatment in peritonitis, **lxxvii**, 194.
Pancreatic and peri-pancreatic lymphangitis, **lviii**, 151.
Pathology of stiff shoulders, **lxiv**, 370.
Perforated Meckel's diverticulum, **lxxvii**, 622.
Pyocolpos and pyometra in an infant, **lxxii**, 625.
Radical operation for cancer of the breast, **lxxi**, 96.
Rôle of unabsorbable sutures in gastrojejunal ulcer, **lxiii**, 765.
Subacute massive proctitis, **lxxvii**, 626.
Submaxillary dermoid cyst, **lxx**, 123.
Supernumerary muscle of the dorsum of the hand, **lxiv**, 615.
Vaccine therapy as an adjunct to surgery, **lii**, 135.

Phalanx, distal, bone regeneration following chronic suppurative osteitis of, **lxxx**, 728.
Sarcoma of, partial removal of, for, **lii**, 122.

Pharyngo-œsophageal pressure diverticula, the radical extirpation of, **li**, 300.

Pharynx, sinus leading into, branchiogenetic cyst with, **lxvii**, 240.

PHELPS, CHARLES: Relation of trauma to cancer formation, **li**, 609.

PHEMISTER, DALLAS B.: Fascia lata transplant in old fracture of patella, **lxii**, 746.
Effect of pressure on articular surfaces in pyogenic and tuberculous arthritides and its bearing on treatment, **lxxx**, 481.
Fractures of the greater tuberosity of the humerus, **lvi**, 440.
Ossification in kidney stones, **lxxviii**, 239.
Recognition of dead bone, **lxxii**, 456.

Phenolsulphonephthalein test, lxv, 648.

PHIFER, CHARLES HERBERT: Cancer of the rectum and sigmoid in childhood and adolescence, **lxxvii**, 711.

Philadelphia Academy of Surgery, transactions of the, **li**, 131, 272, 592, 736; **lii**, 267, 565, 570; **liii**, 115, 437, 578, 730, 873; **liv**, 124, 276, 286, 567; **lv**, 120, 421, 636, 640, 777, 914; **lvi**, 487, 645; **lvii**, 289, 296, 569, 733, 905; **lviii**, 423, 540, 702; **lix**, 136, 280, 437, 745; **lx**, 404, 534, 654, 779, **lxi**, 237, 364, 502, 637, 754; **lxii**, 121, 376, 631; **lxiii**, 237, 251, 372, 627, 754; **lxiv**, 115, 368, 495, 746; **lxv**, 115, 240, 510, 751, **lxvi**, 99, 499, 609; **lxvii**, 110, 373, 613; **lxviii**, 71, 347, 538; **lxix**, 171, 551; **lxx**, 113, 251; **lxxi**, 94, 228, 396, 512, 777; **lxxii**, 402, 515, 627; **lxxiii**, 111, 375, 504, 638, 760; **lxxiv**, 104, 251, 792; **lxxv**, 240, 503, 736; **lxxvi**, 110, 277, 646, 648; **lxxvii**, 108, 228, 618, 754; **lxxviii**, 87, 93, 401, 534, 666; **lxxix**, 130, 293, 596, 605, 922; **lxxx**, 135, 608, 610.

Phillip's treatise on diseases of the ear, nose and throat, review of, **lxxviii**, 686.

Photography, flashlight autochrom, of pathological subjects, **lx**, 493.

Phthalein and indigo-carmin renal tests, interpretation of, **lxiv**, 434.

Physical factors influencing infection, lxviii, 436.

Physiology, studies in surgical pathological, from the Laboratory of Research of New York University, review of, **lxiii**, 508.

PICKHARDT, OTTO CARL: Management of pelvic abscess in acute appendicitis, **lxxiv**, 480.

Picric acid, advantages of for disinfection of skin, **lxix**, 127; **lvi**, 331.
Germicidal and osmotic actions of, **liv**, 230.
In operative surgery, **lxxiii**, 13.

PICTON, MAURICE: Hernia through the foramen of Winslow, **lxxix**, 605.

PILCHER, JAMES TAFT: Carcinoma of the kidney, **lxxiii**, 301.

Deaver on enlargement of the prostate, review of, **lxxviii,** 126.
Quino-formol solution in war surgery, **lxviii,** 467.
Studies of pancreatitis and pancreatic reactions of Cammidge, **li,** 89.
PILCHER, LEWIS STEPHEN: Atlo-axoid fracture-dislocation, **li,** 208.
A further contribution to the study of pericolic membranous films and bands, **lix,** 1.
American Surgical Association report on treatment of fractures, review of, **lxxviii,** 128.
Biography of Lawson Tait, review of, **lxxviii,** 122.
Campaign against cancer, **lxii,** 126.
Fractures of the lower extremity or base of the radius, **lxv,** 1.
Gerster's recollections of a New York Surgeon, review of, **lxvii,** 384.
Gray on early treatment of war wounds, review of, **lxix,** 443.
Influence of war surgery upon civil practice, **lxix,** 565.
Kidney with double pelvis and double ureter, **lxv,** 534.
Ochsner's system of diagnosis and treatment, review of, **lxxvi,** 128.
Packard's translation of the life and times of Ambroise Paré, review of, **lxxiv,** 668.
Paracelsus, review of Stillman's life of, **lxxiii,** 516.
Perienteritis membranosa, **lxii,** 103.
Surgical aspects of membranous pericolitis, **lv,** 1.
Technic of operation for tumors of the breast, **lxv,** 654.
PILCHER, PAUL MONROE: Exactness in diagnosis and conservatism in treatment of renal calculus, **lviii,** 616.
Intraperitoneal operation for carcinoma of the bladder with new method of treating the divided ureter, **liv,** 593.
Observations on the diagnosis of renal tuberculosis; indications for nephrectomy in its treatment; the technic of the operation, **lvi,** 292.
Portrait of, opposite, **lxv,** 529.
Radical cure of femoral hernia in the aged, **liii,** 676.
Results of operations for tumors of the breast, benign and malignant, **lxv,** 654.
Transvesical prostatectomy in two-stages, **lix,** 500.
Tributes to the memory of, **lxv,** 529, 530, 531.
Pilonidal sinus, lxxix, 410.
Pineal gland, operations upon the, **lii,** 1, 120.
Tumor of the, **lii,** 15, 120.
Ping-pong-ball indentation of the skull without fracture, li, 518.
Pinning of fracture of radius, lxv, 393.
Pipe bones, sarcoma and aneurism of the, **lii,** 145.
PIPER, EDMUND B.: Remarks on the surgery of the European war, **lxiii,** 208.
Pirogoff's reamputation of the foot, lxv, 770.
Pisiform bone, dislocation of the, **lxxv,** 238.
Simple fracture of, **liv,** 229.
Pituitary body, approach to, through the anterior cranial fossa, **lvii,** 145, 303.
And its disorders, by Harvey Cushing, review of, **lvii,** 137.
Cyst, injections of posterior lobe extract for, **lxii,** 101.
Gland, anatomical and surgical desiderata in the removal of the, **liii,** 44.
Tumor, **lix,** 452.
PITZMAN, MARSH: A fundamentally new technic for inguinal herniotomy, **lxxiv,** 610.
No surgical appendicitis without organic strictures, **lxxi,** 149.
Plaster bandage, prolonged wearing of a, without removal, **lxxix,** 636.
Plaster-of-Paris dressings in fractures, immediate application of, **lxiii,** 634; in the treatment of fractures, **lxxii,** 774.
Plastic and cosmetic surgery by Frederick S. Kolle, review of, **liv,** 717.

Plastic on face by tubular flap method, **lxxii,** 637; studies in, **lxv,** 297.
On hand, **lxxv,** 630; **lxxvi,** 121.
Operation for the relief of an incurvation of the penis, **li,** 557; repair of cheek defect, **lvii,** 361; **lxxviii,** 87; on the leg, **lxxvi,** 124.
Operations, immediate, involving tendons and joints in injuries, **lxxviii,** 100.
Reconstructive surgery of the hand and forearm, **lxviii,** 55, 71.
Repair of the thumb, **lii,** 536.
Restoration of the lower lip, **liv,** 133.
Surgery, general, **lxxvii,** 257; its principles and practices, review of Davis's treatise on, **lxxii,** 766.
Of the face, **lxxvi,** 129; **lxxx,** 610; review of Gillies' treatise on, **lxxii,** 766.
Problems of, **lxvi,** 88, 101.
Platinum in unused instruments, utilization of, **lxviii,** 456.
PLATOU, EIVIND: Osseous cysts and so-called giant-cell sarcoma, **lxvii,** 312.
Pleural cavity, drainage of after thoracotomy, **lxvi,** 604; empyema of the, **lxxviii,** 711; removal of drainage tubes from, **liv,** 250.
Effusions, septic, complicating penetrating wounds of the chest, early treatment of, **lxviii,** 661.
Epilepsy, **lxxviii,** 6.
Pleurectomy, total in cases of pachypleuritis, **lxviii,** 664.
Visceral, for chronic empyema, **lix,** 884; **lx,** 126.
Pleurisy, acute suppurative, the treatment of, **lxxiii,** 531.
Pneumatic injector for local anæsthesia, lxxix, 637.
Pneumatic tourniquet, lii, 700.
Pneumatocele, subdural, traumatic, **lxxv,** 764.
Pneumectomy, its possibilities, **lv,** 513.
Pneumococcal peritonitis, primary, **lxxx,** 958.
Pneumococcic arthritis, lix, 71.
Pneumococcus abscess in goitre, **lxvi,** 115.
Infections of the extremities, **liv,** 390; of peritoneum, **lx,** 387.
Mastitis, bilateral, **liii,** 726.
Peritonitis, **lxvii,** 247, 263.
Subphrenic abscess, **liii,** 420.
Pneumonia, complicated by gangrene of an extremity, **lxxiv,** 565.
Pneumoperitoneum, lxx, 378.
Pneumothorax, traumatic, **lxxx,** 615.
Pneumotomy for bronchiectasis, **lxvi,** 603.
Gangrene of lung, **lviii,** 700.
Pneumoventricle of the cerebrum, lxxviii, 561.
Pocketing operations and other skin and fat transfers, lxx, 469.
Pollicis, extensor longus, rupture of tendon of, **lxxviii,** 87.
POLLOCK, LEE W.: Diverticulitis of the colon, **lxxx,** 425.
Polya-Balfour method of resection of stomach, lxvii, 761.
Polycystic kidney, bilateral, **lxv,** 580.
Polycythemia, pseudo, **lxxiii,** 223.
Polyposis of the colon, lxvi, 231; intestinal tract, **lxxii,** 649.
Polyps of the male urethra, lx, 325.
Polyserositis, lxxix, 301.
Polyuria, functional diagnosis of renal disease, especially by experimental, **li,** 340.
POOL, EUGENE H.: Accessory thyroid, **lx,** 380.
Actinomycosis of intestines, **lxxi,** 793.
Acute hemorrhagic pancreatitis, **lxv,** 393.
Anomalous abdominal membranes, **lxxv,** 753.
Anterior dislocation of semilunar bone, **lv,** 626.
Bone metastasis in hypernephroma, **lii,** 533.
Carcinoma of accessory thyroid, **lii,** 711.
Carcinoma originating within an adenofibroma of the breast, **lxi,** 351.
Cervical rib, **lxxiii,** 787.
Congenital macrodactylia, **lii,** 562.

Contracture of wrist, **lxxiv,** 639.
Dangers of Murphy button in intestinal surgery, **lxxiii,** 251.
Drainage in cases of acute pancreatitis, **lv,** 397.
Fracture-dislocation of the cervical spine, **lxxx,** 155.
Fracture-dislocation of the head of humerus, **lxxiv,** 637.
Gastro-enterostomy, benign stenosis of pylorus, **lviii,** 664.
Gastro-enterostomy, persistent vicious circle, **lviii,** 663.
Gastro-enterostomy with occlusion of pylorus, **lviii,** 664.
Gastro-jejunal ulcer after gastro-enterostomy, **lxxiii,** 654.
Gaucher spleen, **lxxiv,** 635.
Hemorrhagic pancreatitis, recurrent, **liii,** 567.
Hepatic jejunal anastomosis for destruction of common duct, **lxxv,** 630.
Hyperplastic tuberculosis of colon, **lxxi,** 791.
Late results of gastro-enterostomy for gastric ulcers, **lxxvi,** 457.
Late results of splenectomy for von Jaksch's anæmia, **lxv,** 258.
Mobilization after compound fractures of bones, **lxxi,** 525.
Multiple ureteral calculi and pyonephrosis, **lxv,** 260.
Nephrolithiasis and pyonephrosis in child, **lxv,** 258.
Objection to the use of non-absorbable suture material in gastro-intestinal anastomosis, **lxvi,** 122.
Old subcoracoid dislocation, **lv,** 626.
Partial gastrectomy for carcinoma, **lv,** 628.
Pericardiotomy for suppurative pericarditis, **lxxiii,** 393.
Parathyroid transplantation for post-operative tetany, **lvi,** 804.
Partial gastrectomy for ulcer, **lv,** 628.
Plastic operation on leg, **lxxvi,** 124.
Post-operative intestinal obstruction, **lix,** 312.
Pyloroplasty with excision of duodenal ulcer, **lviii,** 665.
Remarks on appendicitis, **li,** 943.
Results of operation for sarcoma, **lxii,** 116.
Sacro-coccygeal chordoma, **lxxx,** 157.
Splenectomy for Banti's disease, **lx,** 769.
Splenectomy for Jaksch's anæmia, **lxiii,** 122.
Splenectomy for splenic anæmia; continued hæmatemesis due to thrombosis of splenic vein, **lxxx,** 155.
Suction tip for aspiration in abdominal operations, **lx,** 652; **lviii,** 537.
Surgical anatomy of the thyroid and the parathyroid glands, **lxiii,** 71, 124.
Three consecutive transfusions, of blood for profound secondary anæmia, **lii,** 711.
Tolerance of foreign bodies by tissues, **lxiii,** 115.
Transfusion by Carrel's end-to-end suture method, **lii,** 433.
Transfusion and splenectomy in an infant, **lxi,** 349.
Transposition of viscera, with appendicitis, **lvi,** 940.
Treatment of heart wounds, **lv,** 485.
Treatment of recent wounds of the knee-joint, **lxx,** 266.
Tuberculosis of the kidney and ureter, **lvii,** 926.
Ulcer of the jejunum following gastro-enterostomy, **lxxiii,** 647.
Unilateral renal hæmaturia, **lvii,** 923.
Pope, Saxton: University Hospital shoulder splint, **lxvi,** 581.
Use of citrate solution in the prevention of peritoneal adhesions, **lix,** 101.
Popliteal artery, traumatic rupture of the, **lxxiv,** 625.
Space, cyst of the, **lxxv,** 246; fibroma of the, **lv,** 447.
Traumatic aneurism, **lxxvii,** 108.
Vein, bullet wound of, **lxiii,** 112.
Vessels, aneurismal varix of the, **lv,** 640; end-to-end anastomosis of the, **lx,** 777.
Portal pylephlebitis, suppurative, **liii,** 549.
Portal vein, anomalous, with its surgical dangers, **lxxiv,** 697.

PORTER, CHARLES A.: Case of acute pancreatitis, **lvi**, 336.
Diverticulitis of the cæcum, **lvi**, 341.
Sarcoma of upper lumbar vertebræ cured by Coley's toxins, **lx**, 105.
PORTER, MILES FULLER: Address on shock, **lxviii**, 76.
Cholecystectomy, **lxvi**, 321.
Co-existing infection and sarcoma of thyroid, **lvii**, 501.
Enterostomy as a therapeutic and diagnostic measure, **lxxx**, 501.
Goitre, a clinical study of 139 cases, **lxxii**, 129.
Leather bottle stomach, **lxii**, 33.
Surgical aspect of tumor of the brain, **lxxiv**, 321.
Surgical treatment of goitre, **lxiv**, 395, 494.
Post-influenzal abscess of the sheath of the rectus muscle, **lxx**, 188.
Post-operative hemorrhage, mechanism of, **lxxx**, 652.
Post-operative bleeding, prevention of, after bloodless operations, **lxxx**, 798.
Post-typhoid abscess of the radius, **liii**, 574.
Postural treatment, its effects upon peritoneal and pleural absorption, **lix**, 587.
Posture in cases of abdominal drainage, **lxvi**, 414.
POTTER, PHILIP C.: Bone regeneration following chronic suppurative osteitis of the distal phalanx, **lxxx**, 728.
Pott's disease, acute, **li**, 421; bone grafting for, **lix**, 136; bone transplantation for, **lviii**, 570; operative treatment of deformity of, **liv**, 841; of the spine, operation for, **lv**, 682; secondary foci of tuberculosis in the spine in, **lxxv**, 95.
Pott's fracture, complicated, treated by lengthening of the tendo-achillis, **lxviii**, 330; operative treatment after, **lxxii**, 388.
POWERS, CHARLES A.: Acute diverticulitis of the sigmoid flexure of the colon, **lvi**, 118.
Acute pneumococcus infections of the extremities, **liv**, 390.
Anæsthetics in tuberculous patients, **liv**, 419.
Influence of the American Surgical Association on the growth and development of American surgery, **lviii**, 1.
Open treatment of fractures, **liv**, 409.
Phases of war surgery, **lxx**, 476.
Systemic blastomycosis, **lix**, 815.
Tuberculosis of the breast, **lvii**, 171.
PRATT, GEORGE P.: Gastro-colic fistula, **lxxvii**, 433.
Penetrating war wounds of the chest, **lxxii**, 352.
Precancerous conditions, cancer and, **lix**, 47.
Pregnancy, extra-uterine, **lvi**, 835; ruptured, **lxxi**, 239; specimen of very early, **lxxi**, 512.
Primary ovarian, **liv**, 206.
Toxins of, and gall-bladder disease in the fœtus, **lxxix**, 159.
Tubal, **lix**, 743.
Preparation, pre-operative of handicapped surgical patients, **lxxix**, 803.
Preparatory and after-treatment in operative cases, by Herman A. Haubold, review of, **li**, 603.
Preparedness, **lxiv**, 129.
Pressure, the effect of, on articular surfaces in pyogenic and tuberculous arthritides and its bearing on treatment, **lxxx**, 481.
Priapism, **lx**, 689.
PRICE, GEORGE E.: Endothelioma of frontal lobe, **lxiii**, 380.
PRIME, FREDERICK, JR.: Action of radium on transplanted tumors of animals, **lxii**, 751.
Transplantable chondro-osteosarcoma in a dog, **lxiv**, 58.
PRIMROSE, ALEXANDER: Choriocarcinoma, **li**, 863.
Cranioplasty, **lxx**, 1.
Hemorrhage into peritoneal cavity caused by rupture of ovary, **lvi**, 125, 338.
Ivory dowel for preserving the finger after removal of enchondroma, **lvi**, 766.

Open treatment of fractures, **liv,** 408.
Primary carcinoma of the vermiform appendix in sisters, **lxxii,** 685.
Removal of stone from ureter, **lviii,** 286.
Secondary manifestation of malignant disease, **lxxvi,** 312.
Tumors of the breast, innocent and malignant, **lxxvii,** 668.
Two-stage operation in the treatment of cancer, **lx,** 109.
Value of the transfusion of blood in the treatment of the wounds in war, **lxviii,** 118.
Visceral pleurectomy for chronic empyema, **lx,** 127.
PRINCE, HOWARD L.: Modified autogenous grafting and turning skin flaps to cover granulating surfaces, **liv,** 848.
Prison surgery, spinal analgesia in, **lviii,** 947.
PROBSTEIN, JACOB G.: Gangrene of the breast complicating diabetes, **lxxix,** 634.
Procidentia uteri, new operation for, **lxv,** 469.
Proctitis, subacute, massive, **lxxvii,** 625.
Projectiles, localization and extraction of, **lxiv,** 151.
Prolapse of rectum in children, **lxxvi,** 496; infants, anatomical considerations in the, **lxxi,** 163.
Uterus, mode of ventro-fixation for the relief of, **lxii,** 479.
Uterine, surgical treatment of, **lxxvi,** 106.
Proliferating epithelioma of sigmoid flexure, lxi, 639.
Prostate, abscess of the, **lxxi,** 172, 233.
Calculous cast of, **lxxvii,** 381.
Cancer of the, **lxxvii,** 628; **lxiv,** 94; operative procedure in, **lvi,** 738; symphysiotomy as an aid to the removal of, **lxxiii,** 609.
Cases, infections in, **lxvi,** 362.
Enlarged, use of radium and the punch operation in desperate cases of, **lxv,** 633.
Gland, calcareous degeneration of the, **lxiii,** 681; human, surgical pathology of the, **lxviii,** 399; in old age, **lxii,** 716.
Large, **liv,** 270.
Removal of, transpubic, for carcinoma, **lxxviii,** 795.
Sarcoma of the, **lxxi,** 168.
Tuberculosis of the, **lxiv,** 720; primary, **lxii,** 473.
Prostatectomy, lxvi, 371.
And blood pressure, **lxiv,** 659.
Complicated by peritonitis, **lxxv,** 668.
Control of hemorrhage in, **lxxviii,** 802.
Followed by acute dilatation of the stomach, **lxvii,** 489.
In a general surgical practice, **lix,** 373, 802.
Perineal, **lxv,** 382; **lxix,** 331; **lx,** 638; median, the technic of, **liii,** 390.
Suprapubic, changes in the normal bladder and its sphincters following, **lix,** 544; control of hemorrhage after, **liii,** 429; in two-stages, **lxii,** 463; shockless, technic of, **lix,** 278; technic of, **liii,** 438; versus perineal, **lix,** 360.
Transvesical in two-stages, **lix,** 500.
Prostatic abscess, sidelights on, **lxv,** 642.
Adenoma, mechanism of obstruction in, **lxvii,** 493.
Carcinoma, radium in the treatment of, **lxxx,** 881.
Hypertrophy, important points relating to the surgical treatment of, **lxviii,** 522.
Obstruction and vesical atony, **lxi,** 276; the problem of, **lxv,** 538.
Prostatism, lix, 321.
Protective ferments of blood, for transplantation of organs, **lxi,** 149.
PROUST, ROBERT: Distant results of a suture of the heart following a wound by a pistol shot, **lix,** 968.
Pseudomyxoma peritonei, lxxi, 619.
Psoas abscess, early operation for tubercular, **liii,** 115.

Psoas parvus muscle, contracture of, simulating appendicitis, **lviii,** 483, 864.
Psychology, practical hospital, **lxxvii,** 112.
Pubic bone, osteomyelitis of the, **lx,** 507.
PUGH, WINFIELD S.: Stricture of the female urethra, **lxxix,** 770.
Pulmonary abscess, **lviii,** 567; bronchiectasis, **lix,** 855.
Artery, ligation of branch of, for bronchiectasis, **lxvi,** 602; surgery of the, **lviii,** 188.
Complications, post-operative, **lxxix,** 506.
Fat embolism, **lxxvi,** 581.
Fistula, **lxvii,** 366.
Infections, surgical intervention in cases of, **lx,** 121.
Lip fistula, **lxxvii,** 777.
Lobectomy, **lxvi,** 108.
Pleural and, complications of tropical abscess of the liver, **lix,** 891.
Surgery, recent advances in, **liii,** 593, 730.
Teratome, **lxvii,** 73.
Thrombosis after gastrectomy for carcinoma of the stomach, **lvii,** 762; fatal post-operative, **lxxii,** 91.
Tuberculosis, unilateral, the surgical treatment of, **lxxvii,** 652.
Pulse rate observations in head traumas, lxvii, 51.
Purpura, hemorrhagic, splenectomy in, **lxxviii,** 186.
Of the bladder, **lviii,** 388.
Surgical aspects of, **lviii,** 258.
Putti's operation for paralytic toedrop, lix, 432.
Pyelitis, with ureteral strictures, study of fifty cases of, **lxxiii,** 348.
Pyelography, the cause of pain in, **lvii,** 888.
In the diagnosis of hydronephrosis, **lviii,** 766; kidney injuries, **lx,** 729.
Recent development in, **lii,** 645.
Uretero (a critique on its use as a diagnostic procedure), **lxxx,** 712.
Pyelo-nephrolithotomy followed by secondary hemorrhage, lxix, 556.
Pylephlebitis, complicating appendicitis, **lxi,** 589.
Diffuse, complicating appendicitis, **lvi,** 938.
Portal, suppurative, **liii,** 549.
Pylorectomy following pyloroplasty, lviii, 571.
And partial gastrectomy for perforating ulcer of the stomach, **li,** 574.
Followed by Kocher's method of gastroduodenostomy in certain cases of carcinoma of the stomach, **lxxix,** 229.
For ulcer of the stomach, **lx,** 112, 503; two-stage operation for, **lxi,** 479.
Pyloric adhesions, **lvii,** 720; freed by operation, **liv,** 262.
And duodenal ulcer, **lxv,** 246; ulcers, persistent after simple suture of an acute perforation, **lxxii,** 597.
Exclusion by fascial bands, the inefficiency of, **lxiii,** 438; technic of, **lv,** 155; value of in the treatment of pyloric and duodenal ulcers, **lxvii,** 560.
Stenosis, benign, resection of the stomach for, **lvii,** 272; congenital, **lv,** 631; **lx,** 342; **lxv,** 759; Finney pyloroplasty for, **lxxix,** 146; from gastric ulcer, **liii,** 727; hyperplastic, **lxvi,** 428; in infancy, **lxix,** 531, 558.
Ulcer, anatomic and physiologic principles concerning, **lviii,** 320.
Pyloroplasty and gastro-enterostomy, comparative results of, in stomach surgery, **lxxiii,** 450.
For perforating duodenal ulcer, **lviii,** 414.
With excision of duodenal ulcer, **lviii,** 665.
Pyloroptosis, a cause of neurasthenia, **liv,** 306, 426.
Pylorus, activity of, for gastroenterostomy, **lxi,** 567.
Carcinoma of the, partial gastrectomy for, **liii,** 728.
Congenital hypertrophic stenosis of the, **liv,** 167; in an adult, **lxxvi,** 444.

Constriction of the, cicatricial, **lvi**, 479.
Duodenum and, stenosis of the, with excision and posterior gastro-enterostomy, **li**, 573.
Non-functionating, after gastro-enterostomy without occlusion, **lxvi**, 119.
Occlusion of the, **lxi**, 423, 488.
Permeable, function of the gastro-enterostomy opening in cases of, **lix**, 832.
Ptosis of, after gastro-enterostomy, **lxi**, 490.
Resection of ulcerated, **lvii**, 585.
Stenosis, of the, benign, **lv**, 446; caused by calcareous plaques in the abdominal aorta, **lxv**, 376; cicatricial, gastro-enterostomy for, **lx**, 649; in infancy, **lix**, 239; with hour-glass stomach, **lv**, 782.
Stricture of the, gastro-enterostomy for, **lvii**, 269.
Treatment of, after gastro-enterostomy, **lviii**, 663.
Tumor, benign, of the, treated by gastro-enterostomy, **lvi**, 796.
Ulcer of, resection for, **lxiv**, 360.
Pyoarthrosis of the knee, lxxvii, 230.
Pyocolpos and pyometra in an infant, lxxii, 625.
Pyocyaneus infection, lxiv, 195.
Pyonephrolithiasis, lv, 108.
Pyonephrosis, calculous bilateral, **lviii**, 419.
Leukæmia resembling, **li**, 283.
Tuberculous, **lxii**, 506.
With calculus of ureter, **lxvii**, 755.
With duplex kidney, **lxxix**, 602.
With late secondary hemorrhage, **lxxiii**, 645.
Pyopneumothorax, lviii, 402; and lung abscess following tonsillectomy, **lxxix**, 607.
Subphrenic, **lxxiii**, 338.
Pyosalpinx, torsion and strangulation of, **lxvii**, 637.

Q

QUACKENBOSS, ALEX: Tumor of the hypophysis, **lii**, 15, 120.
Quadriceps extensor tendon, rupture of the, **lv**, 443; **lvii**, 583; **lxii**, 624.
QUAIN, ERIC P.: Ptoses of the third portion of the duodenum, with obstruction at the duodeno-jejunal junction, **lxxii**, 606.
QUERVAIN, F. DE: Diagnosis of gastric and duodenal ulcer, **lx**, 252.
QUICK, DOUGLAS: Treatment of carcinoma of the tongue, **lxxiii**, 716.
QUILLIAN, GARNETT W.: Acidosis in surgery, **lxiii**, 385.
Quino-formol solution in war surgery, lxviii, 467.

R

RADCLIFFE, JOHN: Sketch of his life with an account of his fellows and foundations, by J. B. Nias, review of, **lxix**, 561.
Radial artery, aneurism of the, **lxxii**, 391.
Ridge, oblique extensor, **lxi**, 126.
Radiation of primary inoperable cancer of the breast, results of, **lxxvi**, 359.
Radiotherapy in Hodgkin's disease, lxxx, 786.
Radium, action of, on transplanted tumors of animals, **lxii**, 751.
And radiotherapy by William S. Newcomet, review of, **lx**, 664.
And Röntgen rays in cancer, therapeutic value of, **lxvii**, 442.

And surgery, relative value of in the treatment of tumors of the pelvic organs, **lxxi**, 683.
And X-rays in the treatment of lymphosarcoma, results of, **lxv**, 686.
Burn of foot, **lxxvii**, 628.
Cure of enormous goitre with, **liv**, 235.
Effects of, in the treatment of angioma of the face, **liv**, 237; macroglossia, **liv**, 238.
Experiences in the treatment of malignant tumors by, **lx**, 567.
In pelvic carcinoma, **lxxx**, 138.
In surgery, limitations of, **lxv**, 774.
In the treatment of carcinoma of the cervix uteri, **lxxii**, 701.
In the treatment of malignant tumors at Vienna, **lx**, 133.
In the treatment of prostatic carcinomata, **lxxx**, 881.
In the treatment of sarcoma of the tonsil, **lxi**, 364.
Large primary carcinoma of the liver treated with, **liv**, 236.
Place of, in surgery, **lxv**, 273.
Sarcoma of parotid, cured with, **liv**, 236.
Treatment of carcinoma of the bladder, **lxxiv**, 751; gland metastasis from tongue cancer, **lxxvi**, 651; uterine cancers, **lxiv**, 298, 602.
Use of and the punch operation in desperate cases of enlarged prostate, **lxv**, 633.
Use of for cure of papilloma of the larynx, **lvi**, 470.
Use of in the treatment of angioma of the neck, **lxviii**, 71.
Use of in the treatment of malignant tumors of the thymus gland, **lxxi**, 460.

Radius, absence of, bilateral congenital, **lxi**, 381.
Dislocation, anterior, of the head of the, **lix**, 799; of the head of the, complicated by fracture of the ulna, **lvi**, 631; of the head of the anterior, congenital, bilateral, **lxxi**, 798.
Fracture of the, **lxxii**, 428; above pronator quadratus muscle, **lv**, 778, 877; complicated, of the head of, **lx**, 514; compression, of the lower end of the, **lxxi**, 594; **lxxvi**, 599; epiphyseal, at lower end of the, **lv**, 44; head of the, **lix**, 631; Lane plate for, **lviii**, 668; head and neck of the, **lii**, 207; of the lower end of the, with anterior displacement of the lower fragment, **lxi**, 740; **lxxii**, 524; of the lower extremity of the, **lxiii**, 240; **lxv**, 1; **lix**, 769; longitudinal, **lxi**, 373; third, complete, in childhood, with greenstick fracture of ulna, **lxi**, 209; through the neck of the, **lxiv**, 511; treated by wiring, **liv**, 255; with dislocation at wrist, **lvi**, 801.
Homoplastic transplantation of, **lxiii**, 185.
Osteotomy of, **liv**, 130.
Pathological fracture of, with osteitis deformans, **lii**, 415.

RAINEY, WARREN R.: Tumor of the ovary with twisted pedicle in infant, **lxxix**, 879.

RANDALL, ALEXANDER: Abscess of the prostate, **lxxi**, 172.
Congenital valves of the posterior urethra, **lxxiii**, 477.
Gross pathology of median bar formation, **lxv**, 471.
Large stone in the bladder, **lxxii**, 521.
Median bar formation in the urinary bladder, **lxv**, 524.
Polyps of the male urethra, **lx**, 325.
Results of operations for cancer of penis, **lxiii**, 756.
Torsion of the testicle, **lxxviii**, 666.

RANKIN, FRED W.: Aneurism of the internal mammary artery, **lxxx**, 341.
Hæmangiomas of the gastrointestinal tract, **lxxvi**, 28.
Lymphosarcoma of small intestines, **lxxx**, 704.

RANSOHOFF, J. LOUIS: Acute gangrene of the gall-bladder following injury, **lxii**, 420.
Acute pancreatitis, **lvi**, 335.
Acute perforating sigmoiditis in children, **lviii**, 218.

Adherent hernias of large intestine, **lvi**, 313.
Congenital lipoma of cheek, **lxv**, 711.
Foreign bodies in the air passages, **lii**, 126.
Hemorrhage from an aneurism of internal carotid artery, **lxviii**, 152.
Hyperplastic tuberculosis of the small intestine, **lxxii**, 196.
Ice tong extension in fractures, **lvi**, 349.
Open treatment of fractures, **liv**, 407.
Operative cure in internal hydrocephalus, **liv**, 412.
Pancreatic hemorrhage and acute pancreatitis, **li**, 670.
Prognosis and operative treatment of fracture of the base of the skull, **li**, 796.
Radium treatment of uterine cancers, **lxiv**, 298.
Remarks upon anæsthesia, **liv**, 421.
Solid tumors of the mesentery, **lxxiii**, 211.
Terminal arterial anæsthesia, **li**, 453.
Traumatic facial diplegia, **lxx**, 150.
Visceral pleurectomy for chronic empyema, **lx**, 126.
Ranula, **lxxvii**, 681.
Ranular and branchio-genetic cysts, relationship between, **lxxii**, 164.
RANZI, DOCTOR: Extirpation of the spleen for diseases of the blood, **lx**, 133.
RATHBUN, NATHANIEL P.: Tribute to the memory of Paul Monroe Pilcher, **lxv**, 531.
RAVDIN, ISIDOR S.: Epithelioma of the face following X-ray treatment of a keloid, **lxviii**, 75.
Perforated gastric and duodenal ulcer without previous pain, **lxxiv**, 223.
Raynaud's disease, excision of adventitia of brachial artery (Leriche operation), for, **lxxviii**, 428.
Receiving and operating pavilions for a modern base hospital, **lxviii**, 333.
Recklinghausen's disease, case of, **lv**, 903.
Reconstructive surgery with pedunculated flaps, **lxviii**, 221.
Recording surgical operations at the front, methods of, **lxx**, 241, 252.
Records, system of keeping surgical, **lxiv**, 347.
Rectal anæsthesia, apparatus for, **lix**, 314.
Rectal and vesical incontinence relieved by operation, **lxxv**, 89.
Prolapse **in infants**, anatomical considerations in the, **lxxi**, 163.
Rectosigmoidal arterial anastomosis, **lii**, 529.
Junction, resection of the large bowel at the, **lxvii**, 189.
Rectovaginal lacerations, complete, repair of, **lxvii**, 501.
Rectovesical echinococcus cyst, **lix**, 396.
Rectum, adenocarcinoma of, perineal excision, **liv**, 234.
And anus, diseases of the, edited by A. B. Cook, review of, **lxi**, 377; by Samuel G. Gant, review of, **lxxviii**, 685.
And colon, diseases of the, by P. Lockhart-Mummery, review of, **lxxix**, 157; their surgical treatment, review of, **lxi**, 377.
And rectosigmoid, cancer of the, operation for, **lvi**, 240; radical treatment of, **lxiv**, 304.
And sigmoid, a method of anastomosis between, **li**, 239; cancer of the, in childhood and adolescence, **lxxvii**, 711.
And vagina, excision of, for cancer, **liv**, 234.
Cancer of the, **lxii**, 92, 370; **lxv**, 777; **lxvii**, 504; **lxxii**, 382; **lxxvi**, 795, 500; choice of operative procedure in, **lxv**, 129; end results of operations for, **lxxvi**, 386; excision of, long-lasting cure after, **lvi**, 469; major procedure first in two-stage operation for relief of, **lxi**, 446.
Carcinoma of the, **lxviii**, 89; **lxxiv**, 646; abdomino-sacral operation for, **lxvi**, 594; anatomy of a case of, **lviii**, 831; aseptic

amputation for, **lxvi,** 251; combined operation for, **lv,** 900; treated by two-stage operation, **lvii,** 772; involvement of the lymph-nodes in, **lxxvi,** 755; obstructing, upper, resection of, **lxxix,** 931; unusual method of anastomosis, **li,** 261.
Diverticula of the, **liii,** 223.
Diverticulitis of the, **liii,** 553.
Excision of the, for cancer, by the perineal route, **li,** 242; **lii,** 556; use of gluteus maximus as sphincter after, **lvi,** 476.
Foreign body in the, **lxxv,** 741.
Imperforate, **lix,** 286.
Myoma of the, **lxxiv,** 236.
Prolapse of the, **lvii,** 130; colpexy for, **lxviii,** 96; extreme, cured by operation, **lv,** 318; in children, **lxxvi,** 496; Moschcowitz operation for, **lx,** 643, 774; operation for, **lxvi,** 597; **lxvii,** 373; **lxxvii,** 770.
Removal of, for cancer, **li,** 854.
Resections of, for cancer, **lii,** 139; by the combined method in two-stages, **lii,** 836, 855; with retention of sphincter, **lv,** 899.
Union of colon with, **li,** 125.
Rectus muscle, hæmatoma in the sheath of the, **lxiii,** 244; post-influenzal abscess of the sheath of, **lxx,** 188; stitch for closing posterior sheath of, **lxiii,** 364; transplantation of the, in the radical cure of inguinal hernia, **lxx,** 81; **lxxvii,** 605.
Transplantation in certain cases of inguinal hernia, **lviii,** 473, 677; by special technic, **lviii,** 675.
Transposition in hernia, **lxvii,** 624.
Recurrent laryngeal nerve, surgical trauma of the, with restoration of function, **lxxx,** 606.
Red stippling sign of gastric and duodenal ulcer, lv, 534; **lxi,** 380.
Reder, Francis: Gunshot injury of the musculospiral nerve, **lxx,** 226.
Reduplication of the ureter, lxxvii, 563.
Reed, Leo B.: Thrombosis of the superior mesenteric artery, **lxxiv,** 797.
Reel, Philip J.: Cervical erosions, **lxxi,** 178.
Cystic dilatation of the appendix vermiformis, **lxv,** 743.
Cystic dilatation of the common bile duct, **lxxv,** 191.
Gelatiniform cancer of breast, **lxxiii,** 108.
Krukenberg tumor of the ovary, **lxxiii,** 481.
Sarcoma of the uterus, **lxxvii,** 476.
Reference hand book of the medical sciences, review of, **lxvii,** 125.
Reflex action during general surgical anæsthesia, lviii, 891.
Refracture of femur with plating, lxxi, 203.
Regional anæsthesia, lxxiii, 165.
Regional surgery, treatise on, by John Fairbairn Binnie, review of, **lxvii,** 127; **lxviii,** 452.
Rehn, Professor: Intrapleural exposure of the heart by means of longitudinal section of the sternum, **lx,** 117.
Reid, Mont R.: Drainage of the common bile duct, **lxxviii,** 620.
Drainage of the common bile duct through the cystic duct, **lxxiii,** 458.
Reitzfeld, I.: Fracture of the tarsal scaphoid, bone, **lxxi,** 680.
Remsen, Charles M.: Appendectomy in a young infant, **lvi,** 911.
Hernial sac in its relation to concealed intestinal injuries, **lviii,** 365.
Operative steps dealing with spontaneous intracerebral hemorrhage, **lxiii,** 513.
Renal arteries, relation of anomalous to hydronephrosis, **lii,** 184.
Artery, aneurism of the, **lxxviii,** 628.
Calculi, **lxix,** 173; bilateral, **lxv,** 606; with enterovesical fistula, **lxviii,** 541; shadowless, **lxxv,** 487.
Calculus, cases of, **liii,** 276; certain features of, **lxxviii,** 231; exactness in diagnosis and

conservatism in treatment of, **lviii**, 616; producing fistulæ, **lvi**, 794; pyonephrosis; nephrectomy, **li**, 260.
Disease, especially by experimental polyuria, functional diagnosis of, **li**, 340.
Drainage, preliminary to operations on the kidney, **lxv**, 593.
Dystopia with fusion, crossed, **li**, 582.
Function, value and limitation of diastase, urea and phthalein in estimating, **lviii**, 800.
Pelvis, carcinomatous papilloma of the, **lxxv**, 242, 605; deformities of the, **li**, 534; squamous-cell tumors of the, **lxxx**, 594.
Stone, error of overlooking under the diagnosis of appendicitis, **lv**, 264.
Tests, functional, interpretation of, **lxiv**, 434.
Tuberculosis, **lxv**, 346; **lxxx**, 787; cystoscopic examination in, **lii**, 239; in twins, **lxxiii**, 65; surgery of, **lxxix**, 395; unilateral, diagnosis and treatment of, **lxx**, 203.
Ureteral and, calculus, simultaneous removal of, **lv**, 324; surgery, technic of, **lxxviii**, 641.
Vessels, relation of variation in, pyelotomy and nephrectomy, **lxxi**, 726 (see also kidney).
RENSHAW, KINSLEY: Malignant neoplasia in the gall-bladder, **lxxiv**, 700.
Malignant neoplasms of the extrahepatic biliary ducts, **lxxvi**, 205.
REPLOGLE, JOSEPH P.: Sprains of rhomboideus minor muscle, **lxxvi**, 641.
Reposition of fracture, instrument for securing, **lx**, 511.
Reproductive organs, female, hernia of, into the inguinal canal, **lxxv**, 742.
Resection for stomach ulcer, lxxix, 953.
Resections, aseptic of intestine, **lxxvi**, 739, 745.
Long, of the intestine, **lxix**, 422.
Subperiosteal, for osteomyelitis, **lxxii**, 396.
Respiration, artificial, and intrathoracic œsophageal surgery, **lii**, 58.
Respiratory tract, foreign bodies in the, **lxiii**, 656.
Resuscitation by direct massage of the heart in cardiac arrest, **lxxx**, 555.
Retention, chronic of urine in young boys due to obstruction at the neck of the bladder, **lxxix**, 264.
Urinary, of the senile bladder, non-prostatic, **liii**, 57.
Retractor, abdominal, an improved, **lxxix**, 454; combination, **lv**, 419.
Retrocæcal appendix, treatment of, **lxiii**, 715.
Retroperitoneal abscess, **lviii**, 704.
And mesenteric cysts of a simple nature, **liii**, 355.
Angiosarcoma, excision of, **lxxix**, 311.
Cystadenomata, origin of multilocular, **lxi**, 312.
Hernia into the duodenal fossæ, **lxv**, 456; of the pericæcal type, **li**, 682.
Sarcoma, **lv**, 108.
Retrorectus laparotomy incision and closure, lviii, 828.
Retrosternal goitre, lxvii, 230.
Retzius, cellulitis of the space of, **liii**, 291, 436.
Reversal of the circulation as a preventive of gangrene of the extremities, lv, 195; in the lower extremity, **lxiii**, 277.
Rhinophyma, lxx, 169.
Rhinoplasty by cartilage transplant and pedicled temporal forehead flap, **lxxvii**, 116.
By finger, **lviii**, 408; **li**, 191; for carcinoma of the nose, **lxix**, 667; for extensive epithelioma of nose, **lxxix**, 466.
Rheumatism, tubercular, **lv**, 750, 776.
Rheumatoid arthritis of the hip, li, 937.
RHODES, GOODRICH B.: Intrapericardial traumatic hemorrhage, **lxvi**, 44.
Pulsating exophthalmos, **lxiii**, 389.

Suppurative pericarditis, **lxii,** 660.
RHU, AUGUST: Operation upon a new born babe, **lvii,** 144.
Rib, cartilage transplant for saddle-back nose, **lxviii,** 580.
Cervical, **lxxiii,** 778, 787; excision of, **lxxix,** 131.
Graft for saddle nose, **lxv,** 789.
Sarcoma of the, **lxxvi,** 283.
Use of, as a graft, with discussion of bone transplantation, **lvi,** 377, 468.
Rib finder, lviii, 685.
Ribs, cervical, simulated by adventitious ligaments, **lxxii,** 497.
Fractured, paralytic ileus as a sequel of, **li,** 102.
RICHARDSON, EDWARD H.: Saphenous varix simulating a femoral hernia, **lxvii,** 471.
Studies on peritoneal adhesions, **liv,** 758.
RICHARDSON, MAURICE H.: Error of overlooking ureteral or renal stone under the diagnosis of appendicitis, **lv,** 264.
Operative treatment of fractures, **lvi,** 350.
Results of operations in cases of acute pancreatitis, **lvi,** 336.
RIGGS, THEODORE F.: Diaphragmatic hernia, **lxxi,** 276.
RILEY, HENRY A.: Form and function of the central nervous system, **lxxviii,** 124.
RINKENBERGER, F. W.: Acute unilateral infection of the kidney, **lvi,** 309.
Simplifying cerebral localization, **lxviii,** 351.
RISLEY, EDWARD H.: Radium in the treatment of carcinoma of the cervix uteri, **lxxii,** 701.
Strangulated and irreducible hernia, **lxx,** 89.
RITCHEY, W. D.: Neuro-fibro-myxoma, treated by conservative operation, **lxxv,** 181.
RIXFORD, EMMETT: Acute suppurative cellulitis of the stomach, **lxvi,** 325.
Cases of diverticulitis, **lvi,** 343.
Etiology of congenital dislocation of the hip, **lvi,** 854.
Failure of primary rotation of the intestine in relation to intestinal obstruction, **lxxii,** 114.
Operations upon the chest, **lx,** 124.
Spiral fractures, **lxxvii,** 252.
Systemic blastomycosis, **lx,** 110.
ROBERTS, JOHN B.: Antiseptic treatment of wounds, **lxx,** 119.
Arteriovenous fistula, **lxi,** 370.
Artificial periosteum for shaft fractures, **lxiii,** 182.
Bony union of fracture of both patellæ without suture, **lxiv,** 116.
Charcot knee complicated by fractured leg, **lxix,** 171.
Child with multiple malformations, **lxx,** 252.
Congenital clefts of the face, **lxvii,** 110.
Congestion of the lower lobe of the right lung, an early symptom in appendicitis, **li,** 846.
Danger of the Bond splint in fractures of the radius, **lxviii,** 538.
Duodenal and gastric ulcer secondary to intestinal operations, **lvii,** 748.
Dupuytren's contraction treated by pedicled flap after incision, **lxvii,** 115.
Empyema thoracis, **lxxvii,** 250.
End results of fractures in lower extremities, **lxii,** 633.
Erroneous interpretation of X-ray plates, **lxix,** 171.
Everted dorsal dislocations of the hip, **liv,** 371, 410.
Fracture of condyle of lower jaw, **lxi,** 505.
Fracture of the lower end of the radius, **lxiii,** 241.
Fracture of the patella treated by subcutaneous purse-string suture, **lii,** 267.
Fractures of the shaft of the femur, **liii,** 587.
Free grafts, use of, **lxx,** 118.
Free skin grafts to replace loss of mucous membrane of mouth and nose, **lxxi,** 396.
Further note on etiology of surgical scarlatina, **lxiv,** 203.

Harelip and cleft palate deformities, **lxxvi,** 117.
Infection following tonsillitis, **lv,** 915.
Making of a surgeon, **lxxiv,** 257.
Method of closing wide cleft palate, **lxiv,** 115; **lxvii,** 112.
Open treatment of fractures, **liv,** 407, 576.
Operation for prolapse of the rectum, **lxvii,** 374.
Operative fixation as a cause of delay in union of fractures, **lvii,** 545.
Operative treatment of simple fractures, **lv,** 426.
Plastic surgery, **lxvi,** 101.
Radical operation for carcinoma of the breast, **lxxi,** 96.
Rational treatment of fractures, **lxxiii,** 385.
Recovery after operation for traumatic laceration of the liver, **lxx,** 251.
Remarks upon general anæsthesia, **liv,** 419.
Repair of nose defect, **lxxviii,** 539.
Sacro-iliac subluxation, **lvii,** 754.
Salvage of the hand by reparative surgery, **lxx,** 623.
Segment trephine, **lxix,** 176.
Shock, **lxviii,** 82.
Straus's method of fixing fractures, **lxiii,** 253.
Subcutaneous fixation of transverse fracture of the patella, **lxxiv,** 105.
Suggestions for the operative correction of syphilitic and other deformities of the nose, **li,** 173.
Surgery of the joints and bones, **lvi,** 350.
Treatment of fracture of the femur, **lxiv,** 122.
Treatment of gunshot fractures of the mandible, **lxviii,** 245.
Treatment of ununited intracapsular fractures of the femur, **lvi,** 653.

ROBERTS AND KELLY: Treatise on fractures, review of, **lxiv,** 633; **lxxiv,** 670.

ROBERTSON, L. BRUCE: Blood transfusion in war surgery, **lxvii,** 1.

ROBINS, CHARLES R.: Sarcoma and embryoma of the kidney in infants, **lxxvii,** 306.

ROBINSON, EDWARD PERCY: Artificial cell proliferation with horse serum in the treatment of burns, **lxv,** 367.

ROBINSON, ERNEST F.: Fracture-dislocation of the astragalus, **lxiii,** 606.
Treatment of ununited fractures of the tibia by transplantation of bone, **lix,** 495.

ROBINSON, SAMUEL: Investigations concerning the technic of lung resection with the application of both forms of differential pressure, **li,** 320.
Operative treatment of wounds of the heart, **liii,** 324.
Pneumectomy, its possibilities, **lv,** 513.
Surgical aspects of bronchiectasis, **lx,** 29.

ROBINSON, WILLIAM T.: Congenital diaphragmatic hernia, **lxxvii,** 725.

ROCKEY, ALPHA E.: Appendicostomy in Lane's operation for intestinal stasis, **liii,** 686.
Double uterus and vagina, operation for the correction of, **lxiii,** 615.
Intercapsulothoracic amputation with complete excision of the clavicle, **lix,** 116.
Transverse incision and dependent drainage in appendicitis, **lxxix,** 740.

ROCKWELL, A. D.: Autobiography of, review of, **lxxi,** 528.

RODMAN, J. STEWART: Abscess of brain, **lxiv,** 117.
Acute intestinal obstruction caused by Meckel's diverticulum, **lxxviii,** 92.
Acute intestinal obstruction from Richter's hernia, **lxiv,** 119.
Cancer of both breasts, **lxxii,** 417.
Cases of cranial defect, **lxxv,** 243.
Cervical meningocele, **lxx,** 118.
Chronic cystic mastitis, **lx,** 658.
Diphtheroid wound infection, **lxii,** 377.
Empyema, **lxx,** 49, 117; **lxxvii,** 251.

Femoral arteriovenous aneurism, **lxiv**, 749.
Gunshot wound of the spinal cord, **lxvi**, 609.
Lymphangioma of the great omentum, **lx**, 793.
Nephrolithiasis in childhood, **lxi**, 506.
Neuritis and peri-neuritis of arm, **lxxviii**, 89.
Operative removal of brain tumors, **lxxvii**, 770.
Plan of management of cranial injuries, **lxxviii**, 674.
Plan of management of cranial injuries based on a new grouping of such injuries, **lxxix**, 481.
Radical operation for cancer of the breast, **lxxi**, 96.
Retroperitoneal abscess, **lviii**, 706.
Sarcoma of humerus and femur, **lxiv**, 118.
Splenic anæmia, **lviii**, 601.
Splenectomy for pernicious anæmia, **lxvi**, 609.
Traumatic lesions of the head, **lxxviii**, 94.
Use of dichloramine-T in the treatment of wounds, **lxx**, 118.
RODMAN, WILLIAM L.: Bevan's operation for undescended testicle, **lvi**, 502.
Cancer and precancerous conditions, **lix**, 47.
Carcinoma mastitoides, **lvii**, 735.
Conservative excision of sarcoma of lower jaw, **lii**, 122.
Effects of Coley toxins on sarcoma, **lx**, 106.
Gastroptosis, **lii**, 569.
Perforated duodenal and gastric ulcer, **lvii**, 745.
Pylorectomy in cases of stomach ulcers, **lx**, 112.
Radical cure of hernia, **lv**, 916.
Treatment of infected joints, **lvi**, 652.
Tumors of the male breast, **lv**, 637.
Wire and plates in the treatment of fractures, **lxii**, 123.
ROEDER, CLYDE AUGUSTUS: Improved technic for intestinal anastomosis, **lxxx**, 939.
Squamous-cell epithelioma of the thyroid, **lxxiii**, 23.
ROGERS, ALLEN: Tolnol as a storing fluid for catgut, **lxiii**, 312.
ROGERS, JOHN: Acquired disease of the thyroid gland, **lx**, 281.
Autogenous bone grafting for fracture of patella, **lix**, 483.
Bone transplant in fracture of the patella, **lix**, 765.
Carcinoma of the thyroid, **lxv**, 788; **lxvi**, 222.
Cases of Graves's disease, **lv**, 460.
Cases illustrating post-operative failures in hyperthyroidism, **lx**, 381.
Corneal ulcer of exophthalmic goitre, **lxvi**, 222.
Exophthalmic goitre, **lxvii**, 750.
Gastrostomy for cancer of the œsophagus, **lxvii**, 750.
Hour-glass stomach, **lxviii**, 97.
Hypernephroma with abdominal nephrectomy, **lxv**, 392.
Intrathoracic cysts of the thyroid, **liii**, 854.
Management of toxic goitre, **lxxii**, 422.
Objection to use of non-absorbable suture material in gastro-intestinal anastomosis, **lxvi**, 122.
Partial thyroidectomy, **lv**, 908.
Radical operation for thyroid enlargement, **lvi**, 458.
Recurrent ulcers of the stomach, **lxix**, 549.
Results of "specific" remedies in diseased states accompanied by hypertrophy of the thyroid, **li**, 145.
Septic phlebitis following operation for appendicitis, **li**, 945.
Significance of thyroidism, **li**, 270.
Simple apparatus for intratracheal insufflation anæsthesia, **lvii**, 276.
Subacromial bursitis, **lxvi**, 113.
Surgical anatomy of the thyroid and the parathyroid glands, **lxiii**, 124.
Tuberculosis of the mesenteric gland, **lvii**, 260.
Ulcer of the stomach treated with double ligature, **lix**, 127.

Rollier sunshine method for treating surgical tuberculosis, lxiii, 251.
Röntgen examination for early diagnosis of post-operative ileus, lxxix, 715; of the abdominal organs during oxygen insufflation of the peritoneum, **lxx,** 95.
Diagnosis of the surgical lesions of the gastro-intestinal tract, review of George and Leonard on, **lxiii,** 255.
Ray in pediatric practice, by Thomas M. Rotch, **liii,** 159.
Röntgenographic examination of the kidneys and ureter, combined cystoscopic and, **li,** 546, 592.
Studies of bronchiectasis and lung abscess after direct injection of bismuth mixture, **lxxiii,** 362.
Röntgenography of the brain after the injection of air into the spinal canal, lxx, 397.
Röntgenograms of the skull, source of error in interpretation of, **lxix,** 4.
Röntgenologic diagnosis of surgical lesions of stomach and duodenum, lxi, 55.
ROSENBERGER, RANDLE C.: Tanner's ulcer, **lxiii,** 155.
ROSENSTIRN, JULIUS: Contribution to study of myositis ossificans progressiva, **lxviii,** 485, 591.
ROSS ATHOLE: Infections of the urinary tract by bacillus coli, and allied organisms, **li,** 355.
ROSS, GEORGE G.: Acute spontaneous perforation of gall-bladder into free peritoneal cavity, **lviii,** 428.
Altered anatomy and physiology of the cæcum and ascending colon, result of adhesions, **lxxiv,** 458.
Avulsion of the lesser trochanter of the femur, **lxv,** 241.
Carcinoma of the appendix, **liv,** 277.
Compound comminuted fracture of the forearm, **liv,** 277.
Fatal result of operation for fracture of the patella, **liii,** 583.
Foreign bodies in the small intestine, **lxiii,** 247.
Foreign body in elbow-joint, **lxiii,** 628.
Fracture of the pelvis, **lxxi,** 397.
Gall-stone ileus, **lxvi,** 100.
Gastro-enterostomy in the treatment of duodenal and gastric ulcer, **lvii,** 748.
Gastro-jejunal ulcer after gastro-enterostomy, **lxiii,** 764.
Infections of the hand, **lvii,** 561.
Intussusception, **lix,** 293.
Mesenteric thrombosis, **lxxii,** 121.
Methods of recording surgical operations at the front, **lxx,** 253.
Mortality statistics of 276 cases of acute intestinal obstruction, **lxi,** 198, 238.
Old shoe extension apparatus for fracture of the leg, **lxii,** 632.
Operation for exophthalmic goitre, **lvi,** 491.
Ovarian cyst complicated by uterine myoma undergoing malignant change, **li,** 137.
Ovarian cyst with twisted pedicle; chronic appendicitis, **li,** 136.
Perforated duodenal ulcer, **liv,** 279.
Perforated ulcers of stomach and duodenum, **lx,** 794.
Perforating ulcer of the sigmoid flexure of the colon, **liv,** 276.
Perforation at the stoma two years after gastro-jejunostomy, **lxiv,** 375.
Post-operative endocrine death, **lxxiii,** 112.
Post-operative intraperitoneal adhesions, **lxi,** 365.
Pseudo-diverticulum of a gall-bladder, **lxiii,** 627.
Pyonephrosis, **lvii,** 907.
Recovery after operation for traumatic laceration of the liver, **lxx,** 251.
Sliding hernia of the ureter, **lxxiii,** 613.
Spinal anæsthesia, **lv,** 424.
Study of sprain fracture, **lv,** 71, 123.

Study of sprain fracture as an essential to the occurrence of dislocation, **lvi**, 599, 656.
Subdiaphragmatic abscess, **lviii**, 424.
Technic of local anæsthesia, **lv**, 639.
Tooth-pick perforating cæcum, **lviii**, 707.
Torsion of the omentum, **lxiii**, 248.
Traumatic rupture of deep urethra, **lxi**, 239.
Treatment of acute appendicitis, **liii**, 878.
Treatment of burns, **lxxii**, 633.
Treatment of ureter in cases of tubercular kidney, **liii**, 734.
Treatment of wounds by dichloramine-T, **lxx**, 120.
Tubercular arthritis of the elbow, **liv**, 278.
X-ray treatment of carbuncle of face, **lxvi**, 99.
ROSSER, CHARLES M.: Transplantation of vermiform appendix into female bladder to supply an absent urethra, **lxix**, 435.
ROST, E. R.: Bone plastic for skull defects, **li**, 516.
Rotation of intestine, failure of primary, relation of to intestinal obstruction, **lxxii**, 114.
ROTHSCHILD, NORMAN S.: Chronic empyema, **lxxvii**, 241.
Round ligaments, shirring the, **lxiii**, 691.
ROUX-BERGER, J. L.: Decortication of the lung for pachypleuritis, **lxviii**, 664.
ROVSING, THORKILD: Abdominal surgery, review of, **lxi**, 512.
Gastrocoloptosis, **lvii**, 1.
Tuberculosis of the kidney, **lvi**, 521.
Value of direct gastro-duodenoscopy in affections of the stomach and duodenum, **lvi**, 201.
ROWNTREE, L. G.: Peritoneal and pleural absorption with reference to postural treatment, **lix**, 587.
Value and limitation of diastase, urea and phthalein in estimating renal function, **lviii**, 800.
ROYSTER, HUBERT A.: Barrel-stave splint in fracture of the clavicle, **lxx**, 474.
Rubber gloves, alum cream as a lubricant for, **lxi**, 124.
Notes on the use of, in surgical operations, **lxix**, 52.
Sterilization of, **lxix**, 340.
RUGH, J. TORRANCE: Arthroplasty, **lix**, 438.
Bone grafting for ununited fracture of the neck of the femur, **lx**, 783.
Bone transplantation for spinal tuberculosis, **lx**, 525.
Dislocation of the hip, **lx**, 657.
Effect of fibrolysin upon cicatrices, **lx**, 527.
Fractures of the os calcis, **lxxiv**, 107.
Implantation of silk to correct paralytic foot-drop, **lix**, 439.
Masland's bone saw equipment, **lxix**, 176.
Mouth bacteria, **lxix**, 172.
Removal of cartilaginous body from elbow-joint, **lxxiii**, 764.
Result of arthroplasty for ankylosis of jaw, **lxxviii**, 542.
Sprengel's deformity, **lxxi**, 230.
Sprengel's deformity of the shoulder, **lx**, 654.
Surgery of infantile paralysis, **lxxiv**, 61.
Three frequent causes of weak and flat feet, **lxxiii**, 499.
RULISON, E. T.: Drainage in appendicitis, **lxx**, 724.
Rupture of biceps flexor cubiti tendon, **lxxvii**, 358.
Bladder, spontaneous intraperitoneal, **lxxvii**, 206.
Jejunum, subcutaneous, **lxi**, 487.
Diaphragm, **lxxx**, 898.
Liver, **li**, 934.
Quadriceps extensor tendon, **lvii**, 383.
Sprain-fracture or, of the ligamentum patellæ, **lvii**, 122.
RUSK, G. Y.: Primary sarcoma of the œsophagus, **lxxviii**, 577.
RUSSELL, JAMES I.: Acute osteomyelitis of tibia, **lvi**, 360.
Acute suppurative osteomyelitis of the femur, **lvi**, 359.
Acute suppurative osteomyelitis of the scapula, **lvii**, 758.

Bilateral swelling of both heels, **liii**, 855.
Cancer of the large intestine, **lxxiii**, 755.
Chronic osteomyelitis of tibia, **lvi**, 361.
Contribution to echinococcus of the kidney, **lxv**, 585.
Ileus following gastro-enterostomy, **lx**, 645.
Management of growths of the large intestine, **lxxiv**, 511.
Moschcowitz operation for prolapse of the rectum, **lx**, 643.
Operation for double undescended testis, **liii**, 845.
Osteitis deformans with pathological fracture of the radius, **lii**, 415.
Osteomyelitis of the fibula, **lix**, 786.
Papillary cystadenoma of the male breast, **lvii**, 759.
Reformation of tibia after osteomyelitis, **lix**, 788.
Relative merits of jejunostomy and gastrostomy in ulcer of the stomach, **lxxv**, 748.
Sarcoma of tendon sheath, **liii**, 285.
Splenectomy for hæmolytic jaundice, **lxiv**, 627.
Subperiosteal resections for osteomyelitis, **lxxii**, 396.
Suppurative osteomyelitis of the tibia, **lix**, 784.
Traumatic separation of lower epiphysis of femur, **lvi**, 869; **lvii**, 135.
Treatment of empyema thoracis, **lxix**, 666.
Tuberculosis of kidney, **lxiv**, 628.
RYAN, T. J.: Traumatic pneumothorax, **lxxx**, 615.
RYAN, WILLIAM J.: Facial carbuncle with sinus thrombosis, **lxvii**, 119.
Fractures of the pelvis, **lxxi**, 347.
Intra-uterine sarcoma of humerus, **lxxvii**, 771.
Notes on fractures, **lxii**, 293.
RYTINA, ANTON G.: Renal tuberculosis, **lxv**, 346.
Spinal anæsthesia, **lxxix**, 283.

S

ST. GEORGE, ARMIN V.: Chronic productive thyroiditis, **lxxx**, 25.
ST. JOHN, FORDYCE BARKER: Carbuncle of the face, **lxxv**, 767.
Peritoneal tuberculosis, **lxxiii**, 786.
Rupture of the spleen in a child, following relatively slight trauma, **lxxx**, 624.
Ununited fracture of femur, **lxxviii**, 550.
SACHS, ERNEST: Clamp for osteoplastic craniotomy, **lxx**, 21.
Fracture of odontoid process of axis, **lvi**, 876.
Treatment of compound fracture of the skull with open dura, **lxix**, 1.
Tumors of the gasserian ganglion, **lxvi**, 152.
Sacral anæsthesia, **lxxix**, 118; nerve block, **lxxx**, 739; study of, **lxvi**, 718.
Sacral laminectomy for tubercular monoplegia, **liii**, 116.
Sacrococcygeal chordoma, **lxxx**, 157.
Cyst, **lviii**, 418.
Tumors, **lviii**, 384.
Sacro-iliac arthritis following typhoid fever, **liii**, 730.
Bone, osteomyelitis of the, **liii**, 115.
Displacement, **li**, 419.
Subluxation, **lvii**, 754.
Symphysis, traumatic luxation of, without fracture of the pelvis, **lxvii**, 348.
Sacrum, teratoma of the, **lxvii**, 496.
Saddle-back nose, correction of, by rib cartilage transplant, **lxviii**, 580.
Saddle-back ulcer of central third of stomach, **lxxiii**, 651.
Salernitanum, the school of, the English version, by Sir John

Harrington, review of reprint of, **lxxiii**, 390.
Salivary calculus in an acromegalic, **lxxiii**, 527.
Calculus, submaxillary, **lxxvi**, 778.
Gland, so-called mixed tumors of the, **lxvii**, 67; tumors of the, **lxvii**, 638; type, epitheliomas of the, aberrant adenoid cystic, **lxxv**, 331.
Salvarsan and neo-salvarsan; their intravenous injection, **lvi**, 753.
Saphenofemoral anastomosis, **lv**, 170.
SAMUELS, SAUL S.: Acute deferentitis and funiculitis, **lxxviii**, 785.
Mechanism of post-operative hemorrhage, **lxxx**, 652.
SANFORD, C. H.: Nitrous oxide, oxygen, anæsthol sequence in oral surgery, **lxvii**, 462.
SANTEE, HAROLD E.: Anthrax and its treatment, **lxxviii**, 326.
Chronic hypertrophic villous arthritis of the knee, **lxxviii**, 104.
Embolus of axillary artery, **lxxviii**, 550.
Fracture of patella after arthrotomy, **lxxviii**, 106.
Fractures about the upper end of the humerus, **lxxx**, 103.
Saphenous varix simulating femoral hernia, **lxvii**, 471.
Sarcoma, appendix, **lxiv**, 311.
Bladder, in a child, **lxv**, 628.
Bone, conservative treatment of giant-cell, **lvi**, 210.
Breast, **lxii**, 11; **lxxii**, 387.
Chest wall, **lviii**, 206, 853.
Chest wall, resection of the, for, **lxvi**, 110.
Clavicle, **lviii**, 556; **lxxvii**, 778; and scapula, **lxii**, 634; results following total excision, **lii**, 776; **lxxii**, 231.
Embryoma or, of the kidney in infants, **lxxvii**, 306.
Ethmoid, **lxvii**, 621; **lxxii**, 390.
Femur, **lviii**, 97, 280; **lxiv**, 357; amputation, hip-joint for, **lvi**, 785; giant-cell, with metastasis in femoral vein, **lxxviii**, 846; periosteal, **lxxviii**, 417; primary of the lower end, **lx**, 440; treated by mixed toxins, **lxv**, 370; treatment by mixed toxins, recovery after, **lvi**, 787.
Fibula, periosteal, **lxxviii**, 415.
Gall-bladder, **lxii**, 688.
Giant-cell and osseous cysts, **lxvii**, 312.
Humerus, **liii**, 286; head of, resection for, late result, **lxxiii**, 236.
Intestine, large, of the, **lviii**, 818.
Intestines and stomach, of the, **li**, 122.
Intestines, small, of the, **lxxvi**, 663; **lv**, 400; **lix**, 727, 749; lympho, **lxxx**, 704.
Intra-abdominal, cure of, by mixed toxins, **liii**, 299.
Jaw, **lii**, 493; lower, treated by mixed toxins, **lii**, 397; upper, cured by mixed toxins, **lxii**, 353; **lii**, 398.
Kidney, spontaneous hæmatoma in, **lxxvii**, 311.
Leg, **lxxx**, 790; with intracranial metastasis, **lxvi**, 506.
Lip, lower, diagnosis and treatment of, **lviii**, 545.
Long bones, cases illustrating conservative treatment of, **lxix**, 550; conservative treatment of, **lxx**, 633; **lxxiv**, 655; diagnosis and treatment of, **lx**, 103, 537; giant-cell, prognosis of, **lxxix**, 318, 321, 561.
Melanotic. disappearance under accidental streptococcus infection, **lxix**, 652; inoperable, of the neck, **lxxviii**, 414.
Multiple skin metastases, with, **li**, 566.
Nasal fossa, **liii**, 856; **lxxvi**, 662.
Occurring in scar tissue of the back, with metastasis to the lung; pressure necrosis of the aorta with hemorrhage and death, **li**, 745.
Œsophagus, primary of the, **lxxviii**, 577.
Omentum, **lii**, 399; **lxxvii**, 721.
Orbit, **lxiv**, 726.
Osteogenic, errors in X-ray diagnosis of (report of two cases with autopsy findings), **lxxx**, 730.
Pelvis, giant-cell, **lxii**, 636.

Peritoneum, primary, **lvi**, 681.
Prostate, **lxxi**, 168.
Psoas muscle, treated by excision, X-ray and Coley's fluid, **li**, 285.
Retroperitoneal, **lv**, 108.
Rib, **lxxvi**, 283.
Scapula, **liii**, 844; **lxxi**, 388.
Shoulder, **lxii**, 114.
Simulated by bursitis, **lxxii**, 392.
Stomach, **lxxi**, 628, 677; primary, **lii**, 506; **lviii**, 252.
Superior maxilla, late condition after excision, **lv**, 439; treated with mixed toxins, **lxii**, 504.
Suprapubic, **lxxiv**, 104.
Tendon sheath, **liii**, 285.
Testis, **lxxviii**, 108.
Thyroid, with coexisting infection, **lvii**, 501.
Tibia, disappearing under toxin and radium treatment, **lxix**, 654; treated with toxins, **lxv**, 372.
Urethra, male, **lv**, 416.
Uterus, **lxxvii**, 476; **lxxx**, 792.
SARGENT, ARTHUR F.: Transplantation of fibula, **lxxvi**, 91.
SARNOFF, JACOB: Extensive resection of the small intestine, **lxxviii**, 745.
SAUER, PAUL KURT: Treatment of surgical tuberculosis with the carbon arc lamp, **lxxv**, 400.
SAUERBRUCH, F.: Investigations concerning the technic of lung resection with the application of both forms of differential pressure, **li**, 320.
SAVINI, CARLO: Contribution to the study of encephalocystocele, **lxi**, 10.
Saw, power driven, to-and-fro, **lxxvii**, 122.
SAWYER, A. W.: Toxic goitre in young girl, **lxiv**, 371.
SAWYER, PRINCE E.: Malignant tumors of the mesentery, **lvi**, 694.
SAYAD, WILLIAM Y.: Regeneration of the meninges, **lxxvii**, 129.
SCAIEFE, B. F.: Meltzer-Lyons test in the diagnosis of gall-bladder disease, **lxxviii**, 604.
Scalp, avulsion of the, complete, **lix**, 186; **lxxix**, 613.
Cirsoid aneurism of the, **lxxvi**, 524; **lxxx**, 332.
Epithelioma of the, **li**, 726.
Plastic operation on the, **lxxi**, 789.
Tourniquet for the control of hemorrhage from the, during osteoplastic resection of the skull, **li**, 646.
Scalping accidents, treatment of, **lii**, 721.
Scaphoid, carpal, excision of followed by mobilization, **lxxi**, 524; fracture of the, **lxxviii**, 545; with luxation of semilunar, **lviii**, 716; fractured and dislocated semilunar, result following excision of, **lii**, 261; fate of the, **lxxx**, 532.
Tarsal, dislocation of the, **lxxi**, 187; **lxxviii**, 544.
Tarsal, fracture of the, **lii**, 845; **lviii**, 526; **lxiii**, 761; **lxxi**, 680; upward dislocation of the, **lxvi**, 247.
Scapula, avulsion of the, traumatic, **lxxix**, 959.
Elevation, congenital, **liv**, 126; **lxvi**, 488; **lxxi**, 229.
Exostosis of, **lxxiii**, 648.
Fracture of the, **lix**, 297; neck of, **lxiii**, 215; surgical neck of the, from muscular action due to electric shock, **lxxii**, 625.
Myelitis, acute suppurative, of the, **lvii**, 758.
Osteomyelitis of the, **lx**, 502.
Sarcoma, cured by mixed toxins, **liii**, 844; excision of the body of the for, **lxxi**, 388.
Total removal of, with reformation, **lxvii**, 378.
Scapulæ, deformity of, **lxix**, 645.
Scapulohumeral amputation for gas bacillus infection, **lxv**, 751.
Scarlatina, surgical note on etiology of, **lxiv**, 203.
Scarlet red, the cause of extensive thickening of Thiersch grafts, **lviii**, 451.
Further note on the clinical use of, **liii**, 702.
In various combinations, the effect of, upon the epitheliation of granulating surfaces, **li**, 40.

SCARLETT, HUNTER W.: Treatment of fractures of the lower jaw, **lxviii,** 347.
Scar tissue, effect of electromagnet on, **lxviii,** 92.
Scars, prevention of keloids in, **lxi,** 605.
SCHAACK, WILHELM: Saphenofemoral anastomosis, **lv,** 170.
SCHACHNER, AUGUST: Anomalies of the gall-bladder and bile passages, **lxiv,** 419.
Biography of Ephraim McDowell, review of, **lxxv,** 125.
14,000 calculi removed from the gall-bladder at one operation, **liii,** 590.
Experimental anatomic and physiologic observations bearing upon total extirpation of the colon, **lviii,** 346.
SCHAEFFER, J. PARSONS: An unusual sinus frontalis, **lvi,** 396.
Further observations on the anatomy of the sinus frontalis in man, **lxiv,** 666.
Treatise on the nose and olfactory organ, review of, **lxxi,** 800.
Variations in the anatomy of the nasolachrymal passages, **liv,** 148.
SCHERCK, HENRY J.: Surgical significance of the estimation of the non-protein nitrogenous constituents of blood, **lxv,** 648.
SCHILLER, HELIODOR: Lipoma of the funiculus spermaticus, **lxviii,** 269.
SCHLAEPFER, KARL: Combination ileus, or the coincidence of two intestinal occlusions, **lxxvii,** 594.
Schlatter's disease, lx, 374.
SCHLEY, WINFIELD SCOTT: Abdominal operations under local anæsthesia, **lxv,** 797.
Bilateral cystic degeneration of the breasts, **lviii,** 397.
Bronchial fistula, **lxvii,** 369.
Cancer of breast recurring after thirteen years, **lv,** 620.
Case of mesenteric thrombosis, **liv,** 252.
Chronic bilateral fibroid bursitis, **lvii,** 283.
Deep incised wound of wrist, **lvii,** 438.
Delayed recurrence after removal of carcinoma of the breast, **lxiv,** 741.
Diffuse adenofibroma of both breasts, **lviii,** 398.
Excision of tumor of carotid body, **lxix,** 649.
Fishbone perforation of intestine, **lxix,** 652.
Intermuscular incision in cæcostomy, **lxxiv,** 510.
Low transverse incisions upon the thyroid gland, **lxxv,** 686.
Lympho-sarcoma of the tonsils with cervical metastases, **lxxviii,** 112.
Mesenteric thrombosis, **lv,** 459.
Mikulicz operation for tumor of the sigmoid, **lxxi,** 389.
Multiple recurring fibromata, **lxvii,** 364.
Operations for fractures of the patella, **lvii,** 582.
Operative malignant diseases of bones of face, **lxxii,** 391.
Operative treatment of cancer of the upper jaw, **lxix,** 178, 182.
Operative treatment of hourglass stomach, **lxv,** 378.
Post-operative bursting of sutured abdominal wounds, **lxvi,** 243.
Radical cure of inguinal hernia, **lxxi,** 753.
Recovery from gangrenous intussusception, **lxxviii,** 683.
Rectus muscle transposition in certain cases of inguinal hernia, **lxvii,** 465.
Rectus transposition in hernia, **lxvii,** 626.
Rectus transplantation in certain cases of inguinal hernia, **lviii,** 473.
Rupture of quadriceps extensor tendon, **lvii,** 583.
Sigmoid diverticulitis, **lxv,** 792.
Siphon drainage of the thorax, **lxiv,** 729.
Skin grafting in carbuncle of the neck, **lxv,** 389.
Successive removal of the breast, uterus and kidney from the same patient, **lxvii,** 762.

Surgical treatment of cancer of the superior maxilla, **lxix,** 8.
Tetanus, case of, recovery from, **lxvii,** 246.
Transposition of the rectus muscle and the utilization of the external oblique aponeurosis in the radical cure of inguinal hernia, **lxxvii,** 605.
Tuberculosis of the breast, **lviii,** 400.
Tuberculosis of the peritoneum for infected adnexa, **lvii,** 932.
Tuberculosis of the peritoneum simulating appendicitis, **lvii,** 931.
Tumor of the carotid body, excision with ligature of the carotid arteries, **lxvi,** 252.
Use of sterilized olive oil to prevent intra-abdominal adhesions, **lv,** 910.
Webbed fingers, **lxvii,** 228.
SCHMITT, A. EMIL: Anatomical and surgical desiderata in the exposure and removal of the pituitary gland, **liii,** 44.
SCHNEIDER, CHESTER C.: Fatal postoperative pulmonary thrombosis, **lxxii,** 91.
SCHNOOR, E. W.: Significance of the Jackson veil, **lx,** 622.
SCHOLL, ALBERT J.: Potential malignancy in exstrophy of the bladder, **lxxv,** 365.
Primary tumors of the urethra, **lxxvi,** 246.
Sacral nerve block anæsthesia, **lxxx,** 739.
Squamous-cell tumors of the renal pelvis, **lxxx,** 594.
Surgery of renal tuberculosis, **lxxix,** 395.
SCHRAM, DAVID L.: Acute osteomyelitis of the spine, **lxv,** 147.
SCHUMACHER, HARRY W.: Intestinal obstruction, an experimental study, **lxvii,** 210.
SCHUMANN, EDWARD A.: The relationship between gastric and pancreatic carcinoma, **lviii,** 326.
A study of carcinoma mastitoides, **liv,** 69.
SCHWYZER, ARNOLD: Notes on surgery of the mediastinum, **lxxv,** 53.
Transgastric jejunal feeding, **lii,** 373.
Sciatic artery, aneurism of the, **lx,** 463.
Hernia, **lxxv,** 672.
Nerve, sarcoma of, **lxx,** 126.
Sciatica, results of treatment of, in forty-eight cases, **lxxvi,** 272.
Scleroderma, periarterial sympathectomy for, **lxxix,** 611.
With gangrene of fingers, **lxxviii,** 814.
Scoliosis, fixed, method of correcting, **liv,** 862.
SCOTT, JAMES R.: Tuberculosis of the appendix, **lxvi** 648.
Scrotum, angio-keratoma of the, **lxxii,** 635.
SCUDDER, CHARLES L.: Acute intussusception of the ileum with volvulus, **li,** 237.
Bone metastases of hypernephroma, **lii,** 533.
Case of splenectomy, **lxii,** 530.
Certain problems concerning fractures of bones, **lxxiv,** 280.
Diaphragmatic hernia, **lvi,** 358.
Immobilization after joint fractures, **lviii,** 273.
Red stippling sign of gastric and duodenal ulcer, **lx,** 534.
Sarcoma of the stomach, **lviii,** 252.
Stenosis of the pylorus in infancy, **lix,** 239.
Treatment of fractures, **lvi.** 349.
SECORD, EDWARD REGINALD: Bilateral congenital absence of the radius, **lxi,** 381.
Segment trephine, lxix, 176.
Segmental resection for gastric ulcer, lxiv, 527.
Sehrt's metal tourniquet, lxxi, 386, 763; paralysis following use of, **lxxv,** 256.
SEKIGUCHI, SHIGEKI: Hypophysial disorder in mammary cancer, **lxiii,** 297.
Studies on Paget's disease of the nipple and its extra-mammary occurrence, **lxv,** 175.
Semilunar bone of carpus, dislocation of the, **liii,** 847; **lxxviii,** 545; **lxi,** 472; **lxxiii,** 621; **lxxiv.** 255; results following removal

of, **lxxiii,** 659; luxation of, fracture of carpal scaphoid with, **lviii,** 716.
Semilunar cartilage of the knee, dislocated, **lx,** 760; injuries of, **lxxi,** 658; displaced, non-operative treatment of, **lxxvii,** 729.
Seminal vesicles, human, at birth, **lxviii,** 416.
Vesiculitis, **lx,** 313.
SEMKEN, GEORGE H.: Anastomosis in resection of the colon, **lxxiii,** 669.
Association of tuberculosis and carcinoma, **lxxiii,** 662.
Cicatrix deformity of dorsum of hand and fingers, **lxxix,** 465.
Condition twelve years after removal of cancer of stomach, **lxxix,** 935.
Fibrosarcoma of appendix, **lxxiii,** 797.
Late result after operation for cancer of transverse colon and stomach, **lxxix,** 938.
Partial gastrectomy for carcinoma under local anæsthesia, **lxxiii,** 662.
Plastic for relief of axillary cicatrix, **lxxix,** 942.
Resection of a segment of the chest wall for carcinoma, **lxxix,** 461.
Rhinoplasty for extensive epithelioma of nose, **lxxix,** 466.
Senile gangrene, amputation of both thighs for, **lxxiv,** 252.
Septicæmia, staphylococcus, treated by transfusion of immune blood, **lxvi,** 513; **lxix,** 437.
Vaccine and serum therapy in, **lix,** 652.
Serositis, chronic multiple, **lxxvi,** 432; relationship between intestinal obstruction, chronic peritonitis and, **lxxvii,** 423.
Multiple, **lxxvii,** 635.
Serratus magnus palsy, lvii, 909.
Serum treatment of anthrax septicæmia, **lxxv,** 663.
Sesamoid bones, fracture of the, **lv,** 101; **lxvii,** 609.
Of the thumb, fractures of the, **lxii,** 297.
Structures, traumatology of the, **lxxiv,** 783.
Sesamoids of the great toe, injuries of the, **lx,** 478.
Shadow, radiolucent semilunar, in certain cases of headache, **lxviii,** 521.
SHAFFER, NEWTON M.: Selected essays on orthopædic surgery, review of, **lxxix,** 630.
SHALLOW, THOMAS A.: Modification of the Kader operation, **lxxvi,** 35.
Traumatic lesions of the head, **lxxviii,** 26.
SHAMBAUGH, GEORGE E.: Laryngeal diverticula, **lxi,** 41.
SHARPE, NORVELLE WALLACE: Ambulance airship, **lxviii,** 526.
SHARPE, NORMAN: Spina bifida, **lxi,** 149.
SHARPE, WILLIAM: Diagnosis and treatment of brain injuries with and without fracture of the skull, review of, **lxxiii,** 137.
Operative treatment of trifacial neuralgia, **lxviii,** 371.
SHAW, HARRY A.: Treatment of retrocæcal appendix, **lxiii,** 715.
Temporary colostomy, **lxv,** 105.
SHAWAN, HAROLD KOCH: Acute perforation of duodenal ulcer, **lxxviii,** 342.
SHEA, JOHN F.: Report of nine consecutive operations for gastric and duodenal ulcers, **lxiv,** 410.
SHELDON, J. G.: Rectal and vesical incontinence relieved by operation, **lxxv,** 89.
Shell fragment, migration into heart from femoral vein, **lxiv,** 734.
SHEPHERD, FRANCIS J.: Method of treating cysts of the breast, **lxiv,** 254.
Note on cancer of the thyroid, **lviii,** 109.
Tetany following extirpation of the thyroid, **lvi,** 665.
X-ray in the treatment of fractures, **lvi,** 352.
SHERMAN, HARRY M.: Dislocations of the os innominatum, **lii,** 143.
Immobilization after joint fractures, **lviii,** 273.
Inflammatory tumor mistaken for sarcoma, **lii,** 138.

Method of powerful extension after fractures, **lii**, 142.
Treatment of exstrophy of the bladder, **lviii**, 287.
Use of salt solution in bone cavities, **lii**, 122.
SHERMAN, WILLIAM O'NEILL: Treatment of gunshot wounds of the peripheral nerves, **lxv**, 385.
SHERRAN, JAMES: Double gall-bladder removed by operation, **liv**, 204.
Red stippling sign of gastric and duodenal ulcer, **lxi**, 380.
Surgical treatment of certain diseases by splenectomy, **lxviii**, 379.
SHERRILL, J. GARLAND: Direct suture of the brachial artery, following rupture, result of traumatism, **lviii**, 534.
SHERWOOD, WALTER A.: Acute obstructive duodenal ulcer, **lxxviii**, 427.
Colectomy for chronic intestinal obstruction, **lxxviii**, 425.
Genito-urinary surgery in an Army General Hospital, **lxx**, 623.
Intra-uterine periosteal sarcoma of the humerus, **lxxvii**, 771.
Relation of surgery to the vascular sympathetic system, **lxxviii**, 321, 429.
SHERWOOD-DUNN, B.: Treatise on regional anesthesia, review of, **lxxii**, 534.
Shirring the round ligaments, lxiii, 691.
SHOBER, JOHN B.: Treatment of chronic tuberculous sinuses by Beck's bismuth vaseline paste injections, **li**, 715.
Treatment of ureter in cases of tuberculous kidney, **liii**, 733.
Shock, address on, **lxviii**, 76.
As seen in war surgery, **lxvi**, 280.
Nature of, **lix**, 158.
Neuro-pathologic cytology of, **li**, 753.
Relations to blood pressure, **lviii**, 721.
Traumatic, secondary, hypertonic, gum acacia and glucose, in the treatment of, **lxix**, 389.
SHOEMAKER, GEORGE ERETY: Buried silkworm gut sutures, **lix**, 439.
Chronic perforating ulcer of small intestine, **lxv**, 757.
Diverticulitis of the sigmoid, **lvi**, 661.
Fracture of the tuberosity of the scaphoid of the foot, **lxiii**, 761.
Large stone in the bladder, **lxxii**, 520.
Nephrectomy for pyonephrosis with sacculation of the kidney due to valve action, **lvi**, 663.
Obstructive pelvic lesions associated with chronic diverticulitis, **lix**, 422.
Plugging a vesicovaginal fistula, **li**, 425.
Removal of the ureter with a tuberculous kidney, **liii**, 696, 733.
Ultimate results of nephropexy, **lxvi**, 504.
SHORT, A. RENDLE: Surgical significance of the accessory pancreas, **lvii**, 653.
Shoulder, ankylosis, operations for relief of, **lxiv**, 368.
Birth injuries of, **lxvii**, 25.
Dislocation, congenital, **lv**, 622; **lxxvi**, 70; old, unreduced, the reduction of, **lvii**, 217, 292; old posterior, **lxii**, 631; persistent subglenoid, treated by capsulorrhaphy, **lxxv**, 749; recurrent, **lxxvii**, 118; partial excision of humeral head for, **lxxiii**, 639.
Flail, cure of, by ankylosing shoulder-joint, **lxxx**, 793.
Fracture-dislocation, **lviii**, 574, 666; late changes following reduction of, **lxiii**, 746.
Gunshot wound of the, **lxxiii**, 117; muscle grafting for, **liv**, 679.
Interscapulothoracic amputation of the, **lvii**, 796.
Melanosarcoma of the, **lxii**, 114.
Operative reduction of old dislocation of the, **lviii**, 542.
Posterior, subluxation, so-called, congenital dislocation of, **lxxiv**, 368.
Snapping, **lxi**, 502.
Splint, the University Hospital, **lxvi**, 581.

Sprengel's deformity of the, **lx,** 654.
Shoulder-joint fibrous ankylosis of, **lxxii,** 525.
Dislocations of the, old irreducible, **li,** 890.
Laceration of the capsule of, in the etiology of traumatic combined paralysis of the upper extremity, **liii,** 77, 116.
Operation for paralytic, due to infantile paralysis, **li,** 79.
Recurrent dislocation of the, **lxiii,** 375.
Relation of posterior subluxation of, to obstetrical palsy of upper extremity, **lix,** 142, 197.
Shoulder-joints, injury to, **lxxx,** 794.
Simultaneous dislocation of both, **lxxix,** 788.
SHROPSHIRE, C. W.: Urethroplasty, **lxiii,** 693.
SIEBER, PAUL R.: Pulse rate and blood pressure observations as an aid in the treatment of head traumas, **lxvii,** 51.
Sigmoid, cancer of the lower part of the, in a boy, **lxxiv,** 464.
Carcinoma, excision of for, **lxiv,** 500; Mikulicz operation for, **lxxi,** 388; with perforation of the cæcum, **lxxix,** 137.
Diverticulitis, **li,** 584; **lviii,** 356; **lxv,** 792; perforating, **lii,** 558.
Flexure, epithelioma, proliferating of the, **lxi,** 639; invaded by cancer of the ovary, **lxxii,** 218.
Gangrene of, **lxi,** 747.
Intussusception of the, by polypus, **lxviii,** 588.
Loop, carcinoma of the, **liii,** 298.
Rectum, and, a method of anastomosis between, **li,** 239; cancer of the, in childhood and adolescence, **lxxvii,** 711.
Rupture of the, by inflation of the rectum, **lxiii,** 376.
Volvulus, of the, **lii,** 270; **lxxv,** 724.
Sigmoiditis in children, acute perforating, **lviii,** 218.
Sigmoidotomy, transperitoneal, for the removal of tumors in the mucous membrane, **lxvi,** 64.
Sigmoidovesical fistula, lxiii, 353.
Silver, metallic deposit of, in body tissues, **lix,** 751.
Silver wire drainage mats in cases of congenital hydrocephalus, lvii, 338.
Silver wire and linen thread, use of, for the cure of hernia, **lii,** 678.
SIMONS, I. H.: Some experiments on the surgery of the pancreas, **lxi,** 308.
SIMMONS, CHANNING C.: Bone abscess treated with Moorhof's bone wax, **liii,** 67.
Fibro-epithelial tumors of the mammary gland, **liv,** 517.
Results of conservative treatment of cystic disease of the breast, **lx,** 42.
SIMPSON, JOSIAH A.: Traumatic luxation of sacro-iliac symphysis without fracture of the pelvis, **lxvii,** 348.
SINCLAIR, DONALD B.: Fracture of the femur, **lxix,** 466.
SINCLAIR, H. H.: Control of urinary drainage after cystotomy, **liii,** 387.
Splinting, skin grafts and granulating surfaces, **liv,** 575.
Sinus, frontalis in man, anatomy of the, **lxiv,** 666.
Of lower thigh, plastic closure of, persistent through and through, **lxxx,** 635.
Pilonidal, **lxxix,** 410.
Siphon drainage for traumatic hæmothorax, lxiv, 728.
SIRIS, IRWIN E.: Fractures of the femur in children, **lxxvii,** 736.
SISTRUNK, WALTER ELLIS: Life expectancy following radical amputation for carcinoma of the breast, **lxxv,** 61.
Results of surgical treatment of epithelioma of the lip, **lxxiii,** 521.
Surgical removal of pancreatic stones, **lxxiv,** 380.
Surgical treatment of cysts of the thyroglossal tract, **lxxi,** 121.
SITER, E. H.: High frequency currents in papilloma of the bladder, **lx,** 406.
Results of operations for cancer of the penis, **lxiii,** 756.

Size, a question of, **lxxviii**, 140.
Skeletal, carcinomatosis, **li**, 636.
Metastases in carcinoma of the breast, significance of, **lxv**, 326.
SKILLERN, M. G.: Disjunction of upper epiphysis of ulna, **liii**, 873.
SKILLERN, PENN G., JR.: Actinomycosis, **lxxvi**, 277.
Avulsion of the lesser trochanter of the femur, **lxv**, 244.
Bone peg in the treatment of fractures, **lxii**, 124.
Cases of caval occlusion, **lv**, 919.
Comminuted fracture of humerus stump, **lix**, 448.
Complete fracture of lower third of radius in childhood, with greenstick fracture of the ulna, **lxi**, 209.
Congenital mesenteric stasis, **lx**, 793.
Congenital perforations of the parietal bones, **lx**, 807.
Consideration of the varicocele operation, **lxxii**, 508.
Dermoid cyst in submaxillary region, **lxx**, 123.
Dichloramine-T in treatment of wounds, **lxx**, 121.
Disjunction of epiphyses of metacarpals, **lxi**, 374.
Egg-shell fracture of head of metatarsal, **lxi**, 371.
Endarteritis obliterans, **lxiv**, 751.
Epiphyseal metaphyseal fractures, **lix**, 447.
Fat fascia bone transplant for defect of skull, **lxviii**, 544.
Fracture of the base of fifth metacarpal, **lxi**, 375.
Fracture of carpal scaphoid and cuneiform, with luxation of semilunar, **lviii**, 716.
Fracture of the floor of the acetabulum, **lv**, 92.
Fracture of the lower extremity of radius, **lxi**, 373.
Fracture of the metatarsal bones, bloodless reductions, **lxxv**, 124.
Fracture of processus posticus tali with fracture of calcaneum, **lxi**, 372.
Fracture of the sesamoid bones of the thumb, **lxii**, 297.
Gynæcomastia, **lxii**, 376.
Infectious arthritis, **lxv**, 125.
Metacarpals, extra-epiphysis of, **lxi**, 374.
Operation for fracture of the patella, **lxix**, 648.
Painful subcutaneous tubercle, **lxi**, 506.
Paralysis of both trapezii after ablation of cervical lymph-nodes, **lxvi**, 619.
Pedicled abdominal transplant for contracture of finger, **lxvii**, 114.
Plastic reconstructive surgery of the hand, **lxviii**, 71.
Pretrochanteric fracture of the femur, **lxxiii**, 227.
Reconstruction of divided common bile duct, **lxiv**, 753.
Rib cartilage transplant for saddle-back nose, **lxviii**, 580.
Rudimentary left upper extremity, **lv**, 421.
Series of war wounds treated with dichloramine-T, **lxix**, 498.
Serratus magnus palsy, **lvii**, 909.
Snapping shoulder, **lxi**, 502.
Specimen of direct inguinal hernia, **lxv**, 760.
Sprain-fracture of spinous process of first thoracic vertebra, **lvii**, 908.
Sprain fractures, **lvii**, 289.
Technic for removal of the spleen, **lxvi**, 615.
Thrombo-angiitis obliterans, **lix**, 443.
Transverse incision for acute appendicitis, **lxvii**, 115.
Traumatic brachial paralysis, **lxvi**, 618.
Traumatic dislocation of the hip, **lx**, 655.
Treatment of varicose leg ulcers, **lxiii**, 176.
Trephining for compound fracture of frontal bone, **lxvi**, 499.
Ultimate outcome of thrombophlebitis, **lvii**, 916.
Use of silver wire in treatment of fractures of the lower jaw, **lxviii**, 347.
SKILLERN, ROSS HALL: On the catarrhal and suppurative diseases of the accessory sinuses of the nose, review of, **lxv**, 526.

Skin and fat transfers, pocketing operations and others, **lxx,** 469.
Asepsis in surgery, **lxvii,** 510; **lxviii,** 350.
Defect, osteoplastic repair of, **lxi,** 740.
Disinfection with picric acid, **lvi,** 331; **lxix,** 127; tincture of iodine, **liii,** 106.
Fibrosarcoma, recurrent, **lxxii,** 634.
Grafting, **lxxi,** 220; dry bony areas for, preparation of, **lx,** 371; for by exact pattern, **lxxvii,** 223; for carbuncle of the neck, **lxv,** 387; improved method of, **lxxv,** 658; new dressing for, **lv,** 891; pressure as a factor in, **lxxvi,** 799.
Grafts, adhesive plaster dressing for, **lxv,** 781; free, in interior of mouth and nose, **lxxi,** 396; full thickness, **lxxx,** 298; securing large, **lxxvi,** 799; splinting, **liv,** 575.
Infection, primary diphtherial, of, **lxii,** 343.
Lesions produced by mustard gas, **lxviii,** 562.
Muscle flap in case of osteomyelitis of tibia, **lxxvi,** 655.
Preparation of, for operation, **lxxi,** 109.
Squamous-cell epithelioma of, **lxxiii,** 141.
Tension buttons, **lxxv,** 745.
Skull, and brain, wounds of the, review of Chatelin and De Martel on, **lxvii,** 126.
Defect, fat fascia bone transplant for, **lxviii,** 544; remedied by bone transplantation from scapula, **lxvi,** 160.
Defects, followed by total bone grafts, **lxiv,** 516; repair of the, **lxix,** 230; bone plastic for, **li,** 516; supplied by tibial graft, **lviii,** 430.
Fracture, **lxxvii,** 624; in children, **lxxiv,** 72; of the base of, prognosis and operative treatment of, **li,** 796; **lii,** 140; compound depressed with meningitis, decompression for, **lvii,** 589; followed by tetanus, **liii,** 548; with open dura, treatment of, **lxix,** 1; comminuted with laceration of brain in child following coasting, **lxxx,** 620; decompression and drainage for, **lxiv,** 746; depressed, **lxxi,** 671; depressed over speech centre, **lxvii,** 632; followed by intracranial aerocele, **lxiii,** 18; followed by pneumoventricle, of the cerebrum, **lxxviii,** 561; its neurological manifestations, **lxx,** 404; observations on the treatment of, **lxxix,** 198, 298.
Gunshot wound of the, with rupture of the longitudinal sinus, **li,** 738.
Injuries, management of, **lxxviii,** 433.
Necrosis of the, electric burn causing, **lxvii,** 149.
Osteoplastic resection of the, **lxiv,** 503.
Ping pong ball indentation of the, without fracture, **li,** 518.
Röntgenograms of the, source of error in interpretation, **lxix,** 4.
Tourniquet for the control of hemorrhage from the scalp during osteoplastic resection of the, **li,** 646.
Tuberculosis of the, **liii,** 846.
SLAGLE, CHARLES E.: Parovarian cyst in young girl, **lxvii,** 254.
SLATER, ROBERT: Condition of the appendix in 500 patients having no symptoms of appendicitis, **lxx,** 535.
"Slightly wounded," problem of the, **lxx,** 388.
SLOCUM, MORRIS A.: Pre-operative treatment of the hands and field of operation, **lxiii,** 608.
SMITH, CHARLES HENDEE: Acute post-operative dilatation of stomach, **lxiv,** 110.
SMITH, CURTIS E.: Primary sarcoma of the œsophagus, **lxxviii,** 577.
SMITH, DAVID O.: Operative treatment of acute epididymitis, **lx,** 719.
SMITH, E. OTIS: Bilateral renal calculi, **lxv,** 606.
SMITH, GEORGE M.: Primary sarcoma of gall-bladder, **lxii,** 688.

Distribution of fat in the appendix and its relation to inflammation, **lxvii,** 202.
SMITH, GEORGE R.: Histologic evidences of inflammation in the sacs of certain inguinal herniæ, **lxxix,** 254.
SMITH, HARMON AND JONATHAN WRIGHT: Text-book of the diseases of the nose and throat, review of, **lxii,** 767.
SMITH, LAWRENCE W.: Tumors of the mediastinum in children, **lxxix,** 687.
SMITH, MORRIS K.: Embolus of axillary artery, **lxxviii,** 549.
Gunshot fractures of the humerus, **lxx,** 430.
Open amputation through the knee-joint, **lxx,** 287.
Premature ossification after separation of the lower radial epiphysis, **lxxv,** 501.
Prognosis and epiphyseal line fractures, **lxxix,** 273.
Radiotherapy in Hodgkin's disease, **lxxx,** 786.
Separation of lower femoral epiphysis of femur, **lxxx,** 142.
Sequelæ of epiphyseal line injury, **lxxix,** 468.
Unreduced separation of lower radial epiphysis, **lxxviii,** 550.
SMITH, REA: Surgical relief of intestinal foci of infection in cases of arthritis deformans, **lxxvi,** 515.
SMITH, THOMAS A.: Fracture through the neck of the radius, **lxiv,** 511.
Lymphoid hyperplasia of the appendix in children; its relation to recurring appendicitis, **lxxix,** 871.
Mesenteric cyst causing intestinal obstruction, **lxxx,** 636.
Subcutaneous laceration of pancreas, **lxxx,** 636.
SMITH, WILLIAM P.: Eight toes on one foot, **lxxvi,** 546.
SMITH, WILLIAM RANDOLPH: Cardiorrhaphy in acute injuries, **lxxviii,** 696.
SMITS, J. C.: Perforating and varicose ulcers of leg, **lxiii,** 561.
SMYTH, CALVIN M., JR.: Late results of splenectomy for traumatic rupture of the spleen, **lxxx,** 562.
Results of high ligation of the cystic duct in cholecystectomy, **lxxv,** 203.
Strangulated epigastric hernia, **lxxii,** 629.
Snapping hip, **lviii,** 59.
Jaw, excision of interarticular cartilages in cases of, **lxxiii,** 712.
Shoulder, **lxi,** 502.
Sodium chloride, therapeutic value of the administration of, in intestinal obstruction, **lxxviii,** 755.
Sodium citrate, effects of on blood coagulation, **lxxvi,** 547; upon bleeding of intra-muscular infection, **lxxx,** 268; importance of proper dosage of, in blood transfusion, **lxiv,** 618; intramuscular administration of, **lxxvi,** 1; and sodium chloride, Wright's solution for drainage, **lii,** 541.
SOLTAU, P. B.: Chest wounds, **lxviii,** 554.
SONNELAND, S. G.: Congenital perineal testicle, **lxxx,** 716.
SONNENBURG, DR.: Mobile cæcum, **lv,** 162.
SORESI, ANGELO L.: Diaphragmatic hernia, **lxix,** 254.
Double eyed aneurism needle, **lxix,** 440.
End-to-end intestinal anastomosis, **lxix,** 613.
Preparation of the skin for operation, **lxxi,** 109.
Prevention of fat necrosis in incisions, **lxxvii,** 782.
Rapid closure of surgical wounds, **lxxi,** 83.
Secondary ulcers of the stomach and jejunum, **lxi,** 328.
Technic of appendectomy, **lxxi,** 315.
SOUTTAR, H. S.: The anæsthetic effects of intravenous injection of paraldehyde, **lvii,** 64.
A method for the mechanical fixation of transverse fractures, **lviii,** 653.

SPARMANN, RICHARD: Experiences in the treatment of malignant tumors by radium, **lx**, 567.
Spastic diplegia and hemi-plegia, unilateral laminectomy with dorsal root section for, **liii**, 281.
Paralysis, surgery of, **lxvii**, 529, 616.
SPEED, KELLOGG: Dislocation of the cervical vertebræ, **lxvi**, 644.
Fate of the fractured carpal navicular, **lxxx**, 532.
Injuries of the great toe sesamoids, **lx**, 478.
Locomotion after impacted fracture of the neck of the femur, **lxxix**, 270.
Projectile fractures of long bones, **lxxi**, 493.
Text-book of fractures and dislocations, review of, **lxiv**, 634.
SPEESE, JOHN J.: Acute gastric dilatation following operation for hernia, **lviii**, 702.
Autogenous fascial reconstruction of the bile duct, **lxv**, 79.
Congenital bilateral hyperplasia of adrenals, **lxxvii**, 759.
Cyst of the median nerve, **lxi**, 761.
Cystadenoma of the pancreas, **lxi**, 759.
External biliary fistula, **lxxv**, 506.
Fracture-dislocation of humerus, **lxiv**, 749.
Hæmatoma in the sheath of the rectus muscle from rupture of the deep epigastric artery, **lxiii**, 244.
Insulin in surgery, **lxxx**, 146.
Intra-abdominal hemorrhage from ruptured corpus luteum, **lxxi**, 777.
Lumbar hernia, **lxiii**, 548.
Lymphangioma of the omentum, **lxxiv**, 792.
Malignant degeneration of benign diseases of the breast, **li**, 212, 281.
Malignant degeneration of benign tumors of the thyroid gland, **lxxiv**, 684.
Paget's disease of the nipple, **lxii**, 212.
Perforation of ileum by foreign bodies simulating appendicitis, **lviii**, 706.
Recurrent stones in the urinary bladder, **lix**, 748.
Retention cysts of the pancreas, **lx**, 673.
Retroperitoneal abscess, **lviii**, 704.
Sarcoma of the small intestine, **lix**, 727.
Spina bifida occulta, **lxxviii**, 534.
Stab wound of the neck, **lxv**, 118.
Subastragaloid dislocation, **lxxviii**, 536.
Surgical aspects of epulis and sarcoma of the jaw, **lii**, 493, 565.
Tongs extension in fractures, **lxxiii**, 124.
Tumors of the male breast, **lv**, 530, 636.
SPELLISSY, JOSEPH M.: Bilateral congenital absence of patella, **lxxvi**, 280.
Pin perforating appendix, **lxvii**, 381.
Results of plastic to relieve cicatricial contraction, **lvi**, 659.
Treatment of intracapsular fractures of the femur, **lvi**, 654.
Spermatocele, lxxii, 500.
Sphenoid bone, fracture of posterior clinoid process of the, **liv**, 270.
Sphenopalatine ganglion, surgical approach to the, **lxxiv**, 328.
Sphincter, formation of new anal, after operation, **lxxii**, 693.
Spica, the shoulder plaster, **liv**, 861.
Spina bifida, lxi, 151; **lxvi**, 510; oculta, **liii**, 543; **lxxviii**, 534; with post-operative hydrocephalus, **lxv**, 255.
Spinal anæsthesia, lxxix, 283; **lxxiv**, 673; blood transfusion, hysterectomy for sloughing fibroid, **li**, 730; cocaine anhydrous, **lxxi**, 504; lithotomy under, **lv**, 422; stovaine, **li**, 449; in prison surgery, **lviii**, 947.
Spinal canal, injection of air into the, to facilitate röntgenography of the brain, **lxx**, 397; extra-dural cyst in, **lx**, 519.

Spinal cord and its membranes, diseases of, by Charles A. Elsberg, review of, **lxiv,** 636; bullet wound of, **lvi,** 60; complete division of, by gunshot wound, report of condition nineteen years after injury, **lxxi,** 719; contusion of the, with simple fracture of vertebra, **lii,** 409; endothelioma of the, **lxiv,** 383; gunshot injuries of the, **lxi,** 686; gunshot wound of, **lxvi,** 609; hæmangioma of, **lxii,** 641; injury causing contracture of the bladder, **lxvii,** 533; laminectomy for injury and tumor of the, **liii,** 754; needles in the, **lxiii,** 248; operations upon the, **lxv,** 268, 269, 270, 410; for old injuries to, **lxix,** 239; sclerosis, treated by decompressive laminectomy, **lxv,** 266; surgery, observations in, **lxv,** 410; surgical operation for removal of tumor of the, **liii,** 848; tumor, **lxxi,** 675; **lxxv,** 377, 378; **lxv,** 766; tumor, extramedullary, **lxi,** 245; **lxvi,** 508, 510; laminectomy for, **lv,** 608, 609; tumors, operations for, **lxv,** 268, 269, 270; vessels, posterior, abnormality of the, due to spastic paraplegia, **lxi,** 244.

Spinal puncture, anatomy of, technic and sequelæ, **liv,** 449.

Spinal tuberculosis, bone transplantation for, **lx,** 524.

Spinal tumor, lii, 411, 412; and other diseases, laminectomy for, **lx,** 454, 519, 521; symptomatology and surgical treatment of, **lii,** 289.

Spine, and spinal cord, surgery of the, by Charles H. Frazier, review of, **lxxiii,** 138.

Cervical, fracture-dislocation of the, **lxxx,** 155; **lxvii,** 107; injury producing Brown-Sequard syndrome, **lxvii,** 636; with cord symptoms, **lxvii,** 108.

Fracture, uncomplicated by cord injury, operative treatment of, **lxvii,** 513.

Fractures with cord and root symptoms, **lxvii,** 63.

Injuries of the, surgical features of, **lviii,** 296.

Observations upon a series of forty-three laminectomies, **lv,** 217.

Operation for Pott's disease of, **lv,** 682.

Osteomyelitis, **lxxviii,** 119; acute, **lxv,** 147.

Tuberculosis of the, **lxvii,** 165; handling of children with, while under anæsthetic, **lxiv,** 34; secondary foci in, **lxxv,** 95.

Typhoid, **lxi,** 456; **lxv,** 747.

Spiral fractures, mechanics of production and the treatment of, **lxxiv,** 490.

Fracture of the tibia and fibula, **lxxv,** 717.

Splanchnic analgesia, the induction of, **lxxx,** 161.

Nerve anæsthesia, in abdominal operations, **lxxix,** 444.

Spleen, abscess of the, **lxii,** 182.

And anæmia, experimental and clinical studies on, by Richard Mills Pearce and others, review of, **lxviii,** 448.

And large intestine with special reference to pernicious anæmia, **lxxiv,** 355.

Angioma of the cavernous, **lxii,** 177.

Banti's diseases of, **lx,** 380.

Cysts of the, **lvii,** 658; further study of, **lxxx,** 58; hemorrhagic, **lxxiii,** 58; non-parasitic, **lxix,** 15; surgery of, **lxxiv,** 20.

Extirpation of the, **lx,** 133.

Gaucher, **lxxiv,** 635.

Importance of in resistance to infection, **lxx,** 513.

Indications and technic for the removal of, **lxvi,** 615.

Intraparenchymatous hemorrhage of the, **lxiv,** 537.

Malarial, spontaneous rupture of, **lxxiv,** 13; **lvii,** 72.

Normal, subcutaneous traumatic rupture of the, **lix,** 597.

Pathology of, removed for abnormal conditions of the blood, **lxii,** 158.

Rupture of the, **lxxix,** 80; **lxxv,** 186; spontaneous, **lxxiv,** 1; spontaneous, in typhoid fever, splenectomy for, **lix,** 754; sub-

cutaneous, **lxxiv**, 248; traumatic, **lxxvi**, 785; splenectomy for, **lvii**, 68; **lix**, 757; **lxxx**, 562.
Sarcoma of the, primary, **lvi**, 915.
Stab wound of, **lxxvii**, 370.
Tuberculosis of the, **liii**, 144; **lxix**, 56.
Wandering, **li**, 834.
Splenectomy after transfusion in an infant, lxi, 349.
Advanced splenic anæmia, for, **lxxviii**, 408.
Banti's disease, for, **lviii**, 420, 541; **lx**, 769; **lxvii**, 369; **lxxviii**, 557.
Case of, **lxii**, 530.
Childhood, in, **lxii**, 679.
Clinical notes on, **lxii**, 166.
Displacement and twisted pedicle, for, **lii**, 138.
Effect of, **lxvii**, 233, 540.
Enlarged spleen, for, **lvii**, 935.
Gaucher's spleen, for, **lxxi**, 208.
Gunshot wound, for, **lxii**, 121.
Hæmolytic jaundice, for, **lxiv**, 627; **lxxvii**, 764.
Hemorrhagic purpura, in, **lxxviii**, 186.
Hemorrhages, gastro-intestinal repeated, for, **lxv**, 89.
Jaksch's anæmia, for, **lxiii**, 122.
pernicious anæmia, for, **lxvi**, 609; **lxvii**, 233; **lxxv**, 121.
Results of in the anæmias, **lxx**, 22.
Rupture of the spleen, for, **liv**, 597; traumatic of the, for, late results of, **lxxx**, 562.
Splenic anæmia, for, **lv**, 323; continued hæmatemesis due to thrombosis of splenic vein, **lxxx**, 155; form of Hodgkin's disease, for, **lxv**, 785.
Splenomegaly, for, **lxvii**, 243, 299.
Spontaneous rupture of the spleen, in typhoid fever, for, **lix**, 754.
Surgical considerations of, **lxii**, 172; treatment of certain diseases by, **lxviii**, 379.
Traumatic rupture of the spleen, for, **lvii**, 68; **lix**, 757.
Under local anæsthesia, **lxxi**, 110.
With relation to Banti's symptom complex, **lxii**, 315.
Splenic anæmia, lviii, 601, 713; with splenectomy, **lix**, 690.
Splenic flexure of the colon, carcinoma of the, **lxvi**, 339; partial colectomy for carcinoma of the, **liii**, 297.
Splenic vessels, ligation of, as a substitute for splenectomy in blood diseases, **lxiii**, 88.
Splenomegaly, lxxviii, 553, 669.
Acute secondary tuberculous, **lxiii**, 315.
Splenopexy for prolapsed spleen, with acute torsion, **liv**, 612.
Splint for the treatment and transport of cases of fracture of the femur, lxvii, 429.
Splints, The American Red Cross, **lxviii**, 455.
Spondylitis deformans relieved by Albee operation, **lxiv**, 713.
Traumatic, **lxiv**, 381.
Spondylolisthesis, lxxvii, 490.
Sporotrichosis, lviii, 540.
Sprain-fracture, lvii, 289.
As an essential to the occurrence of dislocation, **lvi**, 599, 656.
Of the trapezium, **lxv**, 364.
Of vertebra, **lvii**, 906.
Study of, **lv**, 71, 123.
Sprengel's deformity of the shoulder, lx, 654; **lxxi**, 229.
Sprengel's transverse abdominal incision, lxvi, 237.
Squamous cell tumors of the renal pelvis, lxxx, 594.
SQUIER, J. BENTLEY: Malignant papillary adenoma of the kidney, **liv**, 585.
Retrovesical echinococcus cyst, **lix**, 396.
SQUIRES, J. W.: Significance of the patulous appendix, **lxv**, 341.
Stab wound of diaphragm and stomach, lxxi, 106.
STAEHLIN, EDWARD: Multilocular cystadenomata of retroperitoneal origin, **lxi**, 312.
Standardized results of wound healing, lxxiv, 376.
STANTON, MAC D. E.: Aneurism of the internal carotid treated by Matas's method, **li**, 76.
STANTON, W. MAC D.: Reformation of gall-stones after operation, **lxi**, 226.

STARR, F. N. G.: Cholecystitis, **lxviii,** 188.
Hypernephroma in folds of falciform ligament of liver, **lxvi,** 318.
Stasis, colon, clinical aspects of, **lxi,** 334.
Colonic, experimental, **lxiii,** 729.
Intestinal, chronic, as produced by ileocæcal and hepatic obstruction, **lxii,** 326; high, **lxiii,** 720, 762.
Ptosis and inertia of the intestinal tract, the interrelation of, **lxviii,** 27.
STAUFFER, N. P.: Nasal osteochondroma, **lxi,** 757.
STEBBINS, KATHARINE: Operating table for use in animal research, **lvii,** 435.
STEIN, ARTHUR: Röntgen examination of the abdominal organs, **lxx,** 95.
STEINBACH, LEWIS W.: Case of fracture of patella treated by operation, **liii,** 585.
STEINKE, CARL R.: Fractures of the of the femur, **lxii,** 610.
Recent traumatic dislocations of the hip, **lx,** 617.
Simultaneous fracture of both patellæ, **lviii,** 510.
Steinmann's nail extension method in fractures, lx, 397.
STELLWAGEN, THOMAS C.: Bougie nucleus of vesical calculus, **lv,** 925.
High frequency current in the treatment of papilloma of the bladder, **lx,** 405.
Stenosis at the ileocæcal valve, **lxv,** 514.
Congenital, of the colon, **lxxiii,** 125; hypertrophic, of the pylorus in an adult, **lxxvi,** 444.
Pyloric, in infancy, **lxix,** 531, 558; Finney pyloroplasty for, **lxxix,** 146.
Stenson's duct followed by atrophy and inactivity of parotid gland, **lxxiv,** 331.
Stomach, after swallowing hydrochloric acid, **lxxv,** 757.
STEPHENS, RICHMOND: Tibial tubercle affections, **lxxiii,** 77.
Sterilization of catgut, note on, **liv,** 693.
Sternum, longitudinal section of, for exposure of the heart, **lx,** 117.
STETTEN, DEWITT: Acute obstruction of superior mesenteric vein, **lxxvii,** 666.
Angio-keratoma of the scrotum, **lxxii,** 635.
Angulation of the junction of the hepatic and common ducts after cholecystostomy, **lvii,** 182.
Association of tuberculosis and carcinoma, **lxxiii,** 662.
Calculus cast of prostate, **lxxvii,** 381.
Capsulorrhaphy for persistent subglenoid dislocation of shoulder, **lxxv,** 749.
Cranioplasty for large temporal defect, **lxxv,** 113.
Fatal cases of carbuncle of the face and lips, **lxxv,** 767.
Fracture of the spine producing Brown-Sequard syndrome, **lxvii,** 636.
Intussusception due to lipoma of ileum, **lxvi,** 606.
Longitudinal section of patella for joint mouse, **lxxv,** 750.
Modified inguinal hernioplasty, **lxxviii,** 408.
Modified technic for the radical cure of inguinal hernia in the male, **lxxi,** 744.
Multiple diverticula of the upper ileum, **lxxiii,** 241.
Radical extirpation of pharnygo-œsophageal pressure diverticula, **li,** 300.
Recurrent intramedullary osteoid-chondroma of femur, **lxxi,** 200.
Relation of surgery to the vascular sympathetic system, **lxxviii,** 427.
Repair of the musculospiral nerve, **lxxviii,** 407.
Resection of the stomach for ulcer, **lxxvii,** 774.
Stab wound of spleen, **lxxvii,** 370.
Surgical value of the estimation of the bile pigmentation of blood serum, **lxxvi,** 191.
Technic for radical cure of inguinal hernia, **lxxii,** 640.

Technic of inguinal herniopLasty, **lxxviii,** 410.
Traumatic fat necrosis, **lxxvii,** 779.
Ulcerating fibroma of stomach, **lxxi,** 678.
STEVENS, JAMES H.: Compression fracture of the lower end of the radius, **lxxi,** 594.
Fractures of the upper end of the humerus, **lxix,** 147.
STEWART, FRANCIS T.: Amputation of the breast by transverse incision, **lxii,** 252.
Arteriovenous aneurism, treatment of, **lvii,** 574.
Five cases of suture of the heart, **lviii,** 67.
Formation of an artificial vagina by intestinal transplantation, **lvii,** 210.
Hydatid cyst of the liver, **li,** 599.
Leukæmia resembling pyonephrosis, **li,** 283.
Manual of surgery, review of, **lxxiii,** 800.
Method of gastro-enterostomy, **lxvi,** 334.
Method of permanent gastrostomy, **lxviii,** 194.
Method of subtotal gastrectomy, **lix,** 828.
Operative treatment of arterial thrombosis and embolism, **lxi,** 519.
Plastic surgery, **lxvi,** 102.
Sarcoma of the psoas muscle treated by excision, X-ray and Coley's fluid, **li,** 285.
Surgical operations upon the heart, **lx,** 118.
Treatment of Volkmann's contracture, **lvii,** 570.
Treatment of wound of heart, **lvii,** 300.
STEWART, GEORGE D.: Acute perforated ulcer of the stomach or duodenum, **lxxv,** 349.
Arteriovenous aneurism of femoral vessels, **lix,** 790.
Bone transplant for defect of humerus, **lix,** 763.
Cholecystitis, **lxiv,** 508.
Hydronephrosis, **lx,** 723.
Recurring tropical abscess of the liver, **li,** 568.
Sarcoma with multiple skin metastases, **li,** 566.
Segmental resection for gastric ulcer, **lxiv,** 527.
Segmental resection of the stomach, **lxv,** 765.
Transverse abdominal incision, **lxvi,** 241.
Treatment of cancer of the larynx, **lxii,** 650.
Treatment of spreading peritonitis, **liii,** 150.
STEWART, JAMES L.: Contracture of psoas muscle simulating appendicitis, **lviii,** 864.
STEWART, J. CLARK: Gauze lost in bone cavity for fifteen months, **lv,** 926.
Results of the use of Moorhof bone plug in the surgical clinic of the University of Minnesota, **liii,** 699.
STEWART, LEVER FLEGAL: Study of sprain-fracture, **lv,** 71.
Study of sprain-fracture as an essential to the occurrence of dislocation, **lvi,** 599, 656.
STEWART, WILLIAM H.: Röntgen examination of the abdominal organs, **lxx,** 95.
Röntgenographic studies of bronchiectasis and lung abscess after direct injection of bismuth mixture, **lxxiii,** 362.
Stewart's incision for removal of breast for carcinoma, lxiv, 629, 736.
Stewart's manual of surgery, review of, **lxiii,** 507.
STIERLIN, DR.: Mobile cæcum, **lv,** 166.
STIFEL, RICHARD E.: Osteomyelitis of the spine, **lxxviii,** 119.
STILES, HAROLD J.: Epispadias in the female and its surgical treatment, **liv,** 403.
Operative cure in internal hydrocephalus, **liv,** 413.
Satisfactory results from gastro-enterostomy in atonic stomachs, **liv,** 426.
Treatment of irreducible dislocation of the hip, **liv,** 410.
Value of chloroform as an anæsthetic, **liv,** 422.
STILLMAN, ALFRED: Mesenteric thrombosis, **lxxvi,** 669.

Metal plates in fractures of the long bones, **lxxviii,** 75.
Subglenoid dislocation of head of humerus with fracture of greater tuberosity, **lxxx,** 634.
STILLMAN, JOHN MAXSON: Biography of Paracelsus, review of, **lxxiii,** 516.
STILLMAN, STANLEY: Effects on sarcoma of the Coley toxins, **lx,** 107.
Open treatment of fractures, **liv,** 409.
Resection of the large bowel at the rectosigmoidal junction, **lxvii,** 189.
Treatment of defects occasioned by partial excision of the inferior maxilla, **lvi,** 70.
Unsatisfactory results of operation in gastritis, **liv,** 426.
Stoma, stenosis of gastro-enterostomy, **lxxv,** 627.
STOKES, A. C.: Spontaneous forward dislocation of the wrist-joint, **lii,** 229.
Stomach, atony of, as a cause of neurasthenia, **liv,** 306, 426.
Cancer, **liii,** 727; **lxii,** 11, 108, 110, 114.
Cancer, advanced, technic of removal, **lxxix,** 930; cardiac end of the, relative merits of gastrostomy and jejunostomy in the treatment of, **lxxv,** 746; condition twelve years after removal, **lxxix,** 935; extent of excision required in the radical removal of, **lxvi,** 421; gastrectomy for, partial, **li,** 947; **liii,** 294; long freedom from recurrence after removal of, **lxvii,** 237; surgical treatment of, **lxx,** 236.
Carcinoma, **lxxix,** 299; diffuse, **lxxvi,** 672; **lxvii,** 106; etiological relationship of benign ulcer to, **lxvii,** 215; excision for, partial, late result of, **lxvi,** 118; **lv,** 629; gastrectomy for, partial, **lxiii,** 111; grafted on ulcer base, **lx,** 395; involvement of regional lymphatic glands, in, **lv,** 811; operation for under local anæsthesia, **lxxiii,** 662; operative curability of, **lxxviii,** 332; Polya-Balfour operation for, results of, **lxix,** 548; pylorectomy followed by Kocher's method of gastro-duodenostomy, **lxxix,** 229; resection of, for, **lvi,** 799; resection for, late result after, **lxxiii,** 652.
Cardiac orifice of, resection of, **lxii,** 693.
Cast, complete, of the, following burn, **lxxv,** 756.
Cellulitis, acute suppurative, **lxvi,** 325.
Cirrhosis of the, **liv,** 625; gastrojejunostomy for, **liv,** 244.
Colon, and, fistulous communication between, **lxii,** 208;
Conditions, cases illustrating, **lv,** 889.
Dilatation, acute, **lxviii,** 106; **lxix,** 510; after cholecystectomy, **lv,** 614; and spontaneous rupture of the, **lxvii,** 378; complicating operations on the extremities, **lxiii,** 263; after operation for hernia, **lviii,** 702; following prostatectomy, **lxvii,** 489; operative, **lxiii,** 418; post-operative, **lxiv,** 107; in gastroptosis, method of correcting, **lxiii,** 541; requiring gastroenterostomy two weeks after operation for perforated gastric ulcer, **lxi,** 621.
Diverticulitis, **lxxvii,** 233.
Diseases of, by Lockwood, review of, **lix,** 316; and intestines, by Robert Coleman Kemp, **lii,** 718.
Duodenum, and, acute perforation of, **lxxvi,** 38; acute perforating ulcer, **lxxv,** 349; acute perforating ulcer, gastroenterostomy in, **lxxiii,** 441; acute perforating ulcer of, clinical features and treatment of, **lv,** 689; chronic ulcers of the, **lx,** 220; diagnosis of ulcer of the, **lx,** 252; perforated ulcers of the, **lx,** 794; recurring perforations of, **lxxvii,** 108; reëstablishment of connection between, after pylorectomy, **lvii,** 942; röntgenological diagnosis of surgical lesions of the, **lx,** 111; ulcer of the, **lx,** 227; acute perfora-

tion of, **lxxix,** 91; with special reference to the end results, **liv,** 313, 427.
Fibrolipoma, **lxix,** 663.
Fibroma, **lxxix,** 456.
Fibromatosis, **lviii,** 10, 271.
Foreign bodies in the, **lxx,** 60.
Foreign body in, gastrotomy for, **li,** 934.
Hair-ball in the, **lx,** 764.
Hour-glass, **lxviii,** 106; contraction of the, **lx,** 390, 499; **lxv,** 765; contraction of the following excision of gastric ulcer, **lix,** 791; contraction of the, late results of mid-gastric resection for, **lxxv,** 760; deformity, of the, **lxv,** 376; gastro-enterostomy in distal pouch of, **lix,** 794; gastro-gastrostomy for, **lxviii,** 97; intermittent, **lvii,** 287; operative treatment of, **lxvi,** 418; with pyloric stenosis, **lv,** 782.
Jejunum, and secondary ulcers of the, **lxi,** 328.
Leather bottle, **lxii,** 33.
Lesser curvature, penetrating ulcer of the, **lxxix,** 143.
Liver, and, carcinoma of, partial resection for, **lxvi,** 228.
Lues, congenital, **lxii,** 349.
Lymphosarcoma, primary, of the, partial gastrectomy, for, **lv,** 907.
Myoma of the, **lviii,** 812.
Neurosis of, **lix,** 134.
Occlusion of pyloric end of, **lxi,** 423.
Operations, avoidance of adhesions in, **lix,** 793.
Operations on the, technic and management, **lxiv,** 290.
Pancreas, and, the relationship between carcinoma of, **lviii,** 326.
Partial excision of, combined with extirpation of gall-bladder and removal of stones from bile ducts, **lvii,** 443.
Perforation of, acute, **lxxviii,** 678.
Ptosis of, **lv,** 446; **lxi,** 545.
Pylorectomy and partial gastrectomy for perforating ulcer of, **li,** 574.
Resection of, by the Moynihan method, **lxxiv,** 121; immediate feeding after, **lxxvii,** 773.
Sarcoma of the, **li,** 122; **lviii,** 252; **lxxi,** 628, 677.
Sarcoma of the, primary, **lii,** 506.
Surgery, pyloroplasty and gastro-enterostomy in, **lxxiii,** 450.
Surgical, gas and motility of the, **lxix,** 271.
Syphilis, **lxiii,** 743; surgical treatment of, **lxxvi,** 449.
Transgastric excision of ulcer of posterior wall of, **lii,** 797.
Transverse colon and, late result after operation for, **lxxix,** 937.
Tumors benign, **lxxvii,** 580.
Ulcer, **lv,** 444, **lvii,** 782; adherent perforating, method of treating, **lx,** 336; associated with Hodgkin's disease, **lxxiii,** 670; calloused, of the posterior wall, **lxxii,** 109; carcinomatous degeneration, with, **lxvii,** 106; choice of operation for, in view of late results, **lxxvi,** 476; chronic, gastric and duodenal, resection for, **lxxviii,** 507; of lesser curvature of the, **lvii,** 771; end results of operations for, and cancer, **lxxvi,** 467; excision, partial, of, for, **lv,** 628; gastro-enterostomy for, **lix,** 794; late results of, **lxxvi,** 457; inoperable of, treated by jejunostomy, **lxi,** 496; large saddle, with hour-glass contraction, **lvi,** 477; lesser curvature, and posterior wall of the, jejunostomy in, **lxxv,** 747; malignant degeneration, with, **lix,** 124; mid-third of, sleeve resection for, **lxxiii,** 654; motor disturbances from, and changes caused by operation, **lxv,** 730; non-rotation of colon, with, **lxi,** 111; open, closed by adherent, gall-bladder, **li,** 123; partial resection of, **lxi,** 492; penetrating, excision of, **lxi,** 493, 494; penetrating, of the lesser curvature of the, **lxxviii,** 545; perforated, **lvii,** 588; surgical treatment of, **lxiv,** 403; perforating, **liii,** 140; **lvi,** 478; primary and secondary, **lxxiv,**

579; pyloric stenosis, with, **liii,** 727; recurrent, **lxix,** 549; resection for, **lxvii,** 761; **lxxix,** 953; resection in continuity for, **lxi,** 745; resection of pylorus for, **lxiv,** 360; resulting in carcinoma, **lv,** 886, 888; rôle of gastro-enterostomy in, **lxi,** 557; saddle, **lvi,** 478; saddle back, **lxxiii,** 651; segmental resection of, **lxiv,** 527; study of focal infection and elective localization, **lxxix,** 29; treated by double ligature, **lix,** 127.
Ulcers, more radical treatment of, **lxiv,** 294; penetrating, partial gastrectomy for, **lxxv,** 247; pylorectomy in cases of, **lx,** 112, 503; resection of body of, for, **lxxvi,** 409.
Volvulus, **lvi,** 697.
Stone, dumb-bell in diverticulum of urinary bladder, **lvii,** 94.
Bladder, in the, **liii,** 542; large, **lxxii,** 520.
Kidney, **lxxi,** 123; fused, pyelithotomy for, **lxxi,** 217.
Stones, kidney, ossification in, **lxxviii,** 239.
In the ureter, results of operations for, **lxxi,** 128.
STONE, HARVEY B.: Combined abdomino-thoracic approach in operations for diaphragmatic hernia, **lxxviii,** 32.
Experimental study of intestinal obstruction, **lix,** 714.
Immediate and late results of the Whitehead operation for hemorrhoids, **lviii,** 647.
Intestinal lesions produced by blunt force, **lii,** 358.
Lateral vascular anastomosis, **liv,** 496.
Pilonidal sinus, **lxxix,** 410.
Surgical treatment of chronic ulcerative colitis, **lxxvii,** 293.
STONE, JAMES S.: Tumors of the mediastinum in children, **lxxix,** 687.
Stovaine spinal anæsthesia, li, 449; analgesia in prison surgery, **lviii,** 947.
Strangulated hernia, and irreducible, **lxx,** 89.
Hernia, femoral, **lvii,** 759; obturator, **lxx,** 126; report of 105 cases of, **lviii,** 639.
Strawberry gall-bladder, frequency of, **lxix,** 131.
STRECKER, EDWARD A.: Some observations on the treatment of fracture of the skull, **lxxix,** 198.
Streptococcic infection, inoperable melanotic sarcoma of neck, entire disappearance under accidental, **lxxviii,** 414.
Streptococcus hæmolyticus, importance of infected wounds, **lxxiii,** 4.
Stricture of the deep urethra, impassable traumatic, **lxviii,** 539; female urethra, **lxxix,** 770; traumatic, of the small intestine, **lxxix,** 461.
Strictures, dense, close, of the urethra, excision and suture in the treatment of, **lvii,** 536.
STRUTHERS, JOHN EDMUND: Multiple polyposis of the intestinal tract, **lxxii,** 649.
Stubenrauch, von, proposed fistulo-enterostomy, of, **lii,** 380.
Stump, amputation, end bearing condition after forty years, **lxxii,** 526.
Aperiosteal, and its care, **lxiii,** 674.
Conical, of leg, **lxxii,** 379.
Painful flap transplant for, **lxxvi,** 650.
Stumps, amputation and artificial limbs, by E. Muirhead Little, **lxxvii,** 511.
STURGIS, MILTON G.: Fracture of tip of internal condyle of femur, **lxi,** 79.
STURMDORF, ARNOLD: Gynoplastic technology, **lxxi,** 236.
Subastragaloid dislocation, lxxviii, 536.
Subclavian aneurism, treatment of, **lvi,** 83, 356; ligature of innominate artery for, **lxi,** 641; **lxxx,** 948.
Artery, ligation of the first portion of the, **lxviii,** 219; ligation of first portion of left, **liv,** 503; rupture of, without bone fracture, **lvi,** 945.
Subcutaneous tubercle, painful, **lxi,** 451, 506.

Subdiaphragmatic abscess, lviii, 334, 423; **lxxix,** 845.
Subglenoid dislocation of head of humerus with fracture of the greater tuberosity, lxxx, 634.
Subhepatic abscess after appendicitis, lix, 457; from duodenal ulcer, **lxvi,** 602.
Sublingual fibroma, lxxx, 187.
Submaxillary gland and Wharton's duct, calculi in the, **lxiii,** 140.
Dermoid cyst, **lxx,** 121.
Subphrenic abscess and accumulations of fluids, **lxxx,** 159.
Abscess, **lxxii,** 380; **lxxiii,** 338; associated with rupture of common bile duct, **lxiv,** 414; right, surgical aspects of, **lxviii,** 383; following appendicitis, **li,** 426, 590; perinephritic, **lv,** 449; pneumococcus, **liii,** 420; sequel to appendicitis, **liii,** 118; rupture of the liver, **lii,** 858.
Subscapular exostosis, lxi, 619.
Suction tip for aspiration in abdominal operations, lviii, 537.
SUDLER, MERVIN T.: Omphalomesenteric duct: intestinal obstruction, **lxvii,** 575.
Torsion and strangulation of pyosalpinx, **lxvii,** 637.
SULLIVAN, RAYMOND P.: Nontubercular kidney infections, **lxxv,** 478.
SUMMERS, JOHN E.: Intestinal obstruction, cause of high mortality, **lxxii,** 201.
Anatomy of and surgical technic in the treatment of Jonnesco's membrane, **lx,** 113.
End results of gastric ulcer, **liv,** 427.
Heredity as a factor in causation of goitre, **lxii,** 138.
Sciatic hernia, **lxxv,** 672.
Simple method of resecting the transverse colon, **lxvi,** 337.
Some modifications of technic in the surgery of the gall-bladder and bile-ducts, **liv,** 110.
Suggestions regarding the anatomy of and the surgical technic in the treatment of Jonnesco's membrane, **lix,** 848.
Sunshine method of treating tuberculosis, lxiii, 251.
Supplies, operating, new container for sterilized, **liv,** 854.
Suprapubic cystostomy in badly infected cases, technic of, **lxiii,** 686.
Suprapubic prostatectomy, hæmostasis in, by the method of the "Lost Tampon," **lxxiv,** 768; in two stages, **lxii,** 463.
Surgeon, civil, duties and responsibilities when called to military service, **lxxii,** 1.
The good, **lxx,** 385.
The making of a, **lxxiv,** 257.
The opportunites and responsibilities of the, **lxxvi,** 293.
Surgeons as a profession, some of the things they stand for, **lxxii,** 257.
Surgery and war, **lxii,** 129.
Civil, war's contribution to, **lxxii,** 758.
Gall-bladder, **lxxvii,** 64.
General plastic, **lxxvii,** 257.
Surgery (review of books): General surgery, by Lexer-Bevan, **li,** 433.
Manual of surgery by Stewart, **lviii,** 862; **lxiii,** 507.
Modern surgery, by J. Chalmers Da Costa, **lxxi,** 529.
Practice of surgery, by Howard, **lxi,** 120.
Practice of surgery, by James Gregory Mumford, **liv,** 139.
Practice of surgery, by Spencer and Gask, **lii,** 576.
The surgery of childhood, including orthopædic surgery, by DeForrest Willard, **liv,** 141.
System of surgery, by Choyce and Beattie, **lxi,** 122; **lviii,** 857; **lxxix,** 802.
Text-book of, edited by George C. Gask and Harold W. Wilson, **lxxiii,** 139.
Text-book of surgery, by George Emerson Brewer, **li,** 607.
Treatise on, by A. P. C. Ashhurst, **lxxiii,** 519.
War surgery, by Alfred J. Hull, **lxix,** 223.
Handbook of surgical operation, by Pels-Leusden, **lvii,** 957.
Manual of surgical treatment, by Cheyne and Burghard, **lviii,** 856; **lix,** 463.

Surgical after-treatment, by L. R. G. Crandon, **liii**, 155; **lvii**, 136.
Surgical anatomy, by John A. C. Macewen, **liii**, 157.
Surgical diagnosis, by Alexander Bryan Johnson, **li**, 601.
Surgical diagnosis, by Edward Martin, **li**, 600.
Surgical diagnosis and treatment, by American Authors, edited by Albert Ochsner, **lxxvi**, 128.
Surgical pathology and morbid anatomy, by Bowlby and Andrews, **lxxiii**, 518.
Therapy of surgical diseases, by James Peter Warbasse, **lxviii**, 446; **lxx**, 255; **lxix**, 222.
Surgical English, **lxxi**, 402.
Experience and surgical knowledge, **lxv**, 673.
Knot, tying of, **lxvii**, 439.
Records, system of keeping, **lxiv**, 347.
Suspension and extension in the treatment of fractures, **lxiii**, 641.
And traction treatment of fractures, **lxxvii**, 238.
Frame, overhead, **lxxii**, 385; portable, employed in the treatment of the wounded during the European war, **lxxi**, 760.
SUTTON, GEORGE E.: Pulmonary fat embolism, **lxxvi**, 581.
SUTTON, IRWIN C.: Hyperthyroidism with associated diabetes mellitus, **lxxvii**, 252.
SUTTON, WALTER S.: Anæsthesia, by colonic absorption of ether, **li**, 457.
Proposed fistulo-enterostomy of von Stubenrauch, **lii**, 380.
Sutures, unabsorbable, rôle of, in gastro-jejunal ulcer, **lxiii**, 765.
Suturing all hollow viscera, simple method for, **lii**, 520.
SWANBECK, C. E.: Gas cysts of the intestines, **lxxv**, 620.
SWEET, JOSHUA EDWIN: Arteriovenous aneurism of the femoral artery and vein, **lxi**, 367.
Effect of the removal of the hypophysis in the dog, **lvii**, 485.
High intestinal stasis, **lxiii**, 720, 762.
Lymphatics of the gall-bladder, **lxxv**, 241.
Material for intestinal sutures, **lxiii**, 765.
New needle holder, **lxiii**, 766.
Prevention of post-operative adhesions in peritoneal cavity, **lxi**, 297, 365.
Some experiments on the surgery of the pancreas, **lxi**, 308.
Surgical experience and surgical knowledge, **lxv**, 673, 760.
Relation of ductless glands to surgery, **lii**, 545, 570.
Use of vein cuff to protect nerve anastomosis, **liii**, 581.
SWEETSER, HORATIO B.: Bacteriology of infected wounds, **lxxiii**, 4.
Injury to the bile-ducts and methods of repair, **lxxiii**, 629.
Vaginal hernia, **lxix**, 609.
Syme's amputation, modification of, **lix**, 771.
SYMMERS, DOUGLAS: Malignant myomata and Meckel's diverticulum, **lxx**, 183.
Multimyelomata and their liability to metastasize, **lxvii**, 687.
Serum treatment of anthrax septicæmia, **lxxv**, 663.
Sympathectomy, autogenous control of, **lxxix**, 922.
Peri-arterial, **lxxvii**, 30.
Sympathetic nervous system, surgical relations of the, **lxxvii**, 641.
System, relation of surgery to the vascular, **lxxviii**, 321, 429.
Sympathetics, peri-arterial, researches on the, **lxxiv**, 385.
Symphysiotomy as an aide to the removal of cancer of the prostate, **lxxiii**, 609.
Symphysis pubis, bone graft for wide separation of, **lxxx**, 152.
SYMS, PARKER P.: Adeno-fibromata of both breasts, **lxv**, 381.
Adeno-sarcoma of the rectum, **lxii**, 370.
Appendiceal fistula, **lxii**, 623.
Aspirating cup used as a tractor, **liv**, 271.
Biliary fistula from stone in common duct, **lv**, 765.

Chronic cystic mastitis, **lxiv,** 699, 745; **lxv,** 382.
Chronic mastitis with carcinoma, **lviii,** 395.
Decompression for suspected tumor of the brain, **liv,** 268.
Double-perinephritis, with hydronephrosis, **lx,** 639.
Duodenal kink, **lviii,** 572.
Excision of cancer of colon, **lxiv,** 501.
Excision of carcinoma of the sigmoid, **lxiv,** 500.
Fracture of patella, **lxii,** 623.
Fracture of the posterior clinoid process of the sphenoid bone, **liv,** 270.
Fracture-dislocation of the shoulder-joint, **lviii,** 574.
Gangrenous appendicitis, **liv,** 271.
Ileo-sigmoidostomy for obstruction of the bowel, **lx,** 637.
Large prostate, **liv,** 270.
Lymphangioplasty, **lvii,** 583, 785.
Massive hypertrophy of breasts, **lxxvi,** 290.
Membranous pericolitis, **lv,** 764.
Neurorrhaphy of the ulnar nerve, **lv,** 765.
Operation for hallux valgus, **lx,** 513.
Perineal prostatectomy, **lxv,** 382; **lxix,** 331.
Pneumococcus peritonitis, **lxvii,** 247, 263.
Post-operative peritoneal adhesions, cause of, **lix,** 459.
Resection of the ileum for perforation, **lx,** 640.
Rubber gloves in operative surgery, **lxix,** 340.
Special method for perineal prostatectomy, **lx,** 638.
Suppurating hydatids of the liver, **lviii,** 574.
Suturing of abdominal wounds, **lxvi,** 244.
Tongs for traction in treatment of fractures, **lxiv,** 500.
Torsion of the omentum; suppurative pancreatitis, **liv,** 269.
Traumatic asphyxia, **liv,** 267.
Treatment of appendicitis, **lx,** 652.
Treatment of spreading peritonitis, **liii,** 152.
Synovitis, traumatic, acute, treatment of, **lxxix,** 293; and chronic, **lxxvii,** 120, 781; treatment of, **lxxvi,** 677.
Syphilis cerebellum, of, simulating abscess, **lxi,** 97.
Cerebro-spinal, intra-spinal method of treatment of, **lxviii,** 74.
Present day views of the pathology of, **lxviii,** 551.
Stomach, **lxiii,** 743; surgical treatment of, **lxxvii,** 449.
Treatment of, by hypodermic injections of salicylate of mercury, **li,** 552, 595.
Syphilitic and other deformities of the nose, suggestions for the correction of, **li,** 173.
Osteomyelitis of the femur, **lxxiv,** 661.
Osteomyelitis of the ulna, **lxviii,** 87.
Perichondritis, laryngotomy for, **liii,** 859.

T

TAIT, LAWSON: His life and work, by W. J. Stewart McKay, review of, **lxxviii,** 122.
TAKATS, DE G.: Some problems of jaundice and the significance in surgery, **lxxix,** 662.
Talipes equino varus, extreme, **liv,** 862.
Talma operation, result after nine years, **lii,** 560; modified, for cirrhosis of liver after three years, **li,** 256.
Tampon, the Gibson-Mikulicz, in acute appendicitis, **lxxii,** 470–473.
Tanner's ulcer, **lxiii,** 155.
Tarsal scaphoid, fracture of the, **lii,** 845; **lxiii,** 761.
Tattoo marks, removal of, by skin grafting, **lxi,** 497.
TAYLOR, A. E.: Intestinal stasis, **lxiii,** 763.
TAYLOR, ADRIAN S.: Gastro-jejuno-colic fistula, **lxxix,** 634.

Surgical trauma of the recurrent laryngeal nerve with restoration of function, **lxxx**, 606.
TAYLOR, ALFRED S.: Adamantinoma of the jaw, **lix**, 451.
Anomalous abdominal membranes, **lxxv**, 513.
Birth palsy, **lxxiii**, 773.
Care of the iliohypogastric nerve in operation for the cure of inguinal hernia, **lxi**, 248.
Cases of unilateral laminectomy with dorsal root section for relief of spastic conditions, **liii**, 281.
Cervical rib, **lxxiii**, 778.
Chronic appendicitis, **lxxi**, 222.
Cyst of thyroglossal duct, **li**, 268.
Damage by bilateral laminectomies, **lxxiii**, 776.
Decompression for tumor of the brain, **lxviii**, 87.
Dislocated semilunar cartilage of knee, **lx**, 760.
Effects of biliary drainage externally, **lxix**, 58.
Endothelioma of the soft palate, **liii**, 283.
Enucleation of clot in hemiplegia, **lxvi**, 219.
Excision of thyroglossal duct sinus, **lxxi**, 219.
Extradural cyst in spinal canal, **lx**, 519.
Fracture-dislocation of cervical spine, **lxxvi**, 284; **lxvii**, 107; **lxxx**, 153.
Fracture of the humerus with paralysis of the musculospiral nerve, **lxviii**, 338.
Fracture of the transverse process of the cervical vertebræ, **liii**, 284.
Hydrocephalus following operation for spina bifida, **lxv**, 256.
Hypoglossal-facial anastomosis for facial paralysis, **lxvii**, 629.
Laminectomy, **lx**, 523.
Lymphangioplasty, **lvii**, 941.
Management of recent empyema, **lxxii**, 396.
Musculospiral paralysis, **lxxiii**, 781.
Nerve transplantation between ends of a divided nerve, **lvi**, 371.
Objections to nerve traction to secure approximation, **lxxiii**, 668.
Post-operative abdominal adhesions and anomalous membranes, **lxxiii**, 776.
Post-operative bursting of sutured abdominal wounds, **lxvi**, 243, 244.
Prevention of recurrence after operation for inguinal hernia, **lxxviii**, 560.
Removal of gasserian ganglion under local anæsthesia, **lxxiii**, 779.
Results of alcohol injections for trifacial neuralgia, **lxxix**, 940.
Results of trephining for traumatic epilepsy, **lxiv**, 733.
Section of the posterior root of the fifth nerve for trifacial neuralgia, **lv**, 905.
Siphon drainage of the thorax, **lxiv**, 730.
Spina bifida, **lxvi**, 511.
So-called congenital dislocation of the shoulder, **lxxiv**, 368.
Spinal cord tumor, **lxv**, 766.
Total laryngectomy under local anæsthesia, **lii**, 855.
Traumatic Erb's paralysis in the adult, **lviii**, 577.
Traumatic rupture of the brachial plexus, **lxv**, 252.
Treatment of fractures of the spine, **lxvii**, 108.
Treatment of gunshot wounds of the peripheral nerves, **lxv**, 385.
Tuberculous chondritis and mastitis simulating cancer, **li**, 114.
Unilateral laminectomy, **li**, 529.
Volkmann's ischæmic paralysis and contracture, **lxv**, 28, 250.
TAYLOR, KEMPTON P. A.: Sliding hernia of the ureter, **lxxii**, 613.
TAYLOR, KENNETH: Frequency of chest complications among the wounded, **lxii**, 570.
Local tetanus, **lxxiv**, 110.
Persistence of bacteria within sequestra, **lxvi**, 522.
Tissue fragments and wound infection, **lxiv**, 641.
TAYLOR, WALTER H.: Apparatus designed to facilitate pelvic surgery, **liv**, 160.

TAYLOR, WILLIAM J.: Acute intestinal obstruction caused by Meckel's diverticulum, **lxxviii**, 92.
Arthroplasty of the knee-joint, **lix**, 437.
Cystic disease of the breast, **lii**, 253, 283.
End results in sixty-three cases of operation for brain tumor, **lvi**, 55.
Extensive angioma of the upper extremity; varicose veins simulating a femoral hernia, **lii**, 269.
Fracture-dislocation of shoulder, **lv**, 431.
General infection following acute tonsillitis, **lv**, 785, 914.
Neuritis and peri-neuritis of arm, **lxxviii**, 90.
TEACHENOR, FRANK R.: Pneumoventricle of the cerebrum following fracture of the skull, **lxxviii**, 561.
Technic of orthopædic surgery, **lxviii**, 646.
TEES, FREDERICK J.: Anterior dislocation of the elbow-joint, **lxxvii**, 612.
Temporal artery, traumatic aneurism of the, **lxv**, 316; **lxvi**, 624.
Defect, large, cranioplasty for, **lxxv**, 113.
Temporomandibular arthroplasty, **lx**, 127.
Joint, arthroplasty upon, **lxxix**, 485.
Temporomaxillary ankylosis, **liii**, 551; **lxxii**, 636; bilateral, **lvii**, 921; **lix**, 138; **liv**, 145.
Joint, loose cartilage in the, **lxvii**, 536.
Tendon, artificial (silk) removed two years after introduction, **lvi**, 657.
Conjoined, hernia through the, **lxxviii**, 300.
Dislocation, **lvi**, 493.
Fixation, **lvii**, 427.
Fixation, for deformity resulting from partial paralysis, **lxi**, 94; in infantile paralysis, **lxii**, 481.
Of extensor longus pollicis, rupture of, **lxxviii**, 87.
Sheath, myeloma of the, **liii**, 847; sarcoma of, **liii**, 285.
Suture after wrist wound, **lxiii**, 119.
Transplant for wrist-drop, **lxxiv**, 506; **lxxviii**, 553.
Transplantation of, **lxvii**, 499.
Tendons, free transplantation of, **lxix**, 450.
Or joints, immediate plastic operations in injuries involving, **lxxviii**, 100.
Tendovaginitis, tuberculous, **lvi**, 496.
TENNANT, C. E.: Cause of pain in pyelography, **lvii**, 888.
Intraperitoneal cystostomy, **lii**, 657.
Mechanical aids to hollow visceral anastomosis, **liv**, 500.
Surgical treatment of empyema thoracis, **li**, 84.
TENNEY, BENJAMIN: Tumor at the meatus urinarius in the female, **lx**, 359.
Tenorrhaphy, fat transplant for adhesions after, **lxxi**, 791.
Tenosynovitis, acute suppurative, of the flexor longus pollicis, **lvi**, 799.
Tuberculous, **lxxii**, 376.
Tenotomy, value of, in some cases of fracture of tibia and fibula, **lii**, 276.
Tension button, skin, **lxxv**, 745.
Teratoid mixed tumors of the breast, **lxxvii**, 354.
Teratoma, congenital, of the parotid region, **lv**, 598.
Of the sacrum, **lxvii**, 496.
Pulmonary, **lxvii**, 73.
Umbilical, **lxix**, 603.
TERRY, WALLACE I.: Hereditary osteopsathyrosis, **lxviii**, 221.
Toxic goitre, **lxxii**, 152.
Testicle, carcinoma of the, histopathology of, **lxvi**, 571.
Congenital peritoneal, **lxxx**, 716.
Fibroma of the, **lxx**, 210.
Torsion of the, **lxxviii**, 666.
Tumors of the, malignant, in children, **lxxviii**, 761.
Undescended, Bevan's operation for, **lvi**, 501, 925.
Undescended, carcinoma of, **lxiii**, 627.

Testis, cancer of the, **lxi,** 634.
Carcinoma of the, **lxii,** 40.
Ectopy of the transverse, **lxviii,** 420.
Malignant disease of the, end results of, **lxxviii,** 370.
Operation for, **liii,** 854.
Perineal ectopia of, with hernial sac, **li,** 729; transplanted into scrotum, **liii,** 844.
Sarcoma of, **lxxviii,** 108.
Tumor, retained, producing intestinal obstruction, **lix,** 419.
Undescended, **lxiv,** 324.
Undescended, anatomy and treatment of, **lii,** 821, 860; associated with inguinal hernia, **liii,** 301; **lxiv,** 504; cancer of the, **lxvii,** 747; in a hermaphrodite, **lviii,** 400; malignancy of the, **lxxvi,** 260; strangulation of the, **lviii,** 838.
Tetania, parathyreopriva, parathyroid implantation in the treatment of, **liii,** 305.
Tetanus bacilli, frequency of, upon the surface of extracted projectiles, **lxix,** 68.
Cephalic, **lv,** 473.
Following upon a fracture of the ulna and dislocation of the head of the radius, **lxvii,** 245.
Local, **lxxiv,** 110.
Following herniotomy, **lxxvi,** 646.
Sir David Bruce on, **lxix,** 564.
Tetany following extirpation of the thyroid, **lvi,** 665, 804.
Post-operative, with implantation of human parathyroids, **lxxv,** 418; **liii,** 305.
Tetrabromphenolphthalein, röntgenological visualization of the gall-bladder, by the intravenous injection of, **lxxx,** 473.
THALHIMER, WILLIAM: Extent of tissue to be excised for radical removal of cancer of the stomach, **lxvi,** 421.
Histopathology of carcinoma of the testicle, **lxvi,** 571.
Regeneration of bone, **lxvii,** 331.
The etiological relationship of benign ulcer to carcinoma of the stomach, **lxvii,** 215.
Thiersch grafts, excessive thickening of, from use of scarlet red, **lviii,** 541.
Thigh, amputation of the, aperiosteal subtrochanteric, **lxxi,** 524.
Aneurism of the, **lxvii,** 383.
Bullet wound of, producing traumatic aneurism of femoral artery, **lxxvii,** 403.
Gunshot wound of, with gas bacillus infection, **lxv,** 752.
Lipoma of the, large, **lxviii,** 536.
Myxosarcoma of, involving the femoral vessels, **lxxviii,** 422.
Plastic closure of persistent through and through sinus of lower, **lxxx,** 635.
Thighs, amputation of both for senile gangrene, **lxxiv,** 252.
THOMAS, BENJAMIN A.: Amputation of penis for carcinoma; condition four and one-half years after, **lxiii,** 755.
Bevan's operation for undescended testicle, **lvi,** 501.
Bilateral renal calculi, **lxviii,** 542.
Cancer of the penis, **lxvi,** 613; **lxviii,** 74.
Carcinomatous papilloma of the renal pelvis, **lxxv,** 242.
Chromo-ureteroscopy in functional kidney diagnosis, **lii,** 569.
Diagnosis of diseases of the genito-urinary tract, **lix,** 295.
Double nephrectomy, drainage after, **lxi,** 365.
High frequency treatment of bladder papilloma, **lx,** 404.
Hydrocele of extreme size, **lxvi,** 614.
Hygroma of the verumontanum, **lx,** 408.
Intraspinal method of treatment of cerebrospinal syphilis, **lxviii,** 74.
Myositis ossificans progressiva, **lxvi,** 614.
Seminal vesiculitis, **lx,** 313.
Total cystectomy, **lxxii,** 515.
Total cystectomy, condition one and one-half years after, **lxiii,** 754.
Unusual case of renal tuberculosis, **lxv,** 602.

Young's cystoscopic rongeur for removal of vesical calculus, **lv**, 422.
THOMAS, G. J.: Report of case of pelvic kidney, **lviii**, 809.
THOMAS, J. LYNN: Control of hemorrhage by means of the forceps-tourniquet, **lii**, 704.
THOMAS, T. TURNER: An anatomical study of femoral hernia, **lxii**, 582.
Chorio-epithelioma of the uterus, **lxxix**, 140.
Correction of deformity in fractures, with a new conception of the fractures of the upper extremity, **lxx**, 359.
Dermoid cyst in right submaxillary region, **lxx**, 121.
Empyema thoracis, **lxvii**, 250.
Fracture-dislocation of the astragalus, **lv**, 122.
Hydronephrosis from kinking of ureter, **lxxix**, 139.
Impacted fractures of the tibia, **lxxiv**, 108.
Impassable traumatic stricture of the deep urethra, **lxviii**, 539.
Injuries to the acromion process, **lix**, 294.
Intraperitoneal rupture of the bladder, **lxxvi**, 64.
Intussusception, **lxxiii**, 638.
Intussusception of head of cæcum, **lxx**, 125.
Laceration of the axillary portion of the capsule of the shoulder-joint in etiology of traumatic combined paralysis of the upper extremity, **liii**, 77, 116.
Loose cartilage in knee-joint, **lxxiii**, 764.
Method of excising the head of the humerus, **lxvi**, 492.
Multiple movable bodies in the knee-joint, **lxv**, 510.
Operation for prolapse of the rectum, **lxvii**, 373.
Pathology of old dislocations of the shoulder, **lviii**, 44.
Pathology of stiff shoulders, **lxiv**, 370.
Reduction of old unreduced dislocations of the shoulder, **lvii**, 217, 292.
Recurrent dislocation of the shoulder, **lxxiii**, 639.
Relation of the posterior subluxation of the shoulder-joint to obstetrical palsy, **lix**, 197.
Retroperitoneal appendix, **lxx**, 124.
Sprain-fracture, **lv**, 124.
Strangulation of a recurring inguinal hernia, **lxxiii**, 641.
Traumatic brachial paralysis with flail shoulder-joint, **lxvi**, 532.
Treatment of intracapsular fracture of the neck of the femur, **lxxiii**, 767.
THOMAS, W. HERSEY: Bone grafting in compound fractures, **lxxi**, 232.
THOMPKINS, WM. J.: Umbilical and inguino-labial hernia, **lxxv**, 639.
THOMPSON, JAMES E.: Anatomical methods of approach in operations on the long bones of the extremities, **lxviii**, 309.
Aneurism of the iliac and femoral arteries, **lxxix**, 884.
Fatal hemorrhage from erosions of the artery by duodenal ulcers, **lvii**, 695.
Final results of transplanting ureters into colon, **liv**, 404.
Fracture-dislocation of the vertebræ, **lxxviii**, 260.
Ligature of innominate artery for subclavian aneurism, **lxi**, 641.
Lymphangioma of the neck, **lxvii**, 385.
Pleural and pulmonary complications of tropical abscess of the liver, **lix**, 891.
Relationship between branchiogenetic and ranular cysts, **lxxii**, 164.
Simplification of technic in operations for hare-lip and cleft palate, **lxxiv**, 394.
Study of sacral anæsthesia, **lxvi**, 718.
Suppuration in half of a horseshoe kidney, **liv**, 355, 413.
Suture of the heart, **lviii**, 279.
Teratoma of the sacrum; glioma of the upper cavity, **lxvii**, 496.

THOMPSON, J. OSCAR: Tumors in South China, **lxxiii**, 217.
THOMPSON, ST. CLAIR: Diseases of the nose and throat, review of, **lxiv**, 635.
THOMSON, ALEXIS: Amputations in two stages, **lviii**, 276.
Arteriovenous anastomosis, **lviii**, 279.
Fibromatosis of the stomach, **lviii**, 10.
Thoracic aneurism, condition of two cases, four years after wiring, **lxiv**, 682; treated with gold wiring and galvanism, **lv**, 789, 890; mercury and salvarsan, **lix**, 461; potassium iodide, **lx**, 535; wiring of, **lvii**, 285; **lxii**, 629.
Thoracic aorta and heart, experimental surgery of the, **lii**, 83.
Cavity, sterilization of, **lxx**, 116.
Drainage, post-operative, **lxviii**, 156.
Fistula and chronic empyema, **lxx**, 43.
Infections, post-operative management of, **liv**, 549, 568.
(Intra) tumors, **lxxix**, 670.
Œsophagus, cancer of, extrapleural resection, **lxxiv**, 259; successful resection for, **lxxiv**, 116.
Operations, internal regional anæsthesia, **lxvi**, 404.
Surgery on human beings, some observations regarding, **lii**, 34; under intratracheal insufflation anæsthesia, **liv**, 749; value of intratracheal insufflation in, **lii**, 23, 715.
Thoracis empyema, **lxxvii**, 249, 401.
Thoraco-abdominal injuries, **lxxii**, 370.
Thoracoplasty, **lviii**, 701.
Extrapleural for pulmonary tuberculosis, **lxvii**, 630; regional anæsthesia in, **lxvi**, 404.
For chronic empyema, late result after, **lxvi**, 729.
Thoraco-puncture, intercostal for the removal of penetrating projectiles in the lung, **lxxviii**, 501, 537.
And œsophageal plication for cardiospasm, **liii**, 293.
Thoracotomy, drainage of pleural cavity after, **lxvi**, 604.
Exploratory, **lvii**, 274.
For abscess of the lung, **lix**, 309.
For impermeable cardiospasm, **lv**, 326.
Posterior, for removal of foreign body in the lung, **lxii**, 498.
Under differential pressure for sarcoma of the chest wall, **liii**, 304.
Thorax, empyema of the, **lxii**, 309; **lxvi**, 290; exploration in, **lxvi**, 109; thoracotomy, **lxiv**, 509, 510; trend of surgery in, **lxv**, 320.
Decompression of, **lv**, 152.
Gunshot wound of, **lvi**, 362.
Surgery of gunshot injuries of the, **lxviii**, 554.
THOREK, MAX: Aluminum potassium nitrate in the treatment of suppurative conditions, particularly osteomyelitis, **lxxvii**, 38.
Fibrous tumors of the foot, **lxxvi**, 101.
THORNBURG, R. M.: Gunshot wound of abdomen, **lvi**, 886.
Three-table military operating room, **lxx**, 497.
Thrombo-angiitis obliterans, **lix**, 443; **lxiv**, 102; **lxxix**, 599; arteriovenous anastomosis for, **lix**, 303; causing gangrene of the extremities, conservative treatment of, **lxiii**, 280; multiple ligation of varicose veins of the leg for, **lix**, 796; resection of the femoral vein for, **lix**, 795; accompanying lead poisoning, **lxiii**, 750.
Thrombophilia, resection of femoral vein for, **lxvi**, 600.
Thrombophlebitis, post-operative, **lvii**, 151; of vena cava, ultimate outcome, **lvii**, 916.
Thrombosis and embolism, arterial, operative treatment of, **lxi**, 519.
Mesenteric, **lxii**, 513; **lxxii**, 121; **lxxvii**, 299.
Of the mesenteric vessels, **lvi**, 687; **lix**, 319.
Of mesenteric veins, **lxiv**, 378.
Of the superior mesenteric artery, **lxxiv**, 797.

Pulmonary, fatal post-operative, **lxxii**, 91.
Thumb, formation of a new from the metacarpus, **lix**, 767; **lxxvi**, 121.
Fractures of the sesamoid bones of the, **lxii**, 297.
Plastic repair of the, **lii**, 536.
Thenar paralysis of, result of operation for, **lxxix**, 933.
THURLOW, MADGE DE G.: Madderized bone as the material for bone grafts, **lxvii**, 454.
Thymectomy for tracheal obstruction, lix, 775.
Thymus gland, surgery of the, **lvi**, 77; treatment of, malignant tumors of by radium, **lxxi**, 460.
Thyrogenic origin of Basedow's disease, lvii, 341.
Thyroglossal duct, cyst of, **li**, 268; sinus, excision of, **lxxi**, 218; tract, surgical treatment of cysts of, **lxxi**, 121.
Thyroid, accessory, carcinoma of, **lii**, 711.
Adenomata, encapsulated, **lxxix**, 20.
And thymus, by Andre Crotti, review of, **lxix**, 110.
Arteries, preliminary ligation of, in cases of Graves's disease, **lviii**, 180.
Artery, ligation of the inferior, **lxxvii**, 397.
Body, note on cancer of the, **lviii**, 109.
Cancer, **lxxii**, 381; **lxxx**, 551.
Carcinoma, **lviii**, 281; **lxv**, 787; **lxvi**, 222.
Cases, laryngeal functions in, **lxxiii**, 321.
Co-existing infection with sarcoma of the, **lvii**, 501.
Conservation in hyperthyroidism, **lxvii**, 447.
Cyst, hemorrhage into, **li**, 255.
Enlarged, beneath the sternum, **lxviii**, 146.
Extirpation of the, followed by tetany, **lvi**, 665, 804.
Gland, acquired disease of the, **lx**, 218; adenoma of, with hyperthyroidism, **lxxii**, 134; cancer of the, permanent recovery after removal of, **lvi**, 470; excision of both lobes of, for cure of Graves's disease, **lviii**, 178; importance of the correct differential diagnosis of disease of, **lxxviii**, 572; injection of boiling water into, in hyperthyroidism, **lxv**, 279; large intrathoracic cysts of the, **liii**, 737, 853; lateral accessory, **lx**, 379; low transverse incision in operations on the, **lxxv**, 686; malignant degeneration of benign tumors of, **lxxiv**, 684; metastasizing malignant tumor of the, **lxxvi**, 684; results in operations for adenoma of, with hyperthyroidism and exophthalmic goitre, **lxxii**, 145; special points in the technic of operations on the, **lxxv**, 47; surgical anatomy of the, **lxi**, 268, 365; surgery of the, and its mortality, **lxxviii**, 146; toxic adenoma of the, in relation to exophthalmic goitre, **lxxii**, 141.
Metastases, pathological fracture of the neck of the femur due to, **lxxvii**, 689.
Results of "specific" remedies in diseased states accompanied by hypertrophy of the, **li**, 145.
Squamous-cell epithelioma of the, **lxxiii**, 23.
Sublingual, **lvi**, 465.
Surgical anatomy of the, **lxiii**, 71, 124.
Surgery and pathology of the, and the parathyroid glands, by Ochsner and Thompson, review of, **lii**, 575.
Surgery and the dementia præcox syndrome, **lxxvi**, 438.
Surgery, factors of safety in, **lxxvii**, 685.
Toxæmia, **lxxv**, 740.
Transplantation for myxœdema, **lxii**, 518.
Tuberculosis, **lxxix**, 313, 315.
Tumors of the, malignant, **lxxiv**, 129; **lxxix**, 488.
Thyroidectomy, choice of anæsthesia for, **lxxiii**, 664.
Partial, **lv**, 908; for exophthalmic goitre, **lii**, 713; **liii**, 422.
Thyroiditis, chronic productive, **lxxx**, 25.
Thyroidism, significance of, **li**, 270.

Tibia, avulsion of the tubercle of the, **liii,** 431.
Bone graft of, for non-union, **lxxiii,** 245.
Cyst of the, **lxv,** 512.
Enchondroma of the, **lxi,** 635.
Femur, and, open operation and plating for recent fractures of, **lv,** 778.
Fibula, and, fracture of the, with non-union, treatment of, **lxxiii,** 124; fractures of the, gunshot, **lxxi,** 66; spiral, **lxxv,** 717; value of tenotomy in some cases of fracture of, **lii,** 276.
Fracture involving the ankle-joint, **lxxv,** 243; pinned with aid of fluoroscope, **lvi,** 794.
Osteomyelitis, acute, of the, **lvi,** 361.
Osteomyelitis of the, **lxxiv,** 662.
Osteomyelitis, suppurative of the, **lix,** 784.
Old result of injury to epiphysis, **lxxi,** 522.
Reformation of, after osteomyelitis, **lix,** 787.
Sarcoma of the, giant-celled, **liv,** 272.
Sarcoma of the upper end of the, treated with toxins, **lxv,** 372.
Separation of upper epiphysis of, **lxxvii,** 485.
Ununited fractures of, treated by transplantation of bone, **lix,** 486, 495.
Tibial cyst, bone transplantation for, **lxxv,** 736.
Graft, use of, for skull defect, **lviii,** 690.
Tubercle affections, **lxxiii,** 77.
TILNEY, FREDERICK: Form and functions of the central nervous system, review of, **lxxviii,** 124.
TILNEY, FREDERICK AND RILEY, HENRY ALSOP: Form and functions of the central nervous system, review of, **lxxiii,** 390.
TILTON, BENJAMIN T.: Abscess of lung, **lxiv,** 495.
Acute hemorrhagic pancreatitis, **liii,** 432.
Arterial ligation for exophthalmic goitre, **lxi,** 500.
Carcinoma of the cæcum; excision and lateral anastomosis, **lvi,** 795.
Cases of Stewart incision for removing carcinoma of breast, **lxiv,** 629.
Excision of tuberculous ureter after nephrectomy, **lxi,** 473.
Fracture of the anatomical neck of the humerus with subglenoid dislocation, **lx,** 648.
Gastro-enterostomy for benign tumor of pylorus, **lvi,** 796.
Gastro-enterostomy for cicatricial stenosis of pylorus, **lx,** 649.
Pyloric adhesions, **lvii,** 270.
Stricture of the pylorus, posterior gastro-enterostomy, **lvii,** 269.
Transfusion for hemorrhage after gastro-enterostomy, **lxiv,** 496.
Traumatic rupture of the liver, **lxxx,** 623.
Treatment of cases of fracture-dislocation of head of humerus, **lxxiv,** 638.
TINKER, MARTIN B.: End results in some conditions associated with or possibly caused by goitre, **lxxx,** 383.
End results of treatment in certain forms of malignancy of the neck, **lxxvi,** 335.
Many stage operation for goitre, **lxxviii,** 151.
Modified autogenous grafting and turning skin flaps to cover granulating surfaces, **liv,** 848.
Treatment of chronic empyema, **lxx,** 545.
Wound incision in the treatment of compound fractures, **lxxv,** 38.
TIRUMURTI, T. S.: Intestinal obstruction from tumor of retained testis, **lix,** 419.
Lymph-angio-endothelioma of the peritoneum, **lx,** 356.
Tissue and organ transplantation, **lx,** 195.
Fragments and wound infections, **lxiv,** 641.
TODD, GEORGE M.: Duodenotomy in common duct stone, **lxi,** 180.

Todd, T. Wingate: Anatomy of a case of carcinoma of the rectum, **lviii**, 831.
Anatomical considerations in the rectal prolapse of infants, **lxxi**, 163.
Congenital dislocation of the shoulder, **lxxvi**, 70.
Defects of the patellar border, **lxxiv**, 775.
End result of excision of the elbow for tuberculosis, **lvii**, 430.
Injuries to the malar bone and zygoma, **lxvii**, 403.
Posture and the cervical rib syndrome, **lxxv**, 105.
Rôle of cancellous tissue in healing bone, **lxxii**, 452.
Toe, great, fracture of sesamoid bones of, **lxvii**, 609.
Injuries of the sesamoids of the, **lx**, 478.
Transplantation of, **lxxvii**, 228.
Toe-drop, paralytic, Putti's operation for, **lix**, 432, 439.
Toes, eight on one foot, **lxxvi**, 546.
Tolson, Howard L.: Spinal anæsthesia, **lxxix**, 283.
Toluol as a storing fluid for catgut, **lxiii**, 312.
Tomato joint, the, **lvi**, 147.
Tongue, abscess of the, **lxxviii**, 496.
Cancer of the, **lxxviii**, 461, 469, 474; **lxxix**, 458; study of, **lx**, 129.
Carcinoma of the, **lxxix**, 458.
Carcinoma of the, excision of, **lix**, 289; extirpation for, **lxix**, 671; treatment of, **lxxiii**, 716.
Dermoid cyst of, **lxxx**, 796.
Depressor, gastro-enterostomy clamp, **lxi**, 604.
Excision of the, **lxii**, 238.
Leucoplakia of, **lxxviii**, 474.
Leukokeratosis of, **lxxviii**, 469.
Tuberculosis of, **lvi**, 361; **lxiii**, 143.
Tumor of, **liii**, 843.
Tongs extension in fractures, **lxxiii**, 124; **lxiv**, 500.
Tonsil, responsibility of the, in tuberculous adenitis, **lii**, 753.
Tuberculosis of the, **li**, 577.
Tonsils, extirpated, bacteriology of and relation to epidemic tonsillitis, **lxxix**, 24.
Sarcoma of, **lxi**, 237; treated with radium, **lxi**, 364.
With cervical metastases, lympho-sarcoma of the, **lxxviii**, 112.
Tonsillectomy followed by lung abscess and pyopneumothorax, **lxxix**, 607.
Hemorrhage following, **li**, 575.
In children, **lxi**, 257.
With septic sequelæ, **lxxvii**, 760.
Tonsillitis, acute, general infection following, **lv**, 785, 914.
Epidemic, relation to bacteriology of extirpated tonsils, **lxxix**, 24.
Tooth germ cysts of the jaw, **lxiv**, 674.
Torek, Franz: Acute pancreatitis, **lxv**, 399.
Anæsthol poisoning, causing acute yellow atrophy of liver, **lii**, 489.
Bone graft of humerus, **lxxiii**, 245.
Bone graft of tibia, **lxxiii**, 245.
Cancer of the rectum, **lxv**, 779.
Carcinoma of the rectum, abdomino-sacral operation, **lxvi**, 594; **lxix**, 667.
Carcinoma of the stomach with large tumors, **lxii**, 110.
Disappearance of recurrent mammary carcinoma after removal of the ovaries, **lx**, 476.
Diverticulum of the œsophagus, **lxxiv**, 123.
Diverticulum of the œsophagus complicated by abscess of the lung, **lxi**, 360.
Excision of pectoral muscles in operations for cancer of the breast, **lxviii**, 99.
Extirpation of tongue for, carcinoma, **lxix**, 671.
Hemorrhage after gastro-enterostomy, **lxiv**, 498.
Ileus due to gall-stone, **lxv**, 793.
Inguinal hernia, **lxx**, 65.
Operation for prolapse of rectum, **lxvi**, 597.
Operations for femoral hernia, **lxix**, 673.

Operative treatment of carcinoma of the œsophagus, **lxi**, 385.
Point of scissors in the knee-joint, **lxv**, 794.
Radical cure of direct hernia, **lxxii**, 644.
Rectus transposition in hernia, **lxvii**, 625.
Recurrence of inguinal hernia after operation, **lxxviii**, 558.
Removal of cancer of the œsophagus, **lxxiv**, 118.
Rhinoplasty for carcinoma of the nose, **lxix**, 667.
Sesamoid bone in patellar ligament, **lxv**, 794.
Specimen of stricture of the œsophagus, **lxxiv**, 125.
Splenectomy for pernicious anæmia, **lxxv**, 122.
Technic of the removal of the gall-bladder, **lxvii**, 620.
Ulcer of stomach with carcinomatous degeneration, **lxvii**, 106.
Ultimate results of operation for carcinoma of the stomach, **lxii**, 119.
Use of Murphy button in intestinal surgery, **lxxiii**, 251.

TORRANCE, GASTON: Aneurism of thigh, **lxxvii**, 383.
Suture of wound of femoral artery, **lxvii**, 255.
Vesicovaginal fistula from penetration of floor of the bladder by horn of a bull, **liv**, 287.

Torsion, complete, of great omentum, **lxix**, 451.
Of the omentum, **lvi**, 498; **lix**, 777.
Of the testicle, **lxxviii**, 666.
Within lesser omentum, **lxi**, 626.

Torticollis, complete excision of one sternomastoid muscle for, **lvi**, 472.
Congenital, **lxv**, 772.
Treatment of, **lvii**, 282.

Tourniquet for the control of hemorrhage from the scalp during osteoplastic resection of the skull, **li**, 646.
Operation in toxic and other goitres, **lxxii**, 161.
Pneumatic, **lii**, 700.
Sehrt's metal, **lxxii**, 386, 763.

Tourniquet forceps, control of hemorrhage by means of, in major amputations, **lii**, 704.

TOWNE, EDWARD B.: Finger exploration of gunshot wounds of the brain, **lxxi**, 531.

Toxins, mixed for lympho-sarcoma, **lxi**, 495; use of, in adeno-carcinoma of the soft palate, **lviii**, 559; in sarcoma of clavicle, **lviii**, 556.

Tracheal obstruction, thymectomy for, **lix**, 775.

Traction and suspension treatment of fractures, **lxxvii**, 238.

Transfusion and splenectomy in an infant, **lxi**, 349.
Ante-operative, **lx**, 769.
Blood, of, **lv**, 892; **lxxvii**, 364, 503; fatal anaphylaxis following, **lxxviii**, 1; in an adult, **liii**, 131, 132; immune, in the treatment of septicæmia, **lxix**, 437; in the treatment of the wounded in war, **lxvii**, 1; **lxviii**, 118; three consecutive, for profound secondary anæmia, **lii**, 710.
End-to-end suture method, by, **lii**, 433.
Hæmophilia, in, **lii**, 457.
Improved device for, **liii**, 720.

Transgastric jejunal feeding, **lii**, 373.

Transplant of bone for defect of humerus, **lix**, 763.

Transplants, arterial, end results of, **lxxviii**, 305.
Facial, in war surgery, **lxviii**, 1.
Free, of bone and cartilage, the comparison of the permanence of, **lxv**, 170; **lv**, 137; **lx**, 166; of fascia lata, **lx**, 481; of flaps of fascia, **liv**, 734; of tendons, **lxix**, 450.
Growth changes in, **lxvi**, 103.
Of bone from the tibia to the lower jaw for loss of substance, **lxx**, 476.
Of fat-fascia bone for defect of skull, **lxviii**, 544.
Of rib cartilage for saddle-back nose, **lxviii**, 580.
On hand after operation for carcinoma, **lxvii**, 629.
Small bone, in bridging a bone defect, **lxvii**, 457.

Value of bone and cartilage, in rhinological surgery, **lxvi**, 162.
Transplantation, bone, **lii**, 217; **lxiii**, 242; for cyst of tibia, **lxxvi**, 115; for old ununited fracture, **lxxi**, 228; from scapula for defect in skull, **lxvi**, 160; in ununited fractures of humerus, **lxiii**, 464; methods suggested for, **lix**, 40, 766; osteogenic power of periosteum in, **lxi**, 672; studies in, **lxix**, 113.
Bones, of entire, with their joint surfaces, **lxi**, 658, 757.
Fibula, of, **lxxvi**, 91.
Homoplastic, of a boiled segment of a radius, **lxiii**, 185.
Organs, of, study of protective ferments of blood after, **lxi**, 149.
Partial, epiphysial for defect in fibula, **lxiv**, 519.
Tissues and organs, of, **lx**, 195.
Tissues to form new finger, **lxix**, 379.
Toe for congenital absence of finger, **lxxx**, 944.
Veins, of, to connect severed nerves, **lvi**, 371.
Transpleural œsophago-cutaneous fistula, **lxxviii**, 96.
Transportation system, methods of handling injuries on, **lxiv**, 184.
Transposition of viscera with appendicitis, **lvi**, 940; with left-sided appendicitis, **lxiii**, 124.
Transthoracic laparotomy, **lxx**, 172.
Transverse abdominal incision, **lxii**, 573; **lxiv**, 268; **lxxv**, 70.
Trapezii muscles, paralysis of both after ablation of cervical lymph-nodes, **lxvi** 619.
Trapezium, sprain-fracture of the, **lxv**, 364.
Trapezius muscle, bilateral paralysis of the, **lx**, 762.
Trauma, the relation of, to cancer formation, **li**, 609.
Traumatic and industrial hernia, **lxxv**, 467.
Injuries of the kidney and ureter, **lxiv**, 459.
Lesions of the head, **lxxviii**, 26.
Popliteal aneurism, **lxxvii**, 108.
Synovitis, treatment of, **lxxvi**, 677; treatment of acute and chronic, **lxxvii**, 120.
Traumatism, the causal relation of to tuberculosis, **lix**, 909.
Trephine, the segment, **lxix**, 176.
Trephining for compound fracture of frontal bone, **lxvi**, 499; relief of melancholia, **lxi**, 497.
Trifacial neuralgia, **lxxix**, 939; diagnosis and treatment of, **lxiv**, 242; operative treatment of, **lxviii**, 371.
Trigeminal neuralgia, Hartley-Krause operation, **lii**, 258.
Trigeminus, local anæsthesia in operations on, **lv**, 136.
Trochanter of the femur, avulsion of the lesser, **lxv**, 241.
TROELL, ABRAHAM: Fractures of the forearm in the region of the wrist, **lxxii**, 428.
Gastric and duodenal ulcers from a surgical point of view, **lxvi**, 664.
Ligation of splenic vessels as a substitute for splenectomy in blood diseases, **lxiii**, 88.
TROUT, HUGH H.: Autogenous bone grafts versus Lane plates, **lxi**, 717.
TRUESDALE, PHILEMON, E.: Cancer of the ovary invading the sigmoid flexure, **lxxii**, 218.
Cancer of the tongue, **lxxviii**, 461.
Diaphragmatic hernia, the thoracic operative approach, **lxxiv**, 347.
Œsophagotomy for foreign bodies in the œsophagus, **lxxx**, 375.
Recurring hernia of the diaphragm, **lxxix**, 751.
TRUESDELL, EDWARD D.: Duodenal obstruction from transmesenteric hernia in an infant, **lxxix**, 948.
Foreign bodies in duodenum in children, **lxxix**, 947.
Inequality of the lower extremities following fracture of the shaft of the femur in children, **lxxiv**, 498.
Repair of fractures in children, **lxxix**, 947.

Shortening following fractures of the femur in children, **lxxviii**, 421.
Tubal pregnancy, lix, 743.
Tubercle, painful subcutaneous, **lxi**, 451, 506.
Subfascial, **lviii**, 541.
Tubercular kidney, pathogenesis of, **lv**, 168.
Peritonitis with cancer of ovary, late result of operation for, **lxxiii**, 661.
Rheumatism, **lv**, 750, 776.
Spine, ankylosing, operations of the, **lxx**, 744.
Stenosis of the ileum, with excision, **li**, 574.
Tuberculins in mixed suppurative bone and joint disease, li, 761; **lii**, 136.
Tuberculosis, appendix, **lxvi**, 648; **lxxi**, 139.
And carcinoma, association of, **lxxiii**, 661.
Bladder, ureter and kidney, **lvi**, 134.
Bones and joints, heliotherapy for, **lxxvii**, 620.
Breast, **lviii**, 396; **lxiii**, 668; **lxxvii**, 661; **lxxix**, 459.
Cervical lymph-nodes, treatment of, **lviii**, 433, 550.
Chest wall, **lxxi**, 517; **lxxvii**, 496.
Colon, hyperplastic, **lxxi**, 791.
Costal cartilages, **lvii**, 129.
Elbow, **lxxv**, 744; end result of excision, **lvii**, 430.
Epididymectomy for, **li**, 121.
Glands, in the elderly, **lxx**, 570.
Glans penis, **lvii**, 894.
Hip, resection for, **lix**, 773.
Ileocæcal, resection for, **liii**, 539; valve, **lix**, 698.
Intestines, hyperplastic, **lxxi**, 637; **lxxii**, 196.
Kidney, **li**, 271; **lvi**, 521; **lviii**, 402, 404; **lxii**, 506; **lxiv**, 628; **lxv**, 346, 602; **lxviii**, 105; cystoscopic examination in, **lii**, 239; fistula following nephrectomy for, **lxvi**, 728; **lxxvii**, 629; in a child, nephrectomy for, **lxii**, 494; indications for nephrectomy in its treatment, **lvi**, 292; removal of the ureter with, **liii**, 696, 733; unilateral, **lxx**, 117, 203.
Knee, **lix**, 138.
Lip, **li**, 520.
Lung, resection of ten ribs for the cure of, **liii**, 539.
Mesenteric gland, **lvii**, 260.
Neck glands, responsibility of the tonsil in, **lii**, 753; treatment of, **lii**, 758.
Penis, primary, **lv**, 305; **lvii**, 894.
Peritoneum, **lxxiii**, 786; from infected adnexa, **lvii**, 932; simulating appendicitis, **lvii**, 931.
Prostate and kidney, **lxiv**, 720; primary, **lxii**, 473.
Pulmonary, extra-pleural thoracoplasty for, **lxxvii**, 630; thoracoplasty for, **lxix**, 557; unilateral, surgical treatment of, **lxxvii**, 652.
Renal, **lxxx**, 787; in twins, **lxxiii**, 65; surgery of, **lxxix**, 395.
Shaft of the long bones, of the, **lvii**, 133; ulna, **lvii**, 260.
Sheaths of flexor tendons, **lxxvi**, 791.
Skull, **liii**, 846.
Spinal, bone transplantation for, **lx**, 524.
Spine, **lxvii**, 165; handling of children with, while under anæsthetic, **lxiv**, 34; secondary foci of, **lxxv**, 95.
Spleen, **liii**, 144; **lxix**, 56.
Stomach, gastrectomy for, **lxxiv**, 245.
Surgical, treated by the sunshine method, **lxiii**, 251; with the carbon arc lamp, treatment of, **lxxv**, 400.
Thyroid, **lxxix**, 313, 315.
Tongue, **lvi**, 361; **lxiii**, 143.
Traumatism and, the causal relation of, **lix**, 909.
Ureter, **liii**, 563.
Wrist, result of exision of, **lix**, 283.
Tuberculous abscesses of the chest wall, **lxxv**, 404.
Arthritis of the elbow, **liv**, 278.
Bursitis of the thigh and groin, **liii**, 566.
Cervical lymph-glands, indications for operation in the treatment of, **lxxx**, 885.
Chondritis and mastitis simulating cancer, **li**, 114.

Foci in bones and their treatment, **lix,** 930.
Infection of knee-joint, **lxiv,** 371.
Peritonitis, **lxii,** 95; **lxxvii,** 632.
Splenomegaly, acute secondary, treated by splenectomy, **lxiii,** 315.
Sinuses, bismuth paste injections in chronic, **li,** 715, 751.
Synovial gonitis, **li,** 946.
Tendovaginitis, **lvi,** 496.
Tenosynovitis, **lxxii,** 376.
Tumor of capsule of knee, **lxxi,** 673.
Ureter, excision of, **lxi,** 473.
TUFFIER, TH.: Final results of the treatment of fractures of the shaft of the femur, **lxix,** 85.
Secondary surgical treatment of chest wounds, **lxviii,** 558.
Treatment of chronic empyema, **lxxii,** 266.
Tumors, bone, cystic diseases of, **lxxv,** 506; giant-celled, nonmalignant, **lxix,** 345; metastases to lungs from a pure myxoma, **lxxvii,** 106; myxoma, **lxxx,** 817.
Brain, **lxxx,** 618.
Breast, benign, **lxxix,** 172; and malignant, **lxxv,** 631; **lxxvii,** 668; teratoid mixed, **lxxvii,** 354.
Classifications of, **lxiii,** 257.
Congenital of the coccygeal region, **lxxx,** 834.
Facial, large, malignant, removed without hemorrhage by bipolar endothermy and the endotherm knife, **lxxx,** 954.
In South China, **lxxiii,** 217.
Intrathoracic, **lxxix,** 670.
Kidney, malignant, in children, **lxxx,** 569.
Mediastinum, in children, **lxxix,** 687.
Mesentery, solid, **lxxiii,** 211.
Renal pelvis, squamous cell, **lxxx,** 594.
Rupture of the, in a child, following relatively slight trauma, **lxxx,** 624.
Stomach, benign, **lxxvii,** 580.
Superior maxilla, treatment of, **lxviii,** 353.
Thymus gland, malignant, treatment of by radium, **lxxi,** 460.
TURCK, FENTON B.: Toxins of pregnancy and gall-bladder disease in the fœtus, **lxxix,** 159.
TURCK, RAYMOND C.: Treatment of X-ray ulcer, **liii,** 47.
TURNER, W. G.: Giant-cell sarcoma of the femur with metastasis in the femoral vein, **lxxviii,** 846.
TURNURE, P. R.: Gas cysts of the intestine, **liii,** 576; **lvii,** 811.
Rupture of the bladder, **lvi,** 807.
TUTTLE, HOWARD K.: Acute intestinal obstruction caused by chronic organizing peritonitis of undetermined etiology, **lxxviii,** 116.
Two-stage operations in relation to treatment of cancer, **lx,** 57.
Principle in operative surgery, the, **li,** 30.
TWYMAN, ELMER D.: Splenectomy under local anæsthesia, **lxxi,** 110.
Tying ligatures and sutures with one hand, lvi, 780.
TYLER, GEORGE T.: Myxoma of breast, **lxi,** 126.
Tympany of hypochondrium, a symptom of perforated gastro-duodenal ulcers, **lxvii,** 255.
Typhoid, affections of bone in, diagnosis and therapy of, **lxix,** 245; **lxxii,** 486.
Appendicitis, acute occurring in the course of, **lxii,** 146, 534.
Bacilli persisting in gall-bladder for thirty-seven years, **liii,** 870.
Cholecystitis, acute, complicating, **lxii,** 152.
Fever, acute ulcer peritonitis in, **liii,** 651; followed by sacroiliac arthritis, **liii,** 730; in childhood, followed by cholecystitis, **lxix,** 534; surgical aspects of, Webb-Johnson, review of, **lxix,** 674.
Laparotomy in, **lxii,** 143.
Perforation, **lxii,** 385, 539; diagnosis of, **li,** 697, 741; with cholecystitis, **lv,** 437.
Spine, **lxi,** 456.
Ulcer, diagnosis of, **lvii,** 588; perforating, **lix,** 637.
Typhoidal osteomyelitis, lxxvii, 319.

U

UHLE, ALEXANDER: Combined cystoscopic and röntgenographic examination of the kidneys and ureter, **li**, 546, 592.
Treatment of bladder papilloma by high frequency destruction, **lx**, 319.
Ulcer, benign, the etiological relationship of to carcinoma of the stomach, **lxvii**, 215.
Duodenal, acute obstructive, **lxxviii**, 427; perforation of, **lxxviii**, 342; and gastric, chronic, surgical treatment of, **lxxx**, 31; Billroth I, **lxxix**, 143; operation for, **lxi**, 481; perforated, and bleeding jejunal, **lxxvii**, 754; in a child, **lxxvii**, 756; retroperitoneal, **lxi**, 414.
Duodenum, **lix**, 125; **lxxviii**, 546; and stomach, **lxi**, 406; acute perforation of, **lxxix**, 91; resection for, **lxxviii**, 507, 546; bleeding, associated with cholecystitis, **lxxv**, 459.
Gastric and duodenal, **liv**, 806; perforating, **lxxix**, 144; treatment of, **lxxx**, 152.
Gastro-jejunal, partial gastrectomy for, **lxxix**, 386.
Healed trophic, of amputation stump, following peri-arterial decortication, **lxxviii**, 428.
Hemorrhagic, of Meckel's diverticulum, **lxxx**, 222.
Jejunal, marginal, **lxxix**, 468.
Jejunum, after gastro-enterostomy, **lix**, 300.
Mid-gastric, sleeve resection of, **lxxiii**, 654.
Peptic, **lxxvi**, 473; experimental production of, **lxxvii**, 409; use of the cautery in, **lxxviii**, 206.
Stomach and duodenum, acute perforated, **lxxix**, 91; diagnosis of, **lx**, 252; calloused, of the posterior wall of the, **lxxii**, 109; cautery excision of, **lxvii**, 725; complicating Hodgkin's disease, **lxxiii**, 670; or duodenum, acute perforated, **lxxv**, 349; penetrating, **lxxviii**, 545; excision of, **lxi**, 493, 494; of lesser curvature, Billroth II, **lxxix**, 143; recurrent, **lix**, 125; relation of to cancer, **lxvii**, 715; repeated perforation of, **lxvii**, 747; study of focal infection and localization of, **lxxix**, 29; treated by double ligature, **lix**, 127; with carcinomatous degeneration, **lx**, 395; malignant degeneration, **lix**, 124.
Tanner's, **lxiii**, 155.
Trophic, peri-arterial sympathectomy for, **lxxix**, 611.
Ulcers, gastric and duodenal, perforated, gastro-jejunostomy for, **lxxvii**, 254.
Leg, perforating and varicose, **lxiii**, 561; varicose, treatment of, **lxiii**, 176.
Pylorus and duodenum, value of pyloric exclusion in the treatment of, **lxvii**, 560.
Stomach and duodenum, **lxxiii**, 328; late results of gastro-enterostomy for, **lxxvi**, 457; surgical consideration of, **lxvi**, 664; jejunum, secondary, **lxi**, 328.
Ulceration, treatment of by scarlet red, **liii**, 702.
ULLMAN, EMERICH: Tissue and organ transplantation, **lx**, 195.
Ulna, anterior dislocation of the head of the, **lvi**, 802; lower end of the, **lv**, 623.
Disjunction of upper epiphysis of, **liii**, 873.
Dislocation backward of the upper end of the, **lii**, 215; of, at the wrist (without fracture), **lv**, 368; habitual forward, of the head of, **lvii**, 928.
Greenstick fracture of the, complementing complete fracture of radius, in childhood, **lxi**, 209.
Osteomyelitis of, resection for, **lxix**, 335.
Partial excision of, for deformity following Colles's fracture, **lvii**, 764.
Resection of the head of, after Colles's fracture, **lx**, 388.
Subluxation of, **lx**, 785.
Treatment of dislocation of the head of the radius complicated by the fracture of the, **lvi**, 631.

Tuberculosis of the shaft of the, **lvii**, 260.
Ulnar nerve, late suture of, **lxxiii**, 667; neurorrhaphy of, **lv**, 765.
Umbilical cord hernia, operation eleven hours after birth, **li**, 113; radical operation for, in a new-born infant, **lix**, 441; and inguino-labial hernia, **lxxv**, 638.
Umbilical hernia an operation for, **li**, 694; pathogenesis of, **lxi**, 570; relief of by Condemin-Ransohof technic, **lxvii**, 732; silver filigree in the treatment of, **lxviii**, 104; technic of operation for, **lxviii**, 89.
Teratome, **lxix**, 603.
Umbilicus, papilloma of the, **lxv**, 199.
Unilateral septic infection of kidney, **lxvi**, 248.
Pulmonary tuberculosis, surgical treatment of, **lxxvii**, 652.
United States Army X-ray manual, review of, **lxix**, 111.
United States Naval medical bulletin, special number, by William Seaman Bainbridge, review of, **lxix**, 562.
Ununited fracture cured by blood injections, **lviii**, 564; of femur: pseudoarthrosis, **li**, 579; of the leg, injection of blood for, **lii**, 403; treatment of, **lxxiii**, 124; of the neck of the femur, **lix**, 140.
Ununited fractures, treatment of, **lxxiii**, 487.
Upcott, Harold: Tumors of the ampulla of Vater, **lvi**, 710.
Upper extremity, mechanism of correction of deformity of fractures of the, **lxix**, 359.
Urachus, cyst of the with concretion enclosed, **lxix**, 329.
Cysts of the, **lxiv**, 53.
Patent, **lviii**, 566; with sarcoma, **lxxiii**, 643.
Ureter, calculus in, **lv**, 450; impacted in, **liii**, 137.
Combined cystoscopic and röntgenographic examination of the kidneys, and, **li**, 546, 592.
Congenital malformations of the, **lv**, 571; strictures of the, **lii**, 597.
Divided, in operation for carcinoma of bladder, new method of treating, **liv**, 593.
Double, with double pelvis, **lxv**, 534.
Empyema of the, **liii**, 378.
Gunshot wound of, **lv**, 470.
Intraperitoneal division of one, **li**, 362.
Kidney-abnormalities, **lxviii**, 294.
Kidney, and, the clinical diagnosis of congenital anomaly in the, **lvi**, 726.
Kinking of, causing hydronephrosis, **lxxix**, 139.
Ligation of one, results of, **lvi**, 411.
Method of exposing the lower end of, **lix**, 393.
Observations upon the surgery of the, **liii**, 827.
Obstruction of, **lxvi**, 654.
Reduplication of the, **lxxvii**, 563; **lxv**, 355.
Removal of the, after nephrectomy, **liii**, 521; with a tuberculous kidney, **liii**, 696, 733.
Renal pelvis, and, primary closure of, after nephrolithotomy, **lxxiv**, 85.
Rupture of, **lv**, 468.
Sliding hernia of the, **lxxiii**, 613.
Stones in the, results of operation for the removal of, **lxxi**, 128.
Transplanting of, into colon, final results of, **liv**, 404.
Tuberculosis of the, **liii**, 563.
Tuberculous, excision of, **lxi**, 473.
Upper, non-calculous obstruction of the, **lxii**, 252.
Versus the appendix in right-sided abdominal lesions, **lxxvii**, 638.
Ureteral calculi indications for operation in, **lxix**, 192; multiple, with pyonephrosis, **lxv**, 260.
Calculus complicating nephritis, **lxvii**, 755; extraperitoneal removal of, **liv**, 243; and pyelitis simulating appendicitis, **lviii**, 569; treated with papaverin, **lxv**, 611.
Injuries during pelvic operations, **lxxvii**, 314.
Papilloma, nephro-ureterectomy for, **lxxiv**, 247.

Renal and, calculus, simultaneous removal of, **lv,** 324; surgery, technic of, **lxxviii,** 641.
Stone, error of overlooking under the diagnosis of appendicitis, **lv,** 264; large, in an infant, **lxxv,** 763.
Strictures and pyelitis, study of fifty cases of, **lxxiii,** 348.
Stump following incomplete ureterectomy, empyema of the, **lxxviii,** 387.
Ureterectomy, empyema of the ureteral stump following incomplete, **lxxviii,** 387.
For tuberculosis of ureter, **lvii,** 926.
Uretero-enteric anastomosis, lxi, 273.
Uretero-pyelography (a critique on its use as a diagnostic procedure), **lxxx,** 712.
Uretero - ureteral anastomosis, lxxiv, 92.
Ureterolithiasis and nephrolithiasis, co-existent on opposite sides, **lxxx,** 62.
Ureterolithotomy, lvii, 761.
Technic of, **lviii,** 232.
Ureterostomy, double lumbar, **li,** 126.
Lumbar followed by suppurative nephritis, **liii,** 423.
Ureterotomy, retroperitoneal, followed by urinary infiltration, **lviii,** 566.
Ureters, congenital strictures and spiral twists of the, **lxv,** 552.
Urethra, absent, supplied by transplantation of vermiform appendix, **lxix,** 435.
Congenital malformation of the posterior, **lx,** 733.
Deep impassable traumatic stricture of the, **lxviii,** 539; traumatic rupture of the, **lxi,** 239.
Defect of, acquired, **lxvii,** 241.
Excision of, with end-to-end suture, **liv,** 128.
Female, stricture of the, **lxxix,** 770.
Male, primary sarcoma of the, **lv,** 416; polyps of the, **lx,** 325.
Posterior, congenital valves of the, **lxxiii,** 477.
Posterior male, pathologic lesions observed in, **lxii,** 476.
Primary tumors of the, **lxxvi,** 246.
Urethral strictures, excision and suture in the treatment of dense, close, **lvii,** 536.
Urethroplasty, lxiii, 693.
Urethroscope, cysto, a new operating composite, **lxx,** 212.
Urgent surgery, by Felix Lejars, review of, **li,** 605.
Urinary calculi, mechanism of the formation of the, **lxxvii,** 210.
Calculus, encysted, **lix,** 748.
Drainage, control of after cystotomy, **liii,** 387.
Fistula following ureterotomy, **lxxvi,** 284.
Retention of the senile bladder, non-prostatic, **liii,** 57.
Tract, infections of the, due to bacillus coli and allied organisms, **li,** 355; observations on the anomalies of the, **lxv,** 560.
Urine, retention of, due to adherent appendical stump, **lv,** 773.
Urology in men, women and children, review of Pedersen's treatise on, **lxxii,** 532.
Modern, a system of, edited by Hugh Cabot, review of, **lxxx,** 28; **lxviii,** 453.
Urotropin, intravenous administration of, for post-operative urine retention, **lxxx,** 954.
Uterine cancer, end results of the surgical treatment of, **lxxvi,** 395.
Cancers, radium treatment of, **lxiv,** 298.
Curettage, dangers of, **lxviii,** 638.
Fibroid transplanted to the omentum, **lxxiv,** 792.
Prolapse, surgical treatment of, **lxxvi,** 106.
Utero, perforation of a gastric ulcer in, **lxxviii,** 36.
Uterus, adenomyoma of, frequency of, **lxix,** 135.
Bullet wound of pregnant, **lxxviii,** 93.
Cancer of the, results obtained in the use of radium in the treatment of, **lxiv,** 602.
Carcinoma of the cervix, operation for, **liv,** 243.
Chorio-epithelioma of the, **lxxix,** 140.

Didelphys, **lxxix,** 102.
Double, operation for the correction of, **lxiii,** 615.
Erosions of the cervix of the, **lxxi,** 178.
Fibroids of the, treatise on, by Bland-Sutton, review of, **lviii,** 858.
Index of the blood serum, **lxxvi,** 662.
Masculine, with ectopy of the testis, **lxviii,** 420.
Malignant disease of the cervical stump, development of, after supra-vaginal hysterectomy, **lviii,** 373.
Operation for procidentia of, **lxv,** 469.
Perforation of during curettage with prolapse of intestine necessitating extensive removal, **lvii,** 443.
Prolapse of, mode of ventrofixation for the relief of, **lxii,** 479; treated by looping the cardinal ligaments, **lix,** 621.
Radium in treatment of cancer of the cervix, **lxxii,** 701.
Rupture of, during attempts at version, **lxxiv,** 251.
Sarcoma of the, **lxxvii,** 476; **lxxx,** 792.

V

Vaccine and serum therapy in septicæmia, lix, 652.
Vaccine therapy as an adjunct to surgery, **lii,** 135.
Vaccines, autogenous effect of, in case of multiple osteomyelitis, **lix,** 451.
Vagina, artificial formation of, by intestinal transplantation, **lvii,** 210.
Vaginal cœliotomy, by S. Wyllis Bandler, review of, **liv,** 711.
Vaginal hernia, lxix, 609.
VALE, C. FREMONT: Acute perforation of duodenal ulcer, **lxxviii,** 342.
VAN ALLEN, CHESTER M.: Transorbital puncture of the gasserian ganglion, **lxxiv,** 525.
VAN BEUREN, FREDERICK T., JR.: Acute ileus, **lxxii,** 528–531.
Bilateral direct inguinal herniæ with bilateral adenomyoma of round ligaments, **lxv,** 775.
Depressed fracture of the skull, **lxxi,** 671.
Experiences with the Murphy button at Roosevelt Hospital, **lxxiii,** 650.
Factors bearing upon the mortality in operations for biliary obstruction by calculus, **lxvi,** 224.
Fifty-nine cases of enterostomy, **lxxx,** 148.
Hour-glass deformity of stomach, **lxv,** 376.
Lethal factors in acute ileus, **lxxv,** 423.
Perforated duodenal ulcer, **lxiv,** 625.
Relation between intestinal damage and delayed operation in acute mechanical ileus, **lxxii,** 612.
Thrombo-angiitis obliterans, **lxiv,** 102.
Suppurative arthritis of knee-joint, treated by incision and motion, **lxxx,** 622.
VANDEN BERG, HENRY J.: Peritonitis as a complication of prostatectomy, **lxxv,** 668.
VANDER VEER, ALBERT: Intraperitoneal hemorrhage of pelvic origin, **lvi,** 341.
Simultaneous fracture of both femurs, **lxi,** 715.
Treatment of œsophageal diverticula, **lii,** 126.
VANDER VEER, EDGAR: Benefit to the civilian surgeon in the experience gained by military surgeons in the recent war, **lxx,** 392.
Dilatation of the heart with acute myocarditis after abdominal operations, **lxvi,** 295.
Fragilitas ossium, **lxxiv,** 629.
Simultaneous fracture of both femurs, **lxi,** 715.
Some secondary complications of posterior gastro-enterostomy, **lxxiv,** 360.

VAN DE VELDE, JOSEPH: Fractures of the lower third of the femur, **lxx**, 461.
Variations of the bones of the hands and feet, by Thomas Dwight, review of, **liii**, 160.
Varicocele operation, a consideration of, **lxxii**, 508.
Varicose ulcers of the leg, **lxiii**, 561.
Varicose veins, combined extirpation and obliteration of, **lxxix**, 907.
Vascular anastomosis, **liv**, 496.
Vascular sympathetic system, relation of surgery to the, **lxxviii**, 321, 429.
Vascular system gunshot wounds of, **lxxi**, 98; surgery of the, by B. M. Bernheim, review of, **lx**, 663.
Vater, ampulla of, tumor of the, **lvi**, 710.
Carcinoma of the papilla of, **lvii**, 280, 402; **lviii**, 687; **lxii**, 511.
Transduodenal choledochotomy for stone in the ampulla of, **lvi**, 575.
VAUGHAN, GEORGE TULLY: Aneurismorrhaphy, **lviii**, 86.
Arrest of hemorrhage from bone by plugging with soft tissues, **lvii**, 434.
Injection of gasserian ganglion, **lxvi**, 287.
Ligation (partial occlusion) of the abdominal aorta for aneurism, **lxxiv**, 308.
Treatment of fractures of the femur especially in the old, **lxv**, 491.
VAUGHAN, HAROLD S.: Treatment of fractures of the mandible, **lxv**, 379.
VEAU, VICTOR: Treatment of complete double hare-lip, **lxxvi**, 143.
Veins, femoral, resection of, for thrombo-angiitis obliterans, **lix**, 795.
Use of, as a reinforcement and support of nerve sutures, **lxx**, 509.
Varicose, of the leg, multiple ligation of, for thrombo-angiitis obliterans, **lix**, 796.
Vena cava graft of the, on the abdominal aorta, **lii**, 462.
Inferior, laceration of, repaired by suture, **lxvi**, 43; thrombophlebitis of, ultimate outcome, **lvii**, 916.
Occlusion of, two cases, **lv**, 919.
VENABLE, CHARLES S.: Primary sarcoma of the peritoneum, **lvi**, 681.
Venereal diseases, by I. E. R. McDonagh, review of, **lxxiii**, 519.
Venous segments, note on the transplantation of fresh, **lvi**, 409.
Ventral decubitus in some leg amputations, **lxi**, 616.
Ventral hernia, **lix**, 449; **lxiv**, 364; **lxix**, 657; large, operation for cure of, **lxxii**, 214; strangulated, **lxviii**, 100; massive, **lxxvii**, 445; recurrent, fascia transplant for, **lxxi**, 225; repair of large incisional, by pedunculated flaps of fascia, **lxv**, 761; spontaneous lateral, **lxxv**, 677; with prolapse of ileocæcum, **lxviii**, 535.
Ventriculography following the injection of air into the cerebral ventricles, **lxviii**, 5.
Ventrofixation of uterus for relief of prolapsus, **lxii**, 479.
Vertebra, cervical, bilateral dislocation of, **lxvii**, 383.
First, dislocation of the, **lxiv**, 248.
Fracture, simple of, with contusion of cord, **lii**, 409.
Lumbar, first, fracture of without nerve symptoms, **lxiii**, 757; fracture compression, of, with delayed symptoms, **lxxiii**, 360.
Vertebræ cervical, dislocation of the, **lxvi**, 644.
Fracture-dislocation of the, **lxxviii**, 260; isolated of the transverse process of the, **lv**, 316.
Laminæ, resection of, observations upon a series, **lv**, 217.
Lumbar, fracture-dislocation of, **lxxvii**, 243; ununited fracture of the, **lxiii**, 374.
Osteochondroma of, **lxxx**, 637.
Vertebral column, fracture of the, **lxxiii**, 770.
Sarcoma cured by mixed toxins, **lx**, 772.

Vesalius, sechs anatomische tafeln, reprint of, review of, **lxxiii,** 388.
Vesical calculus, lxxviii, 666, 668; and hypertrophied prostate, **liii,** 542; formed about fragment of bougie, **lv,** 924.
Vesicovaginal fistula from penetration of the floor of the bladder, by horn of a bull, **liv,** 287; plugging a, **li,** 425; small, repair of, **lxiii,** 106.
Vesiculitis, seminal, **lx,** 313.
Vessels, femoral, requiring amputations, gunshot fracture of the femur and wounds of the, **lxxviii,** 405.
Vibrator, radiator, with the electro-magnet, **lxxi,** 387.
Vicious circle relieved by enteroenterostomy, **lxvi,** 119.
VICKERS, DENVER M.: Carcinoma of the duodenum, **lxxix,** 239.
VIETOR, JOHN A.: Fracture of carpal scaphoid, **lxxviii,** 545.
VILLARS, HORACE S.: Massive ventral hernia, **lxxvii,** 445.
Visceral anastomosis, mechanical aids to hollow, **liv,** 500.
Visceral injury, abdominal contusions associated with, **lxxx,** 628.
Visceroptosis, relation of chronic appendicitis to, **lxiv,** 579.
Vital resistance of patient, with reference to possibility of recovery, **lv,** 641.
VIVIAN, CHARLES S.: Operative treatment of gonorrhœal epididymitis, **lxxiii,** 357.
Treatment of gonorrhœal epididymitis complicated by periepididymitis, **lxvi,** 103.
Vocal cord, carcinoma of the, conservative surgery in, **lxii,** 372.
VOEGELIN, ADRIAN W.: Amœbic abscess of the liver, **lxxiv,** 254.
VOELKER, DR.: Mobile cæcum, **lv,** 165.
Volkmann's contracture, lxxvii, 244; apparatus for the treatment of, **lvii,** 569; treatment of, **lvii,** 555.
Ischæmic paralysis, **liii,** 578; **lxv,** 28, 250, 271.
Volvulus, acute intussusception of the ileum with, **li,** 237.
Concidence of, with strangulated hernia, **liii,** 232.
Of the sigmoid, **lii,** 270; **lxxv,** 724.
Of the small intestine in a child, **lii,** 402; complicating appendicitis, **liii,** 120.
Of the stomach, **lvi,** 697.
Vomer, extirpation of tumors of, **liv,** 302, 424.
Von Recklinghausen's disease, lx, 498; **lxxv,** 171.
VOSBURGH, ARTHUR S.: Bilateral paralysis of the trapezius muscle, **lx,** 762.
Cholecystectomy, **lxxiii,** 131.
Gunshot wound of the abdomen, **lxxiii,** 129.
Immediate application of plaster-of-Paris dressings after fractures, **lxiii,** 634.
Isolation of erysipelas cases, **lxvi,** 245.
Musculospiral paralysis following fracture of the humerus, **lx,** 646.
New dressing for skin grafting, **lv,** 891.
Non-rotation of the intestine, **lviii,** 822.
Operative treatment of hyperthyroidism, **lvi,** 460.
Persistent appendiceal fistula, **lxii,** 623.
Pistol shot wound of the arm, **liii,** 292.
Relation of iliohypogastric nerve in operation for the cure of inguinal hernia, **lxi,** 249.
Remarks on high intestinal obstruction, **lv,** 118.
Resection of cæcum and ascending colon, **lxv,** 390.
Skin grafting for carbuncle of the neck, **lxv,** 387.
Sliding hernia of the intestines, **lix,** 640.
Sprengel transverse abdominal incision, **lxvi,** 237.
Subphrenic abscess, **lv,** 894.
Ventral hernia, **lix,** 449.
Vosburgh's method of strapping ulcers, lxxii, 399.

W

WADE, HENRY: Prostatism, **lix,** 321.
WAGONER, GEORGE W.: Idiopathic osteopsathyrosis (fragilitas ossium), **lxxx,** 115.
WAINWRIGHT, JONATHAN: Influence of physical therapy in reducing disability time in fractures of the long bones, **lxxiv,** 304.
WALKER, GEORGE: Secretory pressure of the kidneys as an index of pathological conditions, **lxxiii,** 610.
Symphysiotomy as an aid to the removal of cancer of the prostate, **lxxiii,** 609.
Transpubic removal of the prostate for carcinoma, **lxxviii,** 795.
WALKER, JOHN B.: Bone grafting in the United States Army Hospitals, **lxxiii,** 1, 255.
Cases of recurrent hernia after operation, **lxi,** 251.
Five cases of fracture of the femur treated by the operative method, **liii,** 722.
Fracture of the hip treated by the abduction method, **liv,** 863.
Fracture of neck of femur, **lxiv,** 505.
Fractures treated with Lane's plates, **lv,** 881.
Operative treatment of fractures, **lvi,** 348, 847.
Operative treatment of fracture of the femur, **liv,** 260.
Traumatic and industrial hernia, **lxxv,** 467.
Treatment of fracture, of the neck, of the femur, **lx,** 509.
Treatment of undescended testis, **lii,** 861.
Undescended testis associated with inguinal hernia, **lxiv,** 504.
WALKER, J. W. THOMPSON: Atony of the bladder without obstruction or signs of organic disease, **lii,** 577.
Early diagnosis of hydronephrosis by pyelography and other means, **lviii,** 766.
WALLACE, CUTHBERT: War surgery of the intestine, **lxviii,** 656.
WALLER, ERIK: Idiopathic choledochus cyst, **lxvi,** 446.
Walmsley's manual of practical anatomy, review of, **lxxii,** 768.
WALTERS, WALTMAN: Method of reconstructing an anomalous hepatic duct injured at operation, **lxxix,** 78.
Pre-operative preparation of handicapped surgical patients, **lxxix,** 803.
Toxicity and rate of excretion of calcium chloride from the blood stream, **lxxx,** 545.
WALTHER, H. W. E.: Tumors of the bladder, **lxvi,** 682.
WALTON, ALBERT J.: Congenital pyloric stenosis, **lx,** 342.
Extrasaccular hernia, **lvii,** 86.
Pathology and symptomatology of gall-stones, **liv,** 83, 176.
War, European, remarks on the surgery of the, **lxiii,** 208.
Influence of upon the development of surgery, **lxix,** 453.
Injuries coming to subsequent operation, **lxxv,** 389; of the chest, possible advances in civil medicine, suggested by experiences in treating, **lxxi,** 241, 248.
Surgery, **lx,** 137; **lxii,** 129; **lxx,** 476; bismuth paste in, **lxvii,** 392; influence of, upon civil practice, **lxix,** 565; observations upon shock as seen in, **lxvi,** 280; of the intestine, **lxviii,** 656; quino-formol solution in, **lxviii,** 467; under front line conditions, **lxx,** 695.
Wounds of the chest, penetrating, **lxxii,** 352.
Wounds, early treatment of, review of Gray on, **lxix,** 443; sutures of, **lxxi,** 191; treated with dichloramine-T, **lxix,** 498; treatment of, **lxix,** 575.
X-ray in, **lxvi,** 13.
War's contribution to civil surgery, lxxii, 758.
WARBASSE, JAMES PETER: Backward dislocation of the upper end of the ulna, **lii,** 215.
Surgical treatment, review of, **lxviii,** 446; **lxix,** 222; **lxx,** 255.

WARD, WILLIAM G.: Suppurating cyst of the urachus with concretion, **lxix,** 329.
WARDLOW, YEATMAN: Eight toes on one foot, **lxxvi,** 546.
WARE, MARTIN W.: Contracture of the bladder due to spinal injury, **lxvii,** 533.
Gonococcus myositis, **lxxvii,** 782.
Jejuno-colic fistula, **lxxii,** 609.
Non-prostatic urinary retention of the senile bladder, **liii,** 57.
Trend of surgery in empyema of thorax, **lxv,** 320.
Prevention of permanent bronchial fistulæ after resection of lung, **lxvii,** 626.
WARNER, FRANK: Branchiogenic carcinoma, **lxiv,** 1.
WARREN, JAMES H.: Mixed tumors of the salivary glands, **lxvii,** 67.
WARTHIN, ALFRED SCOTT: Present day views of the pathology of syphilis, **lxviii,** 551.
Primary tuberculosis of the penis, **lv,** 305.
Skin lesions produced by mustard gas, **lxviii,** 562.
WARWICK, MARGARET: Tuberculosis of the appendix, **lxxi,** 239.
Wassermann reaction, how shall the clinician interpret, **lx,** 309.
WATSON, C. GORDON: Blood transfusion in war surgery, **lxvii,** 1.
WATSON, ERNEST M.: Human seminal vesicles at birth, **lxviii,** 416.
Notes on the recognition of certain lesions of the male bladder, **lxvii,** 96.
WATSON, FRANCIS S.: Nephrostomy, **lviii,** 286.
Occurrence of bilateral kidney calculus, **lviii,** 286.
WATSON, FRED C.: Clonorchis sinensis infection of the gall-bladder and biliary passages, **lxviii,** 34.
Embolism and thrombosis of the mesenteric artery, **lviii,** 459.
Intestinal obstruction due to ascarides, **lxxi,** 757.
Spontaneous rupture of the malarial spleen, **lvii,** 72.
WATSON, LEIGH F.: Abolishing pain after operations with nerve block, **lvii,** 730.
Hernia, treatise on, review of, **lxxix,** 629.
Jack-knife position for patients after operation for abdominal hernia, **lxxx,** 239.
WATTENBERG, JOHN E.: Intestinal obstruction; an experimental study, **lxvii,** 210.
Treatment of chronic empyema, **lxx,** 545.
WATTERSTON, CHARLES: Urethroplasty, **lxiii,** 693.
WATTS, STEPHEN H.: Acute and subacute pancreatitis, **lxvii,** 278.
Cardioplasty for cardiospasm, **lxxviii,** 165.
Intussusception in the adult, **liii,** 408.
Report of two cases of oxcephaly, **lxxi,** 113.
Rhinoplasty by means of one of the fingers, **li,** 191.
Traumatic chylothorax, **lxxiv,** 691.
WAUGH, THEODORE R.: Giant-cell sarcoma of the femur with metastasis in the femoral vein, **lxxviii,** 846.
Wax, Moorhof's, for the treatment of bone abscess, **liii,** 67.
Webb-Johnson on the surgical aspects of typhoid fever, review of, **lxix,** 674.
WEBB, ROSCOE C.: Operative treatment of hour-glass stomach, **lxvi,** 418.
Webbed fingers, lxvii, 228; **lxxviii,** 532, 543.
WEBER, GEORGE H.: Surgery of the gall-bladder, **lxiv,** 48.
WEBSTER, DOUGLAS: Arthroplasty upon the temporomandibular joint, **lxxix,** 485.
WEGEFORTH, PAUL: Note on experimental cranioplasty, **lxix,** 384.
WELCH, WILLIAM: Co-existence of different pathological conditions in one tumor, **lviii,** 280.
Welch bacillus gangrene, lxxii, 418.
WELLER, CARL VERNON: Skin lesions produced by mustard gas, **lxviii,** 562.

WELLER, WALTER: Fracture of the skull in children, **lxxiv**, 72.
WELLS, JAMES RALSTON: Anhydrous cocaine spinal anæsthesia, **lxxi**, 504.
Lymphosarcoma, **lxxv**, 507.
Perforation in utero of a gastric ulcer, **lxxviii**, 36.
Primary axillary lymphosarcoma, **lxxv**, 509.
WENDLING, H.: Induction of splanchnic analgesia, **lxxx**, 166.
WHARTON, HENRY R.: Avulsion of the lesser trochanter of the femur, **lxv**, 244.
Cases of fracture of the lumbar vertebræ without symptoms of spinal injury, **lxiii**, 758.
Dislocation of the hip in children, **lx**, 656.
Fracture of the pelvis, **lxxi**, 398.
Intussusception caused by a lipoma of the descending colon, **liv**, 344.
Multiple fracture of the pelvis, complicated, **lxx**, 115.
Operation for undescended testicle, **lvi**, 503.
Pneumococcic peritonitis, **lii**, 274.
Pyloric stenosis in infancy, **lxix**, 558.
Separation of the lower epiphysis of the femur, **lxx**, 113.
Stricture of the œsophagus, **lxv**, 511.
Sublingual dermoid cyst, **lxx**, 124.
Treatment of lung injury, **liii**, 730.
Ultimate result of excision of the elbow-joint, **lii**, 272.
Value of tenotomy in some cases of fracture of tibia and fibula, **lii**, 276.
Wharton's duct, calculi in the submaxillary gland and, **lxiii**, 140; calculus in, **lxxiii**, 377.
WHEEDEN, W. M.: Treatment of acute suppurative pleurisy, **lxxiii**, 531.
WHIPPLE, ALLEN O.: Acute diffuse peritonitis of undetermined etiology three years after acute pancreatitis, **lxxix**, 620.
Carcinoma of the stomach, **lxxix**, 299.
Diseases of the biliary tract and pancreas, **lxviii**, 107.
Double nephrolithiasis, **lxvii**, 755.
Hæmolytic jaundice in child of four years, **lxxx**, 158.
History analysis applied to surgical diseases of the biliary tract and pancreas, **lxviii**, 471.
Indications for local anæsthesia, **lxxiii**, 663.
Liver cirrhosis and chronic pancreatitis, **lxix**, 56.
Moynihan operation for resection of stomach, **lxxiv**, 123.
Pancreatic asthenia, **lxxviii**, 177.
Pneumococcus peritonitis, **lxvii**, 248.
Pressure of the drainage tubes as a factor in stenosis of the bile duct, **lxxv**, 381.
Pyoarthrosis of the knee, **lxxvii**, 232.
Radium or X-ray therapy before and after operation of breast tumors, **lxxv**, 632.
Saddle-back ulcer of central third of stomach, **lxxiii**, 651.
Splenomegaly, **lxxviii**, 553.
Subphrenic abscess and accumulations of fluids, **lxxx**, 159.
Suppurative nephritis with calculus in ureter, **lxvii**, 755.
Tuberculosis of chest wall, **lxxvii**, 497.
Use of the duodenal tube in the pre-operative study of infections of the biliary tract, **lxxiii**, 556.
WHIPPLE, G. H.: Experimental study of intestinal obstruction, **lix**, 714.
WHITALL, J. DAWSON: Extensive removals of intestine, **liv**, 669.
Later history of case of extensive removal of intestine, **lviii**, 719.
WHITE AND MARTIN: Genito-urinary surgery, review of, **lxvii**, 125.
WHITE, CHARLES S.: Duodenal hemorrhage due to suture, **lxxi**, 681.
WHITE, C. Y.: Cystic diseases of bone, sarcoma, **lxxv**, 506.
WHITE, GEORGE R.: Contracture of the psoas parvus muscle simulating appendicitis, **lviii**, 483.

WHITE, WILLIAM C.: Tumors of the breast, **lxxv**, 641, 631.
White bile in the common duct, lxxvii, 281.
WHITEFORD, C. HAMILTON: Evacuator for the removal of fluids from the abdomen during operation, **lx**, 535.
Paramedian cœliotomy incision, **lx**, 533.
Traumatic aneurism of the temporal artery, **lxvi**, 624.
Whitehead operation for hemorrhoids, immediate and late results of the, **lviii**, 647.
WHITING, A. D.: Diagnosis of typhoid perforation, **li**, 697.
Pre-operative treatment of the hands and field of operation, **lxiii**, 608.
Rupture of the sigmoid by inflation through the rectum, **lxiii**, 376.
Tubal pregnancy, **lix**, 743.
WHITMAN, ARMITAGE: Relative place of plaster dressing and suspension apparatus in the treatment of fractures, **lxxii**, 774.
Review of Basset on the neck of the femur, **lxxiii**, 256.
WHITMAN, ROSS C.: Primary sarcoma of the lower end of the femur, **lx**, 440.
WHITMAN, ROYAL: Abduction treatment of fracture of the neck of the femur, **liii**, 489; **liv**, 859.
Arthroplasty for bony ankylosis, **liv**, 860.
Backward dislocation at elbow, **liv**, 862.
Chronic hypertrophic villous arthritis of the knee, **lxxviii**, 106.
Congenital torticollis, **lxv**, 772.
Efficient treatment of fractures of the neck of the femur, **lxxiv**, 127.
Epiphyseal fracture at the upper extremity of the humerus, **liv**, 861.
Essential feature of the abduction treatment for fracture of the neck of the femur, **lxxvii**, 127.
Extreme talipes equino varus, **liv**, 862.
Fracture-dislocation of the cervical spine, **lxxx**, 155.
Incomplete epiphyseal fractures at the hip, **lxxvi**, 624, 676.
Ischæmic contraction of forearm, **lxv**, 381.
Late deformities from injuries to the lower tibia, **lxxi**, 523.
Method of correcting fixed scoliosis, **liv**, 862.
Operative treatment after Pott's fracture, **lxxii**, 388.
Operative treatment of the deformity of Pott's fracture, **liv**, 841, 864.
Operative treatment of paralytic calcaneus, **liv**, 860.
Periosteal sarcoma of the femur, **lxxviii**, 419.
Pyoarthrosis of the knee, **lxxvii**, 232.
Reconstruction operation for arthritis deformans of hip-joint, **lxxx**, 779.
Reconstruction operation for ununited fracture of the femur, **lxxiii**, 245.
Removal of astragalus after Chopart's amputation, **lxxiii**, 252.
Removal of semilunar cartilages, **lvii**, 283.
Rôle of abduction in the treatment of hip-fractures as compared with artificial impaction, **lxiii**, 509.
Results following removal of semilunar bone, **lxxiii**, 659.
Results of treatment for fracture of the neck, of the femur, **lxxix**, 615.
Shoulder plaster spica, **liv**, 861.
Sub-periosteal resections, **lxxii**, 398.
Suppurative arthritis and osteomyelitis, **lxxvii**, 499.
Treatise on orthopædic surgery, review of, **lxxiii**, 139.
Treatment of central luxation of the femur, **lxxi**, 62.
Treatment of disease of the hip-joint, by arthrodesis, **liv**, 862.
Treatment of fracture, of the neck, of the femur, **lx**, 485.
Treatment of fracture of the neck of the femur, by traction, **lxxvii**, 239.

Treatment of oblique fractures of the femur, **lxxi**, 521.
Treatment of torticollis, **lvii**, 282.
Treatment of traumatic synovitis, **lxxvii**, 120.
Treatment of Volkmann's ischæmic paralysis, **lxv**, 254, 272.
Ulcerated heel, **lxxii**, 390.
Whitman operation in paralytic deformities of the foot, lxxx, 861.
WIENER, JOSEPH: Acute post-operative dilatation of the stomach, **lxiv**, 109.
Appendicectomy and colpoperineorrhaphy under local anæsthesia, **lxv**, 796.
Carcinoma of the cæcum, **lxv**, 769.
Carcinoma of the transverse colon resected, **lxxv**, 636.
Comparative merits of Lane plates and the bone plastic splints, **lxix**, 662.
Cure of sinuses by X-ray, **lxxvii**, 629.
Dressing of skin grafts, **lxv**, 784.
Excision of tumor of carotid body, **lxix**, 648.
Fibroma of abdominal muscles, **lxix**, 651.
Gangrene of ileum complicating appendicitis, **lvi**, 900.
Gastro-enterostomy under local anæsthesia, **lxv**, 795.
Ileocæcal tuberculosis, **lix**, 698.
Major operations under local anæsthesia, **lxvii**, 753.
Major surgery under minor anæsthesia, **lxiv**, 630.
Operation for carcinoma of the breast, **lxiv**, 630.
Operation for carcinoma of the sigmoid, **lxiv**, 502.
Operation for fracture of patella, **lxix**, 647.
Operation for papilloma of bladder, **lxxiii**, 240.
Prevention of adhesions after tenorrhaphy, **lxxi**, 791.
Silver wire and linen thread for the cure of hernia, **lii**, 678.
Starch and veneer bandages for fractures, **lxiii**, 635.
Suprapubic prostatectomy in two stages, **lxii**, 463.
Time as a factor in determining the mortality of operations for biliary obstruction, by calculus, **lxvi**, 227.
WRIGHT, J. SHERMAN: Acute secondary tuberculous splenomegaly, **lxiii**, 315.
WILENSKY, ABRAHAM O.: Abscess of the tongue, **lxxviii**, 496.
Acute deferentitis and funiculitis, **lxxviii**, 785.
Acute perforations of the stomach and duodenum, **lxxvi**, 38.
Bile drainage for hypercholesterolemia, **lxxviii**, 594.
Broncho-pulmonary fistula, **lxxiii**, 30.
Drainage in intra-abdominal infection, **lxxvii**, 558.
Extent of tissue to be excised for radical removal of the stomach, **lxvi**, 421.
Fracture of the penis, **lix**, 402.
Fracture of the skull and its neurological manifestations, **lxx**, 404.
Immediate operation for fracture of the neck of the femur, **lxxvi**, 631.
Mechanism of post-operative hemorrhage, **lxxx**, 652.
Method for the prevention of hæmatoma after operation for undescended testis, **lxx**, 511.
Motor disturbances from gastric ulcer and changes caused by operation, **lxv**, 730.
Present status of gastric and duodenal ulcer, **lxxiii**, 420.
Rhomboideus minor muscle, sprains of, **lxxvi**, 641.
Sarcoma of the breast, **lxii**, 11.
Surgical treatment of perforated ulcer of the stomach, **lxiv**, 403.
Value of Dakin's solution in the treatment of chronic osteomyelitis, **lxxv**, 708; in the treatment of thoracic empyema, **lxxiv**, 79.
WILKINSON, A. L.: Mesenteric cysts, **liv**, 115.
WILLARD, DEFORREST P.: Enlarged thymus as a cause of death under ether, **lii**, 125.
Gas gangrene, **lxxii**, 418.

Immediate plastic operations involving tendons or joints, **lxxviii,** 100.
Limitations of arthroplasty, **lxxix,** 929.
Splenic anæmia, **lviii,** 601.
Therapy by bacterins and tuberculins in mixed suppurative bone and joint disease, **li,** 761.
Treatment of non-union in compound fractures, **lxxi,** 182.
WILLEMS, CHARLES: Indications for active immediate mobilization in the treatment of joint injuries, **lxxii,** 425.
Mobilization in the treatment of intra-articular fractures, **lxix,** 212.
Willem's treatment of septic knees, lxxvi, 116.
WILLIAMS, E. G. C.: Radiolucent shadow in certain cases of headache, **lxviii,** 521.
WILLIAMS, ESPY MILO: Transduodenal choledochotomy for stone in the ampulla of Vater, **lvi,** 575.
WILLIAMS, HADLEY: Technic of suprapubic cystostomy in early infected cases, **lxiii,** 686.
WILLIAMS, JOHN T.: Condition of appendix in 500 patients having no symptoms of appendicitis, **lxx,** 535.
WILLIAMS, R. BLAND: Chronic intestinal stasis as produced by obstruction at the ileocæcal region and hepatic flexure, **lxii,** 326.
Pericolic membranes and Lane's kink, **lix,** 28.
WILLIAMSON, CARL S.: Experimental production of peptic ulcer, **lxxvii,** 409.
WILLIS, A. MURAT: Advantage of cholecystectomy in gall-bladder surgery, **lxvi,** 411.
Dilatation of extrahepatic ducts with removal of gall-bladder, **lxxv,** 241.
Problems in connection with the surgery of the biliary tract, **lxxv,** 196.
WILLIUS, FREDERICK A.: Angina pectoris and surgical conditions of the abdomen, **lxxix,** 524.
WILLMOTH, A. DAVID: Prolonged wearing of a plaster bandage without removal, **lxxix,** 636.
WILMS, DR.: Mobile cæcum and chronic appendicitis, **lv,** 161.
WILSON, GEORGE EWART: Repair of cranial defects, **lxix,** 230.
WILSON, GEORGE H.: Primary tuberculosis of the penis, **lv,** 305.
WILSON, H. L.: Prevention of post-operative adhesions in the peritoneal cavity, **lxi,** 297, 365.
WILSON, JOHN C.: Hernial sacs, etiology of cysts connected with, **lxiii,** 544.
Operative treatment of fracture of the spine uncomplicated by cord injury, **lxvii,** 513.
WILSON, LOUIS B.: Diverticula of the lower bowel; their development and relationship to carcinoma, **liii,** 223.
Embryo-genetic relationship of tumors of the kidney, suprarenal, and testicle, **lvii,** 522.
Fatal post-operative embolism, **lvi,** 809.
Malignant tumors of the thyroid, **lxxiv,** 129.
Note on the mesotheliomata of the kidney, **lv,** 282.
Pathology of spleens removed for certain abnormal conditions of the blood, **lxii,** 158.
WINSLOW, NATHAN: Complete outward dislocation of the patella, **lxxix,** 415.
Extracranial aneurism of the internal carotid artery, **lxxv,** 688.
Perforating gastric and duodenal ulcer, **lxxiv,** 721.
Suppurative osteomyelitis, due to colon bacillus, **lxxvi,** 695.
Typhoidal osteomyelitis, **lxxvii,** 319.
WINSLOW, RANDOLPH: Analysis of 102 cases of tumors of the breast, **lxxiv,** 341.
Diagnosis of appendicitis in early typhoid fever, **lxii,** 534.
Foreign bodies in the stomach, **lxx,** 60.
Fungous diseases of the foot in America, **lxvi,** 496.
Subphrenic pyopneumothorax abscess, **lxxiii,** 338.

Tumors of the carotid body, **lxiv,** 257.
Wire in the abdomen, travels of a, **lxxi,** 238.
Wiring of aneurisms, lv, 661.
And galvanism in the treatment of thoracic aneurism, **lv,** 789. 890.
WISE, WALTER D.: Gangrene of an extremity as a complication of pneumonia, **lxxiv,** 565.
WITZEL, OSKAR: Amputations, **lx,** 143.
WOHL, MICHAEL G.: Sarcoma of the appendix, **lxiv,** 311.
Tooth germ cysts of the jaw, **lxiv,** 674.
WOLBARST, ABR. L.: Pathologic lesions observed in posterior male urethra, **lxii,** 476.
Tribute to the memory of Paul M. Pilcher, **lxv,** 530.
WOLFE, JOHN B.: Fracture-dislocation of lumbar vertebræ, **lxxvii,** 243.
Wolffian body, cysts of the, **lxxix,** 762.
Wolffian duct, excision of remains of, **lviii,** 689.
WOOD, ALFRED C.: Amœbic abscess of the liver, **lxiv,** 335.
Case of gall-stone ileus, **lxiii,** 250.
Congenital sacrococcygeal tumor, **liv,** 284.
Multiple myeloma, **lxxviii,** 14.
Necrosis of the mandible, **lxvii,** 377.
Paraffine injection as a cure for inguinal hernia, **liv,** 286.
Recurrent stones in the urinary bladder, **lix,** 748.
Tourniquet for the control of hemorrhage from the scalp during osteoplastic resection of the skull, **li,** 646.
WOOD, B. E.: Fracture of the tarsal scaphoid, **lii,** 845.
WOOD, FRANCIS CARTER: Action of radium on transplanted tumors of animals, **lxii,** 751.
WOOD, J. K. W.: Results of high ligation of the cystic duct in cholecystectomy, **lxxv,** 203.
WOOD, WALTER C.: Mortality of appendicitis in young children, **li,** 944.
WOOLSEY, GEORGE: Absence of gall-bladder, **lxxiii,** 792.
Acute post-operative dilatation of the stomach, **lxiv,** 107.
Adhesions in upper abdomen, **lv,** 910.
Ankylosis of the temporo-maxillary articulation, **lxxii,** 636.
Benign stenosis of the pylorus, **lv,** 446.
Bilateral calculous pyonephrosis, **lviii,** 419.
Biliary surgery, **lx,** 765.
Carcinoma of the stomach, **lxii,** 22.
Cases of recurrent hernia after operation, **lxi,** 251.
Cases of rupture of the bladder, **lvi,** 808.
Choice of operation for gastric ulcer in view of late results, **lxxvi,** 476.
Chronic perforation of duodenal ulcer, **lxiv,** 507.
Cirrhosis of the liver treated by Talma operation; result after nine years, **lii,** 560.
Cystadenoma of the ovary, **liii,** 136.
Dislocation of elbow with fracture, treated by plating, **lv,** 888.
Drainage in the treatment of acute pancreatitis, **lvi,** 336.
Duodenal fistula, **lxxii,** 378.
End results in the treatment of simple fractures, **lv,** 472.
Exstrophy of the bladder, **liii,** 135.
Fibroma of the popliteal space, **lv,** 447.
Gastrectomy for carcinoma of the stomach, **lv,** 886, 888.
Gastrectomy under local anæsthesia, **lxxiii,** 663.
Gastro-enterostomy under local anæsthesia, **lxv,** 795.
Gastro-jejunal ulcer after gastro-enterostomy, **lxxiii,** 655.
Gastro-jejunostomy for gastric ulcer, **lxvi,** 123.
Giant-celled sarcoma of femur, **lxix,** 555.
Hemorrhage in gastro-enterostomy for ulcer, recovery after transfusion, **lxvi,** 124.

Hyperplastic tuberculosis of the intestines, **lxxi**, 794.
Infection after use of Lane's plates, **lv**, 882.
Intestinal anastomosis, **lxxiii**, 669.
Late recurrence after radical operation for carcinoma of the breast, **lxxx**, 932.
Late results of removal of carcinoma of the transverse colon, **lxxii**, 660.
Linitis plastica, **lv**, 618.
Long freedom from recurrence after removal of cancer of the stomach, **lxvii**, 238.
Mikulicz operation for colostomy, **lxxi**, 393.
Nephrolithiasis with calculus of the bladder, **lv**, 445.
Nephrolithiasis of the kidneys, calculus in left ureter, **lv**, 450.
Observations on cholelithiasis, **lxxiii**, 46.
Occlusion of the pylorus, **lxi**, 489.
Peptic ulcer due to non-absorbable suture in gastro-enterostomy, **lxvi**, 121.
Pneumococcus peritonitis, **lxvii**, 247.
Post-operative intestinal obstruction, **lii**, 131.
Radical cure of inguinal hernia, **lxxii**, 646.
Recurrence of symptoms due to non-absorbable suture in gastro-enterostomy, **lxvi**, 121.
Recurrent hemorrhage after gastro - enterostomy; transfusion, **lxiv**, 361.
Recurring appendiceal fistula, **lxii**, 622.
Remarks on appendicitis, **li**, 943.
Remarks on high intestinal obstruction, **lv**, 118.
Resection of pylorus for ulcer, **lxiv**, 360.
Results of a follow up system in a surgical service, **lxxi**, 212.
Results of mid-gastric resection for hour-glass contracture of stomach, **lxxv**, 762.
Rupture of the bladder, **lviii** 244.
Sacrococcygeal cyst, **lviii**, 418.
Sarcoma of the omentum and mesentery, **liii**, 139.
Sleeve resection of mid-gastric ulcer, **lxxiii**, 654.
Stenosis of stomach after swallowing hydrochloric acid, **lxxv**, 757.
Subphrenic perinephritic abscess, **lv**, 449.
Surgical treatment of gastrocolptosis, **lxi**, 634.
Symptomatology and surgical treatment of spinal cord tumors, **lii**, 289.
Technic of nerve suturing, **lxv**, 386.
Transfusion of blood in pernicious anæmia, **liii**, 131.
Treatment of acute pancreatitis, **liii**, 436.
Treatment of chronic gastric and duodenal ulcer, **lxxviii**, 546.
Treatment of fracture of the neck of the femur, **lx**, 509.
Treatment of large aneurisms, by the introduction of wire and the use of electrolysis, **lii**, 561.
Treatment of traumatic synovitis, **lxxvii**, 120.
Trephining for epilepsy, **lxii**, 628.
Ulcer of the stomach and duodenum, **lv**, 444.
Ulcer of the stomach; resection and continuance, **lxi**, 745.
Undescended testis in a hermaphrodite, **lviii**, 400.
Ureteral calculus, **liii**, 137.
WOOLSEY, WILLIAM C.: Lymphatic drainage of the peritoneal sac, **lxi**, 291.
WORCESTER, JAMES N.: Arthroplasty for ankylosis of elbow, **lxxix**, 457.
Cyst of the popliteal space, **lxxv**, 246.
Flap transplant for burn of hand, **lxxiv**, 507.
Flap transplant for defect of sole of foot, **lxxiv**, 507.
Fracture of the surgical neck of the humerus, **lxxviii**, 552.
Tendon transplant for wrist drop, **lxxiv**, 506; **lxxviii**, 553.
Wound, abdominal, technic, **lxvii**, 183.
Fever, aseptic, **lvii**, 648.

Healing, standardized results of, **lxxiv,** 376.
Incised of the fourth and fifth cervical nerves, **lxxviii,** 402.
Incision in the treatment of compound fracture, **lxxv,** 38.
Infected, of the forearm, treatment of, **lxxi,** 210.
Infection and tissue fragments, **lxiv,** 641; treatment of, **lxv,** 438.
Leg, of, lacerated, **lxvii,** 229.
Wounds, after treatment of, review of Elmslie on, **lxix,** 677.
Carrel method of treating, **lxvi,** 262.
Cranio-cerebral, treatment of, **lxxii,** 558.
Complicated by retained foreign bodies, **lxiii,** 113.
Cranium, due to projectiles, **lxxi,** 560.
Determining the superficial area of, by a gravimetric method, **lxxiii,** 673.
Granulating, adhesive plaster method for securing rapid regeneration of skin over, **lxix,** 291.
Gunshot, and other injuries of the abdomen, influence of hemorrhage on the mortality, of, **lxxviii,** 364; stab, perforated, of abdomen, at Gouverneur Hospital, New York, **lxxx,** 51.
Healing of with chinosol and salt, **lxix,** 493.
Infected, bacteriology of, **lxxiii,** 4; use of dichloramine-T in the treatment of, **lxvii,** 14, 120, 757.
Of the extremities, treatment of lacerated and incised, **liv,** 696; genital organs in warfare, note on the treatment of, **lxviii,** 306; knee-joint, treatment of, **lxvii,** 170; lower extremity communicating with a fracture or joint, **lxxix,** 779.
Open, infected, treatment of, **lxxiii,** 701.
Surgical, closure of, **lxviii,** 430; **lxxi,** 83.
With chest complications, **lxii,** 570.
WRIGHT, JONATHAN: Text-book of the diseases of the nose and throat, review of, **lxii,** 767.
Wright's solution of sodium citrate and sodium chloride for drainage, lii, 541.
Wrist, contracture of, **lxxiv,** 639.
Forearm, and, incised wounds of, **lvii,** 906.
Fractures, **lxxii,** 428; in childhood and adolescence, **lxiv,** 318.
Unreduced dislocation of radial epiphysis, **lxxviii,** 550.
Tuberculosis of, result of excision of, **lix,** 283.
Wound, deep incised, **lvii,** 438, 439.
Wounds, tendon and nerve suture after, **lxiii,** 119.
Wrist-drop, tendon transplant for, **lxxiv,** 506; **lxxviii,** 553.
Tuffier splint for, **lxiii,** 120.
Wrist-joint, dislocation of the, spontaneous forward, **lii,** 229.
Mobilization after excision of scaphoid, **lxxi,** 524.
Stabilization of, by bone graft in spastic paralysis, **lxxvii,** 246.
WROTH, PEREGRINE, JR.: Arteriovenous aneurism of the external iliac vessels, **lix,** 558.
Wry-neck, operation for, **li,** 419.
WYETH, GEORGE A.: Endothermy in the treatment of neoplastic diseases, **lxxix,** 9.
Large malignant facial tumor removed without hemorrhage by bipolar endothermy and the endotherm knife, **lxxx,** 954.

X

Xanthic, benign, tumor of the extremities, **lxx,** 574.
Xanthoma tumors, surgical aspects of, **lxxx,** 256.
X-ray and radium in the treatment of lymphosarcoma, results of, **lxv,** 686.
Bone atrophy, study of, **li,** 289.

Burns, radical treatment of, **lxxii**, 224.
Cure of the elbow, **lxxv**, 744.
Examination in cholelithiasis, value of the, **lxvi**, 69.
In war surgery, **lxvi**, 13.
Legal responsibility in the use of, **lxiii**, 479.
Manual of the United States Army, review of, **lxix**, 111.
Observations for foreign bodies and their localization, review of Gage's manual on, **lxxii**, 770.
Radiation upon breast cancer, unusual result after, **lxxv**, 117.
Sarcoma of the psoas muscle treated by, **li**, 285.
Treatment of carbuncle of face, **lxvi**, 99.
Ulcer, treatment of, **liii**, 47.

Y

YANKAUER, SIDNEY: Bronchoscopy in cases of bronchiectasis, **lxi**, 104.
YATES, JOHN LAWRENCE: Possible advances in civil medicine suggested by experiences in treating war injuries of the chest, **lxxi**, 241.
Yaws, followed by gumma of the liver, **lv**, 111.
YEOMANS, FRANK C.: Technic of appendicostomy, **lii**, 808.
YOUNG, HUGH HAMPTON: Median bar formation in the urinary bladder, **lxv**, 518.
Use of radium and the punch operation in desperate cases of enlarged prostate, **lxv**, 633.
YOUNG, JAMES K.: Actinomycosis, **liv**, 132.
Acute Pott's disease, **li**, 421.
Bone transplantation for spinal tuberculosis, **lx**, 524.
Bone transplantation for tibial cyst, **lxxv**, 736; **lxxvi**, 115.
Cases of Perthes' disease, **lxiii**, 372.
Cyst of the tibia, **lxv**, 512.
Disarticulation of the hip, **lxxv**, 736.
Disarticulation of the hip-joint for sarcoma, **lxxvi**, 115.
Early operation for psoas abscess, **liii**, 115.
Etiology of traumatic paralysis of the upper extremity in children, **liii**, 116.
Lambotte method for treating fractures of the shaft of femur, **liii**, 196.
Operation for wry-neck, **li**, 419.
Osteomyelitis of the sacro-iliac articulation, **liii**, 115.
Recurrent dislocation of the shoulder-joint, **lxiii**, 375.
Sacral laminectomy, for tubercular monoplegia, **liii**, 116.
Sacro-iliac displacement, **li**, 419.
Subacromial bursitis, **lxiv**, 368.
Treatment of old contracted cicatrices, **lx**, 526.
Tuberculous and luetic infection of knee-joint, **lxiv**, 371.
Ununited fracture of the lumbar vertebræ, **lxiii**, 374.
Von Recklinghausen's disease, **lxxv**, 171.

Z

ZAAIJER, J. H.: Cardiospasm in the aged, **lxxvii**, 615.
ZADEK, ISADORE: Pathological fracture of the neck of the femur due to thyroid metastases, **lxxvii**, 689.
ZIEROLD, ARTHUR A.: Primary peritonitis, **lxxix**, 418.
Zygoma, fracture of the, **lv**, 457.
Injuries to the, **lxvii**, 403.